




What's Fixed in Xcelsius 2008 Service Pack 2



Copyright

© 2009 SAP® BusinessObjects™. All rights reserved. SAP BusinessObjects and its logos, BusinessObjects, Crystal Reports®, SAP BusinessObjects Rapid Mart™, SAP BusinessObjects Data Insight™, SAP BusinessObjects Desktop Intelligence™, SAP BusinessObjects Rapid Marts®, SAP BusinessObjects Watchlist Security™, SAP BusinessObjects Web Intelligence®, and Xcelsius® are trademarks or registered trademarks of Business Objects, an SAP company and/or affiliated companies in the United States and/or other countries. SAP® is a registered trademark of SAP AG in Germany and/or other countries. All other names mentioned herein may be trademarks of their respective owners.

2009-07-28

Welcome to Xcelsius

This document provides a list of issues that have been resolved for Xcelsius Service Pack 2. For additional information about this release, see the list of "available documentation".

To learn about new features for previous releases, visit our support website at <http://help.sap.com>.

Fixed Issues

ADAPT01087245 (Closing Xcelsius as Guest or Limited User)

Description:

When logged in using a Limited User or Guest account, closing the Xcelsius application causes Xcelsius to stop responding.

New Behavior:

This issue is resolved.

ADAPT01087308 (Blank Label component)

Description:

When a **Label** component was linked to an empty cell and the **Enable HTML Formatting** option was selected, the **Label** component displayed "null" rather than being blank.

New Behavior:

This issue is resolved.

ADAPT01092966 (Logging in with Windows AD SSO accounts)

Description:

When a valid Windows AD SSO account was used to log on to BusinessObjects Enterprise to export or open files, an error occurred: Security plugin error: An error has occurred in the plugin, but the plugin is unable to return a detailed error message.

New Behavior:

This issue is resolved.

ADAPT01125693 (Keycode becomes invalid)

Description:

When Xcelsius 2008 Engage is installed on the same machine as Crystal Xcelsius 4.5 Standard and/or Pro and the keycode is entered, starting Xcelsius results in a prompt to enter the keycode. After re-entering the keycode, an error message indicates that the keycode is invalid.

New Behavior:

This issue is resolved.

ADAPT01132898 (Xcelsius install breaks CR XIR2)

Description:

After Xcelsius was installed on a machine that had Crystal Reports XIR1 already installed, when launching Crystal Reports, an error occurred: CrystalReports: Application Error - Couldn't load the keydecoder.dll.

New behavior:

This issue is resolved.

ADAPT01133236 (Batch utility)

Description:

The batch utility would run only if Xcelsius Designer was installed on the machine.

New behavior:

This issue is resolved.

ADAPT01151103 (Gauge elasticity)

Description:

When elasticity was set for a half-circle gauge, the needle did not bounce as it moved from point A to point B, that is, the gauge did not display elasticity.

New behavior:

This issue is resolved.

ADAPT01151383 (Dynamic visibility - removing linked status)

Description:

When dynamic visibility was set up for a component, if you opened the component's "Properties" panel and, on the **Behavior** tab, removed the value in the **Status** box, the **Key** box continued to be available and controlled the component's visibility.

New Behavior:

This issue is resolved.

ADAPT01155711 (Transparency in external slideshows)

Description:

The external slideshow component was not transparent and would mask items behind it.

New behavior:

This issue is resolved.

ADAPT01172841 (Label-based menus and tab set components)

Description:

Label-based menus did not work correctly when a **Tab Set** component was placed just below the **Label-based menu** component.

New Behavior:

This issue is resolved.

ADAPT01173196 (Visualization connections in Sharepoint)

Description:

When a web part was created for Sharepoint and two visualizations were created and connected in the web part, if one of the visualizations was then opened in Xcelsius and saved with a different name, when the web part was

re-created using the renamed visualization, the **Connections** option was not available and the two visualizations could not be connected.

New Behavior:

This issue is resolved.

ADAPT01175071 (Write-only properties)

Description:

If a component had a write-only property and its property sheet requested the value of that property, an error occurred: `ReferenceError: Error #1077: Illegal read of write-only property.`

New Behavior:

This issue is resolved.

ADAPT01178257 (Ignore blank cells in List Builder)

Description:

The **Ignore Blank Cells** option was not available on the **Behavior** tab of the "List Builder" properties panel.

New Behavior:

This issue is resolved.

ADAPT01189287 (SAP Authentication menu option)

Description:

When the SAP Integration kit was installed on the same computer as Xcelsius and the user clicked **Open from Enterprise** or **Export to BOE**, the

Authentication dropdown on the "Log On to BusinessObject Enterprise" dialog did not include **SAP**.

New behavior:

This issue is resolved.

ADAPT01196650 (Spinner component and 1000 separator)

Description:

When using a **Spinner** component, if the **Value** number format (on the **Appearance** tab) was set to Currency or Numeric and the **Use 1000 Separator** option was selected, the value would revert back to the default setting when users ran the visualization and changed the value on the component.

New Behavior:

This issue is resolved.

ADAPT01201830 (BusinessObjects Enterprise login prompt)

Description:

When previewing an Xcelsius dashboard with a QaaWS or Live Office connection in Xcelsius, after entering credentials on the "BusinessObjects Enterprise Login" dialog box, pressing **Enter** did not proceed with the log in.

New behavior:

This issue is resolved.

ADAPT01202848 (Networkdays function)

Description:

Calculations that use the `Networkdays` function in Excel displayed an extra day for February 2009 in Xcelsius.

New behavior:

This issue is resolved.

ADAPT01204712 (Chart component)

Description:

When the **Auto Scale** option was set for the Y Axis on a Chart component, the Y Axis variables did not display correctly.

New behavior:

This issue is resolved.

ADAPT01207021 (Slideshow component memory)

Description:

When the **Slideshow** component was used to switch between complex embedded dashboards, the memory was released only when the web browser window containing the dashboard was closed or refreshed.

New behavior:

This issue is resolved. If the dashboards do not have memory leak problems, the memory is released when the **Slideshow** component is used to switch between dashboards.

ADAPT01211339 (Log file not created)

Description:

If other BusinessObjects products had not been installed, when Xcelsius was installed, the Xcelsius log file was created in a temp folder rather than in the correct BusinessObjects logging folder.

New Behavior:

This issue is resolved.

ADAPT01212029 (UAC and Exporting to AIR)

Description:

When Xcelsius is running in Microsoft Vista (32bit) with User Account Control (UAC) turned on, attempting to export visualizations to AIR format caused Xcelsius to stop responding.

New Behavior:

This issue is resolved. If Xcelsius is running in Microsoft Vista, when UAC is turned on, the option to export to AIR format is not available. To export to AIR format, turn off the UAC option in Microsoft Vista.

ADAPT01214147 (Xcelsius tips in PowerPoint notes)

Description:

When a visualization was exported to PowerPoint, the PowerPoint presentation did not contain notes with answers to common questions about Xcelsius visualizations in PowerPoint presentations.

New Behavior:

This issue is resolved.

Note:

For this release, the PowerPoint notes are available in English only.

ADAPT01214747 (Mouse pointer)

Description:

When a button, map or icon component was included in visualizations, if the mouse pointer was moved over the component when the visualization was run, the mouse pointer did not change to a hand image to indicate that the component was active.

New Behavior:

This issue is resolved.

ADAPT01214300 (Unable to update Live Office connection in BOE XI3)

Description:

If reports were created in the BusinessObjects Enterprise XI 2.0, after upgrading to BusinessObjects Enterprise XI 3.0 or 3.1, you could not refresh the LiveOffice connection to update data in the reports to the new version.

New Behavior:

This issue is resolved.

ADAPT01219707 (Spinner component limits)

Description:

When a blank area of the canvas was clicked, the minimum and maximum limits for the **Spinner** component were reset to zero.

New behavior:

This issue is resolved.

ADAPT01223478 (Query refresh)

Description:

When two queries were set to refresh every two minutes, the first query's refresh time was affected if the second query was triggered.

New behavior:

This issue is resolved.

ADAPT01224153 (LCDS connector doesn't load data in slideshow)

Description:

If a visualization was connected using the LiveCycle Data Services (LCDS) connector, when the visualization was run in a slideshow, the data would not load.

New Behavior:

A new **Application Domain** list is available on the **General** tab on the Slideshow component's "Properties" panel. The **Application Domain** list

allows you to specify which domain the slideshow visualization will load into. The following three options are available:

- **New** - The slideshow visualization loads into a child application domain. This is the default setting.

Note:

If the visualization is connected using an LCDS connector, the data will not load.

- **This** - The slideshow visualization loads into the current application domain. The visualization uses only the first class definition; subsequent class definitions that are loaded in the domain (such as for the LCDS connector) are ignored. Use this option if the LCDS connection can share the main visualization's domain.

Note:

This option allows you to embed external codes to control the visualization, but if the LCDS connection is unable to share the main visualization's domain, data is not loaded.

- **Compatible** - The slideshow visualization loads into a compatible bootstrap loader. If you need to run an LCDS visualization in a slideshow, this option allows the visualizations to share the classes defined in the bootstrap loader but use their own class definitions for everything else. For example, the bootstrap loader loads the Slideshow visualization and the Slideshow visualization loads the LCDS visualization. When the LCDS visualization is run in a slideshow, the data is loaded correctly.

Note:

For more information about bootstrap loaders, see the [Adobe Flex documentation](#).

For more information about the **Application Domain** option, contact SAP Technical Support.

ADAPT01226742 (Column chart alerts)

Description:

When alerts were enabled for a **Column chart** component and the alert thresholds were set to 0, the alert format did not display as configured.

New behavior:

This issue is resolved.

ADAPT01228762 (Single value component alert settings)

Description:

When an alert was set up on the "Properties" panel for a **Single Value** component, after closing the panel, the alert settings reverted to the default settings.

New Behavior:

This issue is resolved.

ADAPT01228765 (Spreadsheet table component row selectability option)

Description:

For the **Spreadsheet Table** component, when setting the **Row Selectability** option on the **Behavior** tab on the "Properties" panel, if you scrolled to the bottom of the list and selected or deselected a row, the **Row Selectability** table would return to the first row in the list.

New Behavior:

This issue is resolved.

ADAPT01234282 (Gauge color)

Description:

After copying a gauge that has Alerts enabled and, then changing the **Alert Threshold** range for the copied gauge, the original gauge color changed to black.

New behavior:

This issue is resolved.

ADAPT01239620 (Adobe Player Stream error 2032)

Description:

When a visualization was run in multiple InfoView windows by a single user with Internet Explorer 6 or 7.2, an Adobe Player Stream error 2032 occurred.

New Behavior:

This issue is resolved.

More Information

Information Resource	Location
SAP BusinessObjects product information	http://www.sap.com

Information Resource	Location
SAP Help Portal	<p>Select http://help.sap.com > SAP BusinessObjects.</p> <p>You can access the most up-to-date documentation covering all SAP BusinessObjects products and their deployment at the SAP Help Portal. You can download PDF versions or installable HTML libraries.</p> <p>Certain guides are stored on the SAP Service Marketplace and are not available from the SAP Help Portal. These guides are listed on the Help Portal accompanied by a link to the SAP Service Marketplace. Customers with a maintenance agreement have an authorized user ID to access this site. To obtain an ID, contact your customer support representative.</p>
SAP Service Marketplace	<p>http://service.sap.com/bosap-support > Documentation</p> <ul style="list-style-type: none"> • Installation guides: https://service.sap.com/bosap-inst-guides • Release notes: http://service.sap.com/releasenotes <p>The SAP Service Marketplace stores certain installation guides, upgrade and migration guides, deployment guides, release notes and Supported Platforms documents. Customers with a maintenance agreement have an authorized user ID to access this site. Contact your customer support representative to obtain an ID. If you are redirected to the SAP Service Marketplace from the SAP Help Portal, use the menu in the navigation pane on the left to locate the category containing the documentation you want to access.</p>
Developer resources	<p>https://boc.sdn.sap.com/</p> <p>https://www.sdn.sap.com/irj/sdn/businessobjects-sdklibrary</p>
SAP BusinessObjects articles on the SAP Community Network	<p>https://www.sdn.sap.com/irj/boc/businessobjects-articles</p> <p>These articles were formerly known as technical papers.</p>

Information Resource	Location
Notes	<p>https://service.sap.com/notes</p> <p>These notes were formerly known as Knowledge Base articles.</p>
Forums on the SAP Community Network	<p>https://www.sdn.sap.com/irj/scn/forums</p>
Training	<p>http://www.sap.com/services/education</p> <p>From traditional classroom learning to targeted e-learning seminars, we can offer a training package to suit your learning needs and preferred learning style.</p>
Online customer support	<p>http://service.sap.com/bosap-support</p> <p>The SAP Support Portal contains information about Customer Support programs and services. It also has links to a wide range of technical information and downloads. Customers with a maintenance agreement have an authorized user ID to access this site. To obtain an ID, contact your customer support representative.</p>
Consulting	<p>http://www.sap.com/services/bysubject/businessobjectsconsulting</p> <p>Consultants can accompany you from the initial analysis stage to the delivery of your deployment project. Expertise is available in topics such as relational and multidimensional databases, connectivity, database design tools, and customized embedding technology.</p>

