

# QM/PM Partner Roles



HELP.BCBM.TOM

**Release 4.6C**



## Copyright

© Copyright 2001 SAP AG. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP AG. The information contained herein may be changed without prior notice.

Some software products marketed by SAP AG and its distributors contain proprietary software components of other software vendors.

Microsoft<sup>®</sup>, WINDOWS<sup>®</sup>, NT<sup>®</sup>, EXCEL<sup>®</sup>, Word<sup>®</sup>, PowerPoint<sup>®</sup> and SQL Server<sup>®</sup> are registered trademarks of Microsoft Corporation.

IBM<sup>®</sup>, DB2<sup>®</sup>, OS/2<sup>®</sup>, DB2/6000<sup>®</sup>, Parallel Sysplex<sup>®</sup>, MVS/ESA<sup>®</sup>, RS/6000<sup>®</sup>, AIX<sup>®</sup>, S/390<sup>®</sup>, AS/400<sup>®</sup>, OS/390<sup>®</sup>, and OS/400<sup>®</sup> are registered trademarks of IBM Corporation.

ORACLE<sup>®</sup> is a registered trademark of ORACLE Corporation.

INFORMIX<sup>®</sup>-OnLine for SAP and Informix<sup>®</sup> Dynamic Server<sup>™</sup> are registered trademarks of Informix Software Incorporated.

UNIX<sup>®</sup>, X/Open<sup>®</sup>, OSF/1<sup>®</sup>, and Motif<sup>®</sup> are registered trademarks of the Open Group.

HTML, DHTML, XML, XHTML are trademarks or registered trademarks of W3C<sup>®</sup>, World Wide Web Consortium, Massachusetts Institute of Technology.

JAVA<sup>®</sup> is a registered trademark of Sun Microsystems, Inc.

JAVASCRIPT<sup>®</sup> is a registered trademark of Sun Microsystems, Inc., used under license for technology invented and implemented by Netscape.

SAP, SAP Logo, R/2, RIVA, R/3, ABAP, SAP ArchiveLink, SAP Business Workflow, WebFlow, SAP EarlyWatch, BAPI, SAPPHIRE, Management Cockpit, mySAP.com Logo and mySAP.com are trademarks or registered trademarks of SAP AG in Germany and in several other countries all over the world. All other products mentioned are trademarks or registered trademarks of their respective companies.

## Icons

Icon	Meaning
	Caution
	Example
	Note
	Recommendation
	Syntax

## Contents

<b>QM/PM Partner Roles .....</b>	<b>5</b>
Partner Roles (QM, PM) .....	6

## QM/PM Partner Roles

### Use

During business processes, an enterprise negotiates with a number of natural and juristic persons. For example, a customer orders goods or services from the enterprise. Or a service provider offers services to customers. An employee in customer services processes the business procedure. The roles that these people take on are represented in the R/3 system as business partners.

Business partners can be:

- Internal employees (partners in Human Resources)
- Externals (customers or vendors)

### Integration

#### Functions in the HR System

In the HR system, you can define the following object types as partner types:

- Organizational Unit (O)
- Position (S)
- Person (P)

This data is sent to the Logistics system (LO).

#### Functions in the Logistics System

In the Logistics system, you define partner roles and the partner types that belong to them.



A partner role can be a sales representative and a partner type may be a person.

### Data Flow

The three HR object types are sent to the LO system.

### Prerequisites

Partner roles must be maintained in the LO system.

---

**Partner Roles (QM, PM)****Partner Roles (QM, PM)****Purpose**

You want to use data that is defined in the HR system in the Logistics system (LO).

**Prerequisites**

To be able to use HR object types in the LO system, you must distribute them to the LO system. You must also define partner roles in the LO system.

**Process Flow**

The HR message type HRMD\_A is used to distribute HR organizational models into the LO system.