



User Guide | PUBLIC  
2022-12-12

# How to Work with Electronic Billing in the India Localization Using Generic eDoc Protocol for SAP Business One 10.0

# Content

1	Document History. ....	3
2	Introduction. ....	6
3	Step 1: Updating Queries. ....	8
4	Step 2: Updating eDoc Formats. ....	9
5	Step 3: Configuring Electronic Document Generation. ....	10
6	Step 4: Creating A/R Invoices or A/R Credit Memos. ....	11
7	Step 5: Exporting JSON Files. ....	12
8	Appendix. ....	13

# 1 Document History

## Document History

Version	Date	Change
1.0	2020-04-26	<p>Initial version for:</p> <ul style="list-style-type: none"><li>• SAP Business One 10.0 patch level 02</li><li>• SAP Business One 10.0 patch level 02, version for SAP HANA</li></ul>
1.1	2020-08-31	<p>Version for:</p> <ul style="list-style-type: none"><li>• SAP Business One 10.0 Feature Package 2008</li><li>• SAP Business One 10.0 Feature Package 2008, version for SAP HANA</li></ul> <p>Updates are as follows:</p> <ul style="list-style-type: none"><li>• There is no need to add queries or import eDoc formats; they are in SAP Business One and SAP Business One, version for SAP HANA.</li><li>• When exporting json files, in the <a href="#">Save As</a> window, the suffix <a href="#">.json</a> appears as the default value in the type dropdown list; there is no need to manually change the suffix.</li></ul>

Version	Date	Change
1.2	2020-12-21	<ul style="list-style-type: none"> <li>The prerequisites part is updated with information regarding Electronic Document Service (EDS).</li> <li>Limitation of not supporting manual UoM is added.</li> <li>Updates for SAP Business One 10.0 Feature Package 2011 and SAP Business One 10.0 Feature Package 2011, version for SAP HANA on the <a href="#">Electronic Documents</a> tab of the <a href="#">Document Settings</a> window: <ul style="list-style-type: none"> <li>One more setting is needed for the <a href="#">Processing Target</a> drop-down list.</li> <li>The mapping interface is updated with the <a href="#">Documents Mapping Determination</a> field.</li> </ul> </li> </ul>
1.3	2021-03-12	<p>Updates are as follows:</p> <ul style="list-style-type: none"> <li>You can use the Electronic Billing (E-Billing) feature only with SAP Business One 10.0 Feature Package 2011 Hotfix 02 and later, and SAP Business One 10.0 Feature Package 2011 Hotfix 02 and later, version for SAP HANA.</li> <li>Provided an appendix describing the mapping relationship between the fields in the JSON files and in SAP Business One or SAP Business One, version for SAP HANA.</li> <li>Update for SAP Business One 10.0 Feature Package 2102 and SAP Business One 10.0 Feature Package 2102, version for SAP HANA for the <a href="#">Processing Target Setup</a> field on the <a href="#">Electronic Documents</a> tab of the <a href="#">Document Settings</a> window.</li> </ul>
1.4	2021-03-22	A best practices part has been added to the <a href="#">Introduction</a> section.

Version	Date	Change
1.5	2021-09-09	The mapping relationship has been added to <a href="#">Appendix [page 13]</a> .
1.6	2021-12-17	Name of this guide is updated to <a href="#">How to Work with Electronic Billing in the India Localization Using Generic eDoc Protocol</a> . As of SAP Business One 10.0 Feature Package 2111, and SAP Business One 10.0 Feature Package 2111, version for SAP HANA, you need to use the new <a href="#">E-Billing</a> protocol. For more information about working with electronic billing with the new protocol, see guide <a href="#">How to Work with Electronic Billing in the India Localization</a> .
1.7	2022-05-19	Updates for SAP Business One 10.0 Feature Package 2111 Hotfix 01 and SAP Business One 10.0 Feature Package 2111 Hotfix 01, version for SAP HANA for the two eDoc formats. For more information, see <a href="#">Step 2: Updating eDoc Formats [page 9]</a> .

## 2 Introduction

This how-to guide will help you to work with the Electronic Billing (E-Billing) feature using the generic eDoc protocol in the India localization of SAP Business One and SAP Business One, version for SAP HANA.

After the steps in this guide, you will get the json files in the formats released by the Indian government.

For more information about working with Goods and Service Tax (GST) in the India localization, see guide [How to Work with GST in the India Localization](#).

### Prerequisites

You have installed, configured and run the Electronic Document Service (EDS). For more information, see [2952067](#).

You have downloaded the following attachments from SAP Note [2902401](#):

- For SAP Business One: E-Billing-SQL.zip. It contains the following:
  - E-Billing-Invoice.txt: query for invoices
  - E-Billing-Invoice-Lines.txt: query for invoices
  - E-Billing-CreditMemo.txt: query for credit memos
  - E-Billing-CreditMemo-Lines.txt: query for credit memos
  - E-Billing-Invoice.spp: eDoc format for invoices
  - E-Billing-CreditMemo.spp: eDoc format for credit memos
- For SAP Business One, version for SAP HANA: E-Billing-HANA.zip. It contains the following:
  - E-Billing-Invoice.txt: query for invoices
  - E-Billing-Invoice-Lines.txt: query for invoices
  - E-Billing-CreditMemo.txt: query for credit memos
  - E-Billing-CreditMemo-Lines.txt: query for credit memos
  - E-Billing-Invoice.spp: eDoc format for invoices
  - E-Billing-CreditMemo.spp: eDoc format for credit memos

### Best Practices

To have correct results in the json files, make sure you have made the following settings:

- When you select *Without Payment of Duty* in the *Duty Status* dropdown list on the *Tax* tab of the document, make sure **none** of the checkboxes in the *Duty Status* column are selected in the *Define Tax Amount Distribution* window. To open the *Define Tax Amount Distribution* window, choose the link arrow in the *Tax Amount* column for each document row.



- The base amount must be the same for all tax types in that document row. You can check the base amount in the [Define Tax Amount Distribution](#) window.
- The [Reverse Charge %](#) value must be either zero or 100 for all tax types of the tax codes used in the document, including the tax codes for rows and freights.
- Documents must have at least one document row.
- The freight tax codes in the documents must follow the GST tax rule, i.e. use IGST for inter-state cases, and use CGST+SGST for intra-state cases.
- The freight value in the document row must be equal to the tax base amount of this freight in the same row, i.e. the value of freight 1 must be equal to the base amount of freight 1 tax, the value of freight 2 must be equal to the base amount of freight 2 tax, and so on. You can check the base amount in the [Define Tax Amount Distribution](#) window through the link arrow in the corresponding [Freight Tax](#) column.

## 3 Step 1: Updating Queries

### Context

In this section, you update the queries in SAP Business One or SAP Business One, version for SAP HANA to those you have downloaded from SAP Note [2902401](#) .

### Procedure

1. From the SAP Business One menu bar, choose **Tools** > **Queries** > **Query Manager...** .
2. In the *Query Manager* window, under category *E-Billing*, select query *E-Billing-Invoice*, and choose *OK*.
3. In the *E-Billing-Invoice* window, in the upper left corner, choose *Edit*.
4. Delete the old query, enter the query in `E-Billing-Invoice.txt` that you have downloaded from SAP Note [2902401](#) , choose *Execute*, and then *Save*.
5. Update queries *E-Billing-Invoice-Lines*, *E-Billing-CreditMemo* and *E-Billing-CreditMemo-Lines* in the same way.




## 4 Step 2: Updating eDoc Formats

### Context

In this section, you update the .spp files in SAP Business One or SAP Business One, version for SAP HANA to those you have downloaded from SAP Note [2902401](#) .

#### i Note

As of SAP Business One 10.0 Feature Package 2111 Hotfix 01, and SAP Business One 10.0 Feature Package 2111 Hotfix 01, version for SAP HANA, for new companies, the two eDoc formats [E-Billing-Invoice.spp](#) and [E-Billing-CreditMemo.spp](#) are removed from the [Electronic File Manager](#) window. You can download the files from SAP Note [2902401](#) , and add them to the electronic file manager.

#### i Note








As of SAP Business One 10.0 Feature Package 2111 Hotfix 01, and SAP Business One 10.0 Feature Package 2111 Hotfix 01, version for SAP HANA, for upgraded companies, the two eDoc formats [E-Billing-Invoice.spp](#) and [E-Billing-CreditMemo.spp](#) are non-system files. You can skip the first step in this section.

### Procedure

1. In the SAP HANA studio or the Microsoft SQL Server management studio, run the following query:  

```
update OFRM set "IsSystem" = 'N' where "Name" = 'E-Billing-Invoice'
```

```
update OFRM set "IsSystem" = 'N' where "Name" = 'E-Billing-CreditMemo'
```
2. From the SAP Business One [Main Menu](#), choose  [Administration](#)  [Setup](#)  [General](#)  [Electronic File Manager](#) .
3. In the [Electronic File Manager - Setup](#) window, right-click [E-Billing-Invoice](#), and choose [Update](#).
4. Select [E-Billing-Invoice.spp](#) that you have downloaded from SAP Note [2902401](#) .
5. Update [E-Billing-CreditMemo](#) with [E-Billing-CreditMemo.spp](#) that you have downloaded from SAP Note [2902401](#)  in the same way.

# 5 Step 3: Configuring Electronic Document Generation

## Context

In this section you will configure the settings for electronic document generation.

## Procedure

1. From the SAP Business One *Main Menu*, choose ► *Administration* ► *System Initialization* ► *Document Settings* ►.
2. On the *Electronic Documents* tab, under the *Generic eDoc Protocol* section, perform the following:
  - Select the *Enable Protocol* checkbox.
  - In the *Default eDoc Generation Type* dropdown list, select *Generate*.
  - Double-click the *Processing Target Setup* field, and on the *B1i Event Sender* tab of the *Processing Targets for Protocol* window, select the *Active* checkbox under *Business One Client - B1i Event Sender*.

### Note

If you are using SAP Business One 10.0 Feature Package 2011 Hotfix 02, or SAP Business One 10.0 Feature Package 2011 Hotfix 02, version for SAP HANA, in the *Processing Target* dropdown list, select *Business One Client - XML Connector*.

- In the *User Query Category* dropdown list, select *E-Billing*.
  - In the *Documents Mapping Determination* field, double-click the field, and in the *Export Format* column of the *Electronic Documents Export Setup* window, define the export formats to correspond E-Billing-Invoice to A/R invoices and E-Billing-CreditMemo to A/R credit memos, respectively.
3. In the *Document Settings* window, choose *Update*.

## 6 Step 4: Creating A/R Invoices or A/R Credit Memos

### Context

In this section you will create A/R invoices or A/R credit memos for which you want to generate electronic documents.

### Procedure

1. From the SAP Business One *Main Menu*, choose ► *Sales - A/R* ► *A/R Invoice* ► or ► *Sales - A/R* ► *A/R Credit Memo* ►.
2. In the *A/R Invoice* or *A/R Credit Memo* window, make sure you have defined the *Digital Series* field for the selected series in the *Series - <Document> - Setup* window. For more information, see the *Working with Electronic Documents* topic in the general on-line help documentation.
3. In the *A/R Invoice* or *A/R Credit Memo* window, choose *Add*. The electronic documents are generated.

## 7 Step 5: Exporting JSON Files

### Context

In this section you will export the json files of the generated electronic documents.

### Procedure

1. From the SAP Business One *Main Menu*, choose ► *Reports* ► *Electronic Document Monitor* ►.
2. In the *Electronic Document Monitor* window, in the *Protocol* dropdown list, select *Electronic Invoice*, and you can find the electronic documents just generated.
3. Right-click the document that you want to export as a json file, and choose ► *Advanced* ► *Export* ►.
4. In the *Save As* window, the suffix *.json* appears as the default file type; choose *Save*. You now have the exported json files.

## 8 Appendix

This section describes the mapping relationship between the attributes in the JSON file and fields in SAP Business One or SAP Business One, version for SAP HANA.

You can find the JSON file on <https://einv-apisandbox.nic.in/index.html> .


The file has the following blocks:

1. Header details: contains tax scheme, version, and invoice reference No.
2. Transaction details
3. Document details: contains document details like date, number, and type.
4. Seller details: contains seller details like GSTIN, trade name, address etc.
5. Buyer details: contains buyer details like GSTIN, trade name, address etc.
6. Dispatch details: contains dispatch details like GSTIN, trade name, address etc. This is an optional block and is not mapped in SAP Business One or SAP Business One, version for SAP HANA.
7. Ship-to details: contains ship-to details like GSTIN, trade name, address etc.
8. Item details: contains details of line items and is repetitive.
9. Batch details: this is an optional block and is not mapped in SAP Business One or SAP Business One, version for SAP HANA.
10. Document total: contains tax totals, line totals etc.
11. Payment details (format C&D) – this and the below blocks are not mapped in SAP Business One or SAP Business One, version for SAP HANA.
12. Reference details (format C&D)
13. Document period details (format C&D)
14. Preceding document reference (format C&D)
15. Contract reference number (format C&D)
16. Additional supporting document details (format C&D)
17. Export details
18. E-way bill details

You can find the mapping relationship in each block as follows:

- 1. Header details: it has only one attribute *Version* with a fixed value *1*.
- 2. Transactions details (*TranDtls*): it has the following mapping.

	JSON Attribute	Valid Values and Mapping
2.1	TaxSch	Fixed value <i>GST</i>
2.2	SupType	Type of supply or transaction category – it can have the following values: <ul style="list-style-type: none"><li>• <i>B2B</i> – Business to business</li><li>• <i>SEZWP</i> – SEZ with payment</li></ul>

JSON Attribute	Valid Values and Mapping
	<ul style="list-style-type: none"> <li>• <i>SEZWOP</i> – SEZ without payment</li> <li>• <i>EXPWP</i> – Export with payment</li> <li>• <i>EXPWOP</i> – Export without payment</li> <li>• <i>DEXP</i> – Deemed export</li> </ul> <p>The value is taken according to the setup of the <i>Export</i> field and the <i>Duty Status</i> value on the <i>Tax</i> tab of the marketing document:</p>  <ul style="list-style-type: none"> <li>• B2B – the <i>Export</i> checkbox is not selected</li> <li>• SEZWP – the <i>Export</i> checkbox is selected with a value as <i>SEZ Developer</i> or <i>SEZ Unit</i> and the <i>Duty Status</i> value is <i>With Payment of Duty</i></li> <li>• SEZWOP – the <i>Export</i> checkbox is selected with a value as <i>SEZ Developer</i> or <i>SEZ Unit</i> and the <i>Duty Status</i> value is <i>Without Payment of Duty</i></li> <li>• EXPWP – the <i>Export</i> checkbox is selected with a value as <i>Imports/Exports</i> and the <i>Duty Status</i> value is <i>With Payment of Duty</i></li> <li>• EXPWOP – the <i>Export</i> checkbox is selected with a value as <i>Imports/Exports</i> and the <i>Duty Status</i> value is <i>Without Payment of Duty</i></li> <li>• DEXP – the <i>Export</i> checkbox is selected with a value as <i>Deemed Imports/Exports</i></li> </ul>
2.3	<p>RegRev</p> <p>Reverse charge with values Y – Yes / N – No</p> <p>Value <i>Y</i> appears if any used tax code in the marketing document includes a tax type for which the reverse charge % has a value.</p>





### Valid Values and Mapping

Contents		Logistics	Accounting	Tax	Electronic Documents	Attachments		
Zero/Item Type								
Item No.	SP Catalog No.	Item No.	Quantity	Unit Price	Discount %	Tax Code	W/Tax Label	Total L/C
1			1	298.27	0.00	COSM001	Yes	298.27
Tax Code - Sales								
Code		Description						
COSM001		GGST+GGST+COSM002 H						
GGST Inpnt				Tax Type Combination		GGST+COSM002		
Sales Tax Account Purchasing Tax Account Non-Deductible % Non-Deductible Acc Reverse Charge % Sales								
Rate	297.251	143601	0.00			0.00		
%	297.251	143620	0.00			75.00		

Attributes *TranDtIs.EcmGstin* and *TranDtIs.IgstOnIntra* are optional and not mapped.

- A/R Invoice
- |                   |                 |               |         |
|-------------------|-----------------|---------------|---------|
| Customer          | C20000          | No.           | Primary |
| Name              | Maxi-Teq        | Status        |         |
| Contact Person    | Mohinder Gita   | Posting Date  |         |
| Customer Ref. No. |                 | Due Date      |         |
| BP Currency       | INR             | Document Date |         |
| Transaction Type  | GST Tax Invoice |               |         |
| Place of Supply   | GST Tax Invoice |               |         |
|                   | Bill of Supply  |               |         |
|                   | GST Debit Memo  |               |         |



- |               |         |          |
|---------------|---------|----------|
| No.           | Primary | 4        |
| Status        |         | Open     |
| Posting Date  |         | 12/07/21 |
| Due Date      |         | 11/08/21 |
| Document Date |         | 12/07/21 |

	JSON Attribute	Valid Values and Mapping
4.1	Gstin	<p>GSTIN – this is taken from the location in the document lines:</p> 
4.2	LgINm	<p>Legal name – this is the company name in SAP Business One or SAP Business One, version for SAP HANA:</p> 
4.3	TrdNm	Trade name – this is the same as the legal name.
4.4	Addr1	<p>Address 1 – this is taken from <a href="#">Company Details</a> <a href="#">General tab</a> <a href="#">Address</a>. The value is limited to 100 characters.</p>
4.5	Loc	<p>Location – this is taken from <a href="#">City</a> in <a href="#">Locations – Setup</a> from the document lines:</p> 
4.6	Pin	<p>PIN – this is taken from <a href="#">ZIP Code</a> in <a href="#">Locations – Setup</a> from the document lines.</p>
4.7	Stcd	<p>State code – this is taken from <a href="#">State</a> <a href="#">GST County Code</a> in <a href="#">Locations – Setup</a> from the document lines:</p> 



Attributes *SellerDtls.Ph* and *SellerDtls.Em* are optional and not mapped.

- 5. Buyer details (*BuyerDtls*): it has the following mapping.

	JSON Attribute	Valid Values and Mapping
5.1	Gstin	<p>GSTIN – it can have the following values:</p> <ul style="list-style-type: none"> <li><i>GSTIN</i> from the <i>Tax Information</i> window of the marketing document:</li> </ul>  <ul style="list-style-type: none"> <li><i>URP</i> if no GSTIN is provided or if the <i>SupRtype</i> value is <i>EXWP</i> or <i>EXWOP</i> (see 2.2)</li> </ul>
5.2	LgINm	Legal name – this is the BP name from the marketing document header.
5.3	TrdNm	Trade name – the same as the legal name above.
5.4	Pos	<p>Place of supply – it can have the following values:</p> <ul style="list-style-type: none"> <li>GST county code of BP that is taken from <b>State</b> <b>GST County Code</b>:</li> </ul>  <ul style="list-style-type: none"> <li><i>96</i> if the <i>SupRtype</i> value is <i>EXWP</i> or <i>EXWOP</i> (see 2.2)</li> </ul>
5.5	Addr1	<p>Address 1 – it can have the following values and is limited to 100 characters:</p> <ul style="list-style-type: none"> <li><i>Ship To</i> address from the marketing document</li> <li><i>Bill To</i> address if the <i>Use Bill to Address to Determine Tax</i> checkbox is selected</li> </ul>
5.6	Loc	Location – this is taken from <i>City</i> of the <i>Ship To</i> or <i>Bill To</i> address. The logic of choice is the same as the <i>Addr1</i> attribute (5.5).

	JSON Attribute	Valid Values and Mapping
5.7	Pin	<p>Pin – it can have the following values:</p> <ul style="list-style-type: none"> <li>• <a href="#">Zip Code</a> from the <a href="#">Ship To</a> address</li> <li>• <a href="#">Zip Code</a> from the <a href="#">Bill To</a> address if the <a href="#">Use Bill to Address to Determine Tax</a> checkbox is selected</li> <li>• <a href="#">999999</a> if the <a href="#">SupRtype</a> value is <a href="#">EXWP</a> or <a href="#">EXWOP</a> (see 2.2)</li> </ul>
5.8	Stcd	<p>State code – this is very similar to the one used for the <a href="#">Pos</a> attribute (5.4). However, when the <a href="#">Use Bill to Address to Determine Tax</a> checkbox is selected, the <a href="#">State</a> from <a href="#">Bill To</a> is used. When the <a href="#">SupRtype</a> value is <a href="#">EXWP</a> or <a href="#">EXWOP</a> (see 2.2), value <a href="#">96</a> is used.</p>


Attributes [BuyerDtls.Ph](#) and [BuyerDtls.Em](#) are optional and are not mapped.

- 7.Ship to details ([ShipDtls](#)): this block is reported only when the [Use Bill to Address to Determine Tax](#) checkbox is selected:

The screenshot shows a SAP form with three tabs: 'Contents', 'Logistics', and 'Ac'. The 'Contents' tab is active. It contains the following fields:

- Ship To:** A dropdown menu showing 'Delhi'.
- Bill To:** A dropdown menu showing '908 Darby Road, New Delhi - 110 001, IN'.
- Shipping Type:** A dropdown menu showing 'Fedex'.
- Use Bill to Address to Determine Tax:** A checkbox that is checked and highlighted with an orange box.



	JSON Attribute	Valid Values and Mapping
7.1	Gstin	It is the same as <a href="#">BuyersDtls.Gstin</a> from 5.1.

JSON Attribute		Valid Values and Mapping
7.2		Legal name that is taken from the address ID in the <i>Ship To</i> field of the marketing document: 
7.3	TrdNm	Trade name – the same as the legal name above.
7.4	Addr1	Address 1 – this is taken from the <i>Ship To</i> address of the marketing document.
7.5	Loc	Location – this is taken from the <i>City</i> of the <i>Ship To</i> address in the marketing document.
7.6	Pin	Pin – this is taken from <i>Zip Code</i> of the <i>Ship To</i> address. However, if the <i>SupRtype</i> value is <i>EXWP</i> or <i>EXWOP</i> (see 2.2), the value is <i>999999</i> .
7.7	Stcd	State code – this is very similar to the one used for the <i>BuyerDtls.Stcd</i> attribute (5.8) but from the <i>Ship To</i> address only.

Attribute *ShipDtls.Add2* is not mapped.

- 8.Item list (*ItemList*): it has the following mapping.

JSON Attribute		Valid Values and Mapping
8.1	SINo	Order number
8.2	PrdDesc	<ul style="list-style-type: none"> <li>• For item lines, it is the item description.</li> <li>• For service type, it is the service description.</li> <li>• For freights, it is the freight name.</li> </ul>
8.3	IsServc	Service with values Y – Yes / N – No

JSON Attribute		Valid Values and Mapping
		<p>If the marketing document is of <i>Service</i> type, then the value for all lines is <i>Y</i>. Also, <i>Y</i> is used for <i>Freight</i> expenses. For other cases (items), the value is <i>N</i>.</p>
8.4	HsnCd	<p>HSN code for item lines or SAC for service type:</p> <div>   </div>
8.5	Qty	Quantity – this value is taken from the marketing document line. For service items, this value is <i>1</i> .
8.6	Unit	Unit of measure for service items is <i>OTH</i> . For items, this value is taken from <i>EWB Unit</i> for UoM code:
8.7	UnitPrice	<p>Unit price is calculated for non-service items as follows: (marketing document line tax base amount + marketing document line freight tax base amount (with the same GST tax code)) / quantity</p> <p>For service items this value is the net total in local currency.</p>
8.8	TotAmt	<p>Total amount is calculated for non-service items as follows: (marketing document line tax base amount + marketing document line freight tax base amount (with the same GST tax code))</p> <p>For service items this value is the same as the <i>UnitPrice</i> attribute (8.6).</p>
8.9	AssAmt	Assessable amount – this value is the same as the <i>TotAmt</i> attribute (8.7).
8.10	GstRt	<p>GST rate – this is the sum of the rates of all GST tax types.</p> <p>However, when <i>Without Payment of Duty</i> is set in the <i>Duty Status</i> field, this rate is set to 0 with exception</p>


JSON Attribute		Valid Values and Mapping
		for the freight expenses of the document. Also, if the <i>SupRtype</i> value is <i>EXWP</i> (see 2.2) and the tax code is a reverse tax code (see the picture in 2.3) the rate is reported as 0 as well.
8.11	IgstAmt	<p>Tax amount for IGST – this includes the row IGST amount together with the line freight IGST amount.</p> <p>However, when <i>Without Payment of Duty</i> is set in the <i>Duty Status</i> field, this rate is set to 0 with exception for the freight expenses of the document. Also, if the <i>SupRtype</i> value is <i>EXWP</i> (see 2.2) and the tax code is a reverse tax code (see the picture in 2.3) the rate is reported as 0 as well.</p>
8.12	CgstAmt	<p>Tax amount for CGST – this includes the row CGST amount together with the line freight CGST amount.</p> <p>However, when <i>Without Payment of Duty</i> is set in the <i>Duty Status</i> field, this rate is set to 0 with exception for the freight expenses of the document. Also, if the <i>SupRtype</i> value is <i>EXWP</i> (see 2.2) and the tax code is a reverse tax code (see the picture in 2.3) the rate is reported as 0 as well.</p>
8.13	SgstAmt	<p>Tax amount for SGST and UTGST – this includes the row CGST and UTGST amount together with the line freight CGST and UTGST amount.</p> <p>However, when <i>Without Payment of Duty</i> is set in the <i>Duty Status</i> field, this rate is set to 0 with exception for the freight expenses of the document. Also, if the <i>SupRtype</i> value is <i>EXWP</i> (see 2.2) and the tax code is a reverse tax code (see the picture in 2.3) the rate is reported as 0 as well.</p>
8.14	CesRt	GST Cess rate

JSON Attribute		Valid Values and Mapping
		<p>However, when <i>Without Payment of Duty</i> is set in the <i>Duty Status</i> field, this rate is set to 0 with exception for the freight expenses of the document. Also, if the <i>SupRtype</i> value is <i>EXWP</i> (see 2.2) and the tax code is a reverse tax code (see the picture in 2.3) the rate is reported as 0 as well.</p> <p>Cess tax should not be used for the document freight.</p>
8.15	CesAmt	<p>Tax amount for Cess tax – this includes the row Cess amount together with the line freight Cess amount.</p> <p>However, when <i>Without Payment of Duty</i> is set in the <i>Duty Status</i> field, this rate is set to 0 with exception for the freight expenses of the document. Also, if the <i>SupRtype</i> value is <i>EXWP</i> (see 2.2) and the tax code is a reverse tax code (see the picture in 2.3) the rate is reported as 0 as well.</p> <p>Cess tax should not be used for the document freight.</p>
8.16	StateCesRt	<p>State Cess tax rate</p> <p>The same value as in 8.13</p>
8.17	StateCesAmt	<p>Tax amount for state Cess tax types</p> <p>The same value as in 8.14</p>
8.18	OthChrg	<p>Other charges – all non-GST amounts, and freights with non-GST taxes.</p>
8.19	TotItemVal	<p>Total item value</p> <p>The value is calculated as the taxable amount + IGST amount + CGST amount + Cess amount + other charges.</p>

Attributes *Free Quantity*, *UQC*, *Discount*, *PreTax Value*, *Cess Non Advol Amount*, *State Cess Non Advol*, *Order line Referencee*, *Origin Country*, *Serial Number*, *Attribute Name* and *Attribute Value* are not mapped.

- 10.Document total (*ValDtIs*): it has the following mapping.

	JSON Attribute	Valid Values and Mapping
10.1	AssVal	Assessable value of all items – this is the sum of <i>ItemList.AssAmt</i> (values from 8.8)
10.2	CgstVal	Total CGST values of all items – this is the sum of the tax amount in local currency for CGST (values from 8.11)
10.3	SgstVal	Total SGST values of all items – this is the sum of the tax amount in local currency for SGST and UTGST (values from 8.12)
10.4	IgstVal	Total IGST values of all items – this is the sum of the tax amount in local currency for IGST (values from 8.10)
10.5	CesVal	Total Cess values of all items – this is the sum of the tax amount in local currency for Cess (values from 8.14)
10.6	StCesVal	Total Cess values of all items – this is the sum of the tax amount in local currency for Cess (values from 8.14)
10.7	Discount	Invoice discount  This value is calculated as the sum of <i>ItemList.TotItemVal</i> (8.18) for each line + <i>ValDtls.OthChrg</i> (10.8) + <i>ValDtls.RndOffAmt</i> (10.9) – SAP Business One document total – downpayment.
10.8	OthChrg	Invoice other charges  This amount can be document freights and TCS amount, the negative result of the calculated amount for discount in 10.7, or no value.
10.9	RndOffAmt	Round off amount – this is the document rounding amount.




Total Before Discount	INR 33,750.00
Discount 10 %	INR 3,375.00
Total Down Payment	
Freight	
✓ Rounding	INR 75.00
Tax	INR 6,300.00
WTax Amount	
Total	INR 36,750.00
Applied Amount	
Balance Due	INR 36,750.00

10.10

TotInvVal

Total invoice value – if no down payment exists, this value will always be equal to the document total in SAP Business One.



Total Before Discount	INR 33,750.00
Discount 10 %	INR 3,375.00
Total Down Payment	
Freight	
✓ Rounding	INR 75.00
Tax	INR 6,300.00
WTax Amount	
Total	INR 36,750.00
Applied Amount	
Balance Due	INR 36,750.00

If down payments exist, this amount will also include the down payment amounts with taxes.

### i Note

This amount is not equal to the value in the *Total Down Payment* field in the above picture. This amount is the sum of *ItemList.TotItemVal* (8.18) for each line + *ValDtls.OthChrg* (10.8) + *ValDtls.RndOffAmt* (10.9) – *ValDtls.Discount* (10.7).

### i Note

Attribute *Final Invoice Value in Additional Currency* is not mapped, so all the values are reported in the local currency for all blocks.

If you need other blocks or attributes to be reported in the e-billing feature, you need to create a query and save it under the *E-Billing* category (the same you used when you saved SAP Business One queries in SAP Note 2902401), and then use the EFM tool (*Generating Electronic Reports*) to update the mapping.





# Important Disclaimers and Legal Information

## Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
  - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
  - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

## Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

## Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

## Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

## Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

© 2023 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.