

UGI_uDGA_uBIPS_High Level Scope By Utopia

Release uDGA 9.2

Document History

The following tables provide an overview of the most important document changes and approvals.

Version	Date	Description	Name
1.0	17-01-2021	Initial version	Kiran Kaligiri

Approval History

Version	Date	Description	Name
1.0	17-01-2021	Updated version uDGA 9.2 PQ	Deepak Kumar

© 2020 Utopia Global, Inc.

Table of Contents

1. Introduction 4
1.1. Target Audience 4
2. uBIPS Scope Overview 4
3. uBIPS Rules in Scope 5
3.1. Material Rules 5
3.2. Equipment: Object - EQUI 13
3.3. Functional Location: Object: FUNCLOC 18
3.4. Bill of Material (MBOM): OBJECT: PMBOMHDR 23
3.5. Measuring Point (MSPT) 24
3.6. General Task list (TLGN) 25
3.7. Equipment Task list (TLEQ) 26
3.8. Functional Location Task list (TLFL) 26
3.9. Maintenance Plan & Items (MPMI) 27
4. uBIPS Out of Scope 29

© 2020 Utopia Global, Inc.

1. Introduction

This scope guide contains the functionalities that are covered as part of Utopia UDGA 9.2. This document also contains the functionalities that are considered as out of scope too.

Utopia's Best Industry Practices Solution (uBIPS) is a simple way to accelerate your deployment of Master Data Governance solution a robust and preconfigured solution from day-one of go-live.

uBIPS provides access to library of readily available 250+ best practice business rules.

uBIPS is a Fiori based application which allows you to activate and deactivate the BRF+ and BADIs rules. The activated BRF+ and BADIs rules are invoked during execution of MDG application, where derivation and validation of master data is handled.

This release of uBIPS 2020 is valid for SH4 2020, which were highlighted in the below uBIPS rules in scope section.

1.1. Target Audience

The primary audience comprises:

- System Administrators
- Functional Consultants
- Technical Consultants
- Other users

2. uBIPS Scope Overview

Utopia UDGA 9.2 content is valid for SAP ECC & S4H Systems.

The following MDG objects are in scope of uBIPS application:

- Material Rules (MM)
- Equipment: Object - EQUI
- Functional Location
- Bill of Material (MBOM)
- Maintenance Plans and Items
- General Task list (TLGN)
- Equipment Task list (TLEQ)
- Functional Location Task list (TLFL)

© 2020 Utopia Global, Inc.

3. uBIPS Rules in Scope

3.1. Material Rules

In uBIPS, the following Material rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
MAT0003	Material ID for creation must start with	MATERIAL	MATERIAL	VALIDATION	For creation scenario, the Material ID must be start with 'MAT'	BAdI
MAT0007	Material Desc Cannot exceed 40 char	MATERIAL	TXTMI	VALIDATION	Material Description cannot exceed XX characters.	BAdI
MAT0008	MATERIAL GROUP CANNOT EXCEED 6 CHARS	MATERIAL	MATKL	VALIDATION	Validate the Material Group value should not exceed more than XX characters	BRF+
MAT0009	AUTOMATIC UD CHECKED BASED ON PLANT	QMATBASIC	AVE	DERIVATION	Automatic UD Checked based on Specific Plant 0001,0007	BAdI
MAT0010	ACTIVE INDICATOR CHECKED BASED ON PLANT	QMATBASIC	AKTIV	DERIVATION	Active Indicator Checked based on Specific Plant 0001	BAdI
MAT0011	Manufacturer Should Not Contain Few Char	MARAPURCH	MFRNR	VALIDATION	Manufacturer Should Not Contain, - _ (Space)	BRF+
MAT0026	Price Control	MBEWMLVAL	VPRSV	DERIVATION	The Price Control (VPRSV) value is default set to 'V' - BRFPlus Rule	BRF+
MAT0027	MOVING AVERAGE PRICE	MBEWVALUA	VERPR	VALIDATION	Moving Average Price is mandatory	BRF+
MAT0032	Procurement Type	MARCMRPSP	BESKZ	DERIVATION	The Procurement Type (BESKZ) value is default set to 'F' - BRFPlus Rule 2. The field must be	BRF+

© 2020 Utopia Global, Inc.

					hidden using BAdI.	
MAT0071	Valuation Class	MBEWVALUA	BKLAS	VALIDATION	Check if 'Valuation Class' is allowed for Material Type	BAdI
MAT0098	CROSS-PLANT MATERIAL STATUS | MARA-MSTAE	MATERIAL	MSTATE	VALIDATION	If Cross-Plant Material status (MSTATE) value is filled, then corresponding cross plant material status date (MSTDE) need to be filled	BRF+
MAT0099	Length Greater than Width | MARA-LAENG	UNITOFMSR	LAENG	VALIDATION	If item length and width are not same, then length should be greater than width.	BRF+
MAT0100	PRODUCT HIERARCHY | MARA-PRDHA	MATERIAL	PRDHA	VALIDATION	Product hierarchy is mandatory, if material type is Finished Goods	BRF+
MAT0133	Loading Group based on Plant	MARCSALES	LADGR	DERIVATION	Derive Loading Group value as '0001' If Plant is '0001'	BAdI
MAT0136	Plant-Sp.Matl Status based on Plant	MARCBASIC	MMSTA	DERIVATION	Derive Plant-Sp.Matl Status value as '01' If Plant is '0001'	BAdI
MAT0137	Valid From based on Plant	MARCBASIC	MMSTD	DERIVATION	Derive Valid From date as current date If Plant is '0001'	BAdI
MAT0140	Purchasing Group based on Plant	MARCPURCH	EKGRP	DERIVATION	Derive Purchasing Group value as '001' If Plant is '0001'	BAdI
MAT0141	Automatic PO based on Plant	MARCPURCH	KAUTB	DERIVATION	Set Automatic PO indicator if Plant is '0001'	BAdI
MAT0147	MRP Group based on Plant	MARCMRPPP	DGRMRPPP	DERIVATION	Derive MRP Group value as '0001' If Plant is '0001'	BAdI
MAT0148	MRP Type based on Plant	MARCMRPPP	DISMM	DERIVATION	Derive MRP Type value as 'ND' If Plant is '0001'	BAdI

© 2020 Utopia Global, Inc.

MAT0149	MRP Controller based on Plant	MARCMRPPP	DISMRPPP	DERIVATION	Derive MRP Controller value as '001' If Plant is '0001'	BAdI
MAT0150	Lot Size based on Plant	MARCMRPLS	DISLS	DERIVATION	Derive Lot Size value as 'EX' If Plant is '0001'	BAdI
MAT0153	Backflush based on Plant	MARCMRPSP	RGEKZ	DERIVATION	Derive Backflush value as '1' If Plant is '0001'	BAdI
MAT0155	Planned Delivery Time based on Plant	MARCMRPSP	PLIFZ	DERIVATION	Derive Planned Delivery value as '100' If Plant is '0001'	BAdI
MAT0156	Sched. Margin Key based on Plant	MARCMRPPP	FHOMRPPP	DERIVATION	Derive Sched. Margin Key value as '001' If Plant is '0001'	BAdI
MAT0159	Period Indicator based on Plant	MARCMRPFC	PERMRPFC	DERIVATION	Derive Period Indicator value as 'M' If Plant is '0001'	BAdI
MAT0162	Consumption Mode based on Plant	MARCMRPFC	VRMOD	DERIVATION	Derive Consumption Mode value as '1' If Plant is '0001'	BAdI
MAT0163	Bwd Consumption Per. based on Plant	MARCMRPFC	VINT1	DERIVATION	Derive Bwd Consumption Per. Value as '100' Of Plant is '0001'	BAdI
MAT0164	Fwd Consumption Per. based on Plant	MARCMRPFC	VINT2	DERIVATION	Derive Fwd Consumption Per. Value as '200' Of Plant is '0001'	BAdI
MAT0165	Selection Method based on Plant	MARCMRPMI	ALTSL	DERIVATION	Derive Selection Method Value as '1' Of Plant is '0001'	BAdI
MAT0166	Individual/Coll. based on Plant	MARCMRPMI	SBDKZ	DERIVATION	Derive Individual/Coll. Value as '1' of Plant is '0001'	BAdI
MAT0167	Requirements group based on Plant	MARCMRPMI	KZBED	DERIVATION	Derive Requirements group Value as 'T' of Plant is '0001'	BAdI
MAT0176	Time Unit based on Plant	MARCSTORE	LZEIH	DERIVATION	Derive Time Unit as 'MON' of Plant is '0001'	BAdI

© 2020 Utopia Global, Inc.

MAT0186	Variance Key based on Plant	MARCCSTNG	AWSMARCCS	DERIVATION	Derive Variance Key as '000001' of Plant is '0001'	BAdI
MAT0189	Costing Lot Size based on Plant	MARCCSTNG	LOSGR	DERIVATION	Derive Costing Lot Size as '100' of Plant is '0001'	BAdI
MAT0194	GR Processing Time	MARCMRPSP	WEBAZ	DERIVATION	The GR Processing Time (WEBAZ) field need to set default to X	BRF+
MAT0195	MANUFACTURER NUMBER	MARAPURCH	MFRNR	VALIDATION	Manufacturer part number is mandatory if manufacturer number is entered	BRF+
MAT0197	ABC Indicator	MARCMRPPP	MAABC	DERIVATION	The ABC Indicator (MAABC) value is to set default 'X'	BRF+
MAT0201	Availability Check	MARCATP	MTVFP	DERIVATION	The Availability check (MTVFP) field value should be set to default 'XX'	BRF+
MAT0205	Profit Centre	MARCBASIC	PRCMARCBA	DERIVATION	The Profit Center (PRCTR) value is default set to 'XXXXX'	BRF+
MAT0213	Price Control	MBEWVALUA	VPRSV	DERIVATION	The Price Control (VPRSV) value is default set to 'V' - BRFPlus Rule	BRF+
MAT0214	Price Unit	MBEWVALUA	PEINH	DERIVATION	The Price Unit (PEINH) value is default set to '1' - BRFPlus Rule	BRF+
MAT0261	TIME UNIT	MARCSTORE	LZEIH	DERIVATION	The Time Unit (LZEIH) value is default set to 'XX'.	BRF+
MAT0263	INDUSTRY SECTOR	MATERIAL	MBRSH	DERIVATION	The Industry Sector Value is Default 'X'	BRF+
MAT0264	MRP GROUP	MARCMRPPP	DGRMRPPP	DERIVATION	MRP Group default value is 'XXXX'	BRF+

© 2020 Utopia Global, Inc.

MAT0265	MRP CONTROLLER	MARCMRPPP	DISMRPPP	DERIVATION	MRP Controller default value is 'XXX'	BRF+
MAT0266	PERIOD INDICATOR	MARCMRPFC	PERMRPFC	DERIVATION	Period Indicator default value is 'X'	BRF+
MAT0267	ACTIVE INDICATOR	QMATBASIC	AKTIV	DERIVATION	Active Indicator checked by default	BRF+
MAT0268	POST TO INSPECTION STOCK	QMATBASIC	INSMK_Q	DERIVATION	Post to Inspection Stock checked by default	BRF+
MAT0269	COUNTRY OF ORIGIN	MARCFRGTR	HERKL	VALIDATION	Country of Origin can be XX or Blank	BRF+
MAT0271	MRP TYPE DEFAULT VALUE	MARCMRPPP	DISMM	DERIVATION	The MRP Type value default value is set to 'XX'	BRF+
MAT0272	MRP TYPE ALLWED VALUES	MARCMRPPP	DISMM	VALIDATION	MRP Type Should be from valid value list	BRF+
MAT0274	MATERIAL TYPE	MATERIAL	MTART	VALIDATION	Material Type should be from valid value list.	BRF+
MAT0276	REORDER POINT	MARCMRPPP	MINBE	VALIDATION	If Re-order point exceeds max stock level or less than safety stock, then throw an error message.	BRF+
MAT0277	INDUSTRY SECTOR	MATERIAL	MBRSH	DERIVATION	Industry Sector Default Value is "M"	BRF+
MAT0290	DIVISION DEFAULT VALUE	MATERIAL	SPART	DERIVATION	Division Default Value is '80'	BRF+
MAT0291	DIVISION BASED ON MATERIALTYPE	MATERIAL	SPART	DERIVATION	Division Default Value is 82 for CAPT Material Type	BRF+
MAT0292	MATERIAL TYPE	MATERIAL	MTART	DERIVATION	Material Type default value is 'XXXX'	BRF+
MAT0293	BASE UNIT OF MEASURE (UOM)	MATERIAL	MEINS	DERIVATION	Base Unit of Measure (UOM) default value is 'XX'	BRF+
MAT0294	GEN. ITEM CAT. GRP DERIVATION	MATERIAL	MTPOSMARA	DERIVATION	Gen. Item Cat. Grp default value is XXXX	BRF+

© 2020 Utopia Global, Inc.

MAT0296	PLANT SPECIFIC MATERIAL STATUS	MARCBASIC	MMSTA	DERIVATION	Plant Specific Material Status default value is 'XX'	BRF+
MAT0300	ABC INDICATOR MANDATORY	MARCMRPPP	MAABC	VALIDATION	Set ABC Indicator to mandatory	BRF+
MAT0301	PURCHASING GROUP	MARCPURCH	EKGRP	VALIDATION	Purchasing Group should not be blank.	BRF+
MAT0304	PURCHASING VALUE KEY	MARAPURCH	EKWSL	DERIVATION	Purchasing Value Key default value is 'X'	BRF+
MAT0305	WEIGHT UNIT	MATERIAL	GEWEI_MAT	DERIVATION	Weight Unit default value is set to 'XX'	BRF+
MAT0306	MATERIAL GROUP	MATERIAL	MATKL	VALIDATION	Material Group value range should be from XXXX to XXXX	BRF+
MAT0307	AUTOMATIC PURCHASE ORDER ALLOWED	MARCPURCH	KAUTB	VALIDATION	Validate indicator and if selected then throw error message	BRF+
MAT0308	AVAILABILITY CHECK	MARCATP	MTVFP	DERIVATION	Availability Check default value is 'XX'	BRF+
MAT0309	VALUATION CATEGORY	MBEWVALUA	BWTTY	DERIVATION	Valuation Category default value is 'X'	BRF+
MAT0310	MATERIAL PRICE DETERMINATION: CONTROL	MBEWVALUA	MBEWMLAST	DERIVATION	Material Price Determination default value is 'XX'	BRF+
MAT0316	DISTRIBUTION CHANNEL	MVKESALES	VTWEG	VALIDATION	Distribution Channel should be XX	BRF+
MAT0317	MATERIAL STATISTICS GROUP	MVKEGRPNG	VERSG	VALIDATION	Material Statistics Group is mandatory	BRF+
MAT0318	ACCOUNT ASSIGNMENT GROUP	MVKEGRPNG	KTGRM	VALIDATION	Account Assignment Group is mandatory	BRF+
MAT0319	CLASS IS MANDATORY	CLASSASGN	CLASS	VALIDATION	Classification field is mandatory	BAdI
MAT0322	MATERIAL NET WEIGHT	MATERIAL	NTGEW	VALIDATION	Material Net Weight field cannot be blank	BRF+
MAT0323	QM control key default based on Plant	MARCQTMNG	SSQSS	DERIVATION	QM control key Value X Default based on Plant X	BAdI

© 2020 Utopia Global, Inc.

MAT0324	Industry Sector M based on Material Type	MATERIAL	MBRSH	DERIVATION	Industry Sector Default M based on list of Material Type X	BRF+
MAT0325	Division value check based on Material T	MATERIAL	SPART	VALIDATION	Division X Value only allowed based on list of Material Type X.	BRF+
MAT0326	Gross Weight Mandatory based on Material	MATERIAL	BRGEWMARA	VALIDATION	Gross Weight Mandatory and Must > 0 based on list of Material Type	BRF+
MAT0327	Weight unit value check based on Materia	MATERIAL	GEWEI_MAT	VALIDATION	Weight unit X Value only allowed based on list of Material Type X.	BRF+
MAT0328	Descrip Langu Check based on Mat Type	MATERIAL	TXTMI	VALIDATION	Description Allow to Contain English Language only in EN based on list of Material Type	BRF+
MAT0329	Base Unit of Measure is mandatory	MATERIAL	MEINS	VALIDATION	Material Base Unit of Measure is Mandatory based on Material Type	BRF+
MAT0330	Net Weight Mandatory based on MAT Type	MATERIAL	NTGEW	VALIDATION	Gross Weight Mandatory and Must > 0 based on list of Material Type	BRF+

MAT0331	Ext Material Group Special Char Check	MATERIAL	EXTWG	VALIDATION	Ext. Material Group should not contain the following special characters ! @ # $ % ^ & * ( ) _ + - = [ ] \ ; ' , . / { } | : " < > ? ` ~	BRF+
MAT0332	Automatic PO Allowed default X	MARCPURCH	KAUTB	DERIVATION	Automatic Purchase Order Allowed	BRF+

© 2020 Utopia Global, Inc.

					Flag default to X	
MAT0333	Source List Flag should be Enabled	MARCPURCH	KORDB	VALIDATION	Source List Flag Should be Enabled	BRF+
MAT0334	DELIVERY PLANT VALUE SAME AS SALES ORG	MVKESALES	WRKSALES	DERIVATION	Delivery Plant value same as Sales Organization value	BAdI
MAT0335	Plant Specific Status is Mandatory	MARCBASIC	MMSTA	VALIDATION	Plant Specific Status is Mandatory	BRF+
MAT0336	Manufacturer Mandatory,If Part Num Exist	MARAPURCH	MFRNR	VALIDATION	Manufacturer is Mandatory,If Manufacturer Part Number Maintained	BRF+
MAT0337	DUPLICATE CHECK FOR MANUF & PART NO.	MARAPURCH	MFRNR	VALIDATION	Duplicate check for Manufacturer & Manufacturer Part Number Combination.	BAdI
MAT0338	VOLUME UNIT FIELD VALUE CHECK	MATERIAL	VOLEHMARA	VALIDATION	Volume unit Field Allow to contain only the following value (FT3, IN3,M3,MM3, YTD3, CCM, GAL, L, QT)	BAdI
MAT0339	INDUSTRY SECTOR	MATERIAL	MBRSH	VALIDATION	VAL: Industry Sector = "X"	BRF+
MAT0340	BASE UNIT OF MEASURE (UOM)	MATERIAL	MEINS	DERIVATION	DERIVE: Base Unit of Measure = "EA" if Blank	

© 2020 Utopia Global, Inc.

3.2. Equipment: Object - EQUI

In uBIPS, the following Equipment rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
EQUI001	Equipment Category	EQUI	EQTYP	VALIDATION	For Equipment Category M the FLOC or Superior Equipment Category must be I, M, E. If Equipment Category is T, then FLOC or Sup. Equipment Category must be equal T.	BAdI
EQUI002	Equipment Category	EQUI	EQTYP	VALIDATION	If EQTYP = A, E, G, I, M, P, S process, else error; Or a restricted value list from the scope above.	BRF+
EQUI005	Equipment Category	EQUI	EQTYP	DERIVATION	If Equipment Category is initial, then default Equipment Category to M	BRF+
EQUI006	Startup Date	EQUI	INBDT	VALIDATION	Startup date is mandatory	BRF+
EQUI007	Manufacturer based on object type	EQUI	HERST	VALIDATION	Manufacturer is mandatory, if object type maintained	BRF+
EQUI008	Model number based on object type	EQUI	TYPBZ	VALIDATION	Model number is mandatory, if object type maintained	BRF+
EQUI009	OBJECT TYPE BASED ON EQUIPMENT CATEGORY	EQUI	EQART_EQU	DERIVATION	Maintaining Object Type value based on Equipment Category	BAdI
EQUI010	ManufCountry Mandatory,If Manuf Maintain	EQUI	HERLD	VALIDATION	Country of Manufacturer is mandatory, if maintain Manufacturer name.	BRF+
EQUI011	Equipment Descrip Based on System Status	EQUI	STATTEXT	VALIDATION	Equipment Description Restriction like 'Do Not Use' or 'Deleted', If System Status not contain 'DLFL'	BRF+
EQUI012	ABC Indicator	EQUI	ABCK_EILO	DERIVATION	Inherit ABC indicator from Superior	BRF+
EQUI013	Sort Field EQUI EQFN_EILO	EQUI	EQFN_EILO	DERIVATION	Set Sort Field from Superior Floc	BRF+
EQUI018	ConstType	EQUI	SUBM_EEQZ	DERIVATION	Inherit Construction Type from superior FLOC	BAdI
EQUI019	Technical Identification Number	EQUI	TIDN_EEQZ	VALIDATION	Technical Identification Number should not be Blank. This field must be unique per site	BAdI

© 2020 Utopia Global, Inc.

EQUI026	Gross Weight	EQUI	BRGEW	VALIDATION	If Gross Weight is initial, then error	BRF+
EQUI027	Cost Center	EQUI	KOST_EILO	VALIDATION	If cost center is initial, then error	BRF+
EQUI028	Require to assign Object Type	EQUI	EQART_EQU	VALIDATION	Object Type is mandatory	BRF+
EQUI030	Recommended to populate Model Number	EQUI	TYPBZ	VALIDATION	Model Number is mandatory	BRF+
EQUI031	Recommended to populate Manufacturer Par	EQUI	MAPA_EEQZ	VALIDATION	Manufacturer Part Number is mandatory	BRF+
EQUI032	MANUFACTURER	EQUI	SERGE	VALIDATION	Manufacturer Serial Number is mandatory	BRF+
EQUI035	Recommend Construction Type for Equipment	EQUI	SUBM_EEQZ	VALIDATION	Construction Type is mandatory	BRF+
EQUI037	Size and Dimension Character limit	EQUI	GROES_EQU	VALIDATION	Equipment Size/Dimension length must not exceed XX characters	BRF+
EQUI038	Character limit on Inventory Number	EQUI	INVNR	VALIDATION	Inventory Number length must not exceed XX characters	BRF+
EQUI039	Model Number Character limit	EQUI	TYPBZ	VALIDATION	Equipment new model number length must not exceed XX characters	BRF+
EQUI040	MATERIAL SERIAL NUMBER FIELD	EQUI	SERNR	VALIDATION	Material Serial number length must not exceed XX characters	BRF+
EQUI041	Character limit on Manufacturer's part f	EQUI	MAPA_EEQZ	VALIDATION	Equipment manufacturer part number must not exceed XX characters	BRF+
EQUI042	Character limit on Sort Field	EQUI	EQFN_EILO	VALIDATION	Equipment Sort Field length must not exceed XX characters	BRF+
EQUI043	Character limit on ERP Position field	EQUI	HEQN_EEQZ	VALIDATION	ERP position field length must not exceed XX characters	BRF+
EQUI046	Construction Type Check	EQUI	SUBM_EEQZ	VALIDATION	Any material added to the Construction Type field must be an IBAU material	BAdI
EQUI047	Character limit on description field	EQUI	TXTMI	VALIDATION	Check Equipment description length is equal to 40	BRF+
EQUI048	Unit of Measure	EQUI	GEWEI	DERIVATION	Default UOM TO KG	BRF+
EQUI049	Currency	EQUI	WAERS	DERIVATION	Default Currency to GBP	BRF+
EQUI050	Plant	EQUI	SWER_EILO	DERIVATION	Equipment plant should default to 2100	BRF+
EQUI052	Acquisition date	EQUI	ANSDT	VALIDATION	Acquisition date - issue warning message if not populated	BRF+
EQUI058	EQUIPMENT OBJECT TYPE	EQUI	EQART	VALIDATION	If Functional location is not blank and Equipment Object type is blank, then throw an error message.	BRF+
EQUI060	FUNCTIONAL LOCATION	EQUI	TPLNR	VALIDATION	If Functional Location is initial, then throw an error message	BRF+

© 2020 Utopia Global, Inc.

EQUI061	EQUIPMENT DESCRIPTION	EQUI	TXTMI	VALIDATION	Validation on Description of equipment, if special characters exist throw an error message	BRF+
EQUI062	Gross Weight Length Validation	EQUI	BRGEW	VALIDATION	Gross Weight field length should not exceed XX digits excluding decimal part	BRF+
EQUI063	Acquisition Value Length Validation	EQUI	ANSWT	VALIDATION	Acquisition Value length should not exceed XX digits excluding decimal part	BRF+
EQUI066	PLANT SECTION	EQUI	BEBE_EILO	VALIDATION	Plant Section field is mandatory.	BRF+
EQUI067	PLANNING PLANT	EQUI	PPLA_EEQZ	VALIDATION	Planning plant field is mandatory.	BRF+
EQUI069	MAIN WORK CENTER	EQUI	ARBP_EEQZ	VALIDATION	Main Work Center field is mandatory.	BRF+
EQUI071	CONSTRUCTION YEAR	EQUI	BAUJJ	VALIDATION	Check Construction Year is Mandatory field, else throw the error message.	BRF+
EQUI073	START- UP DATE	EQUI	INBDT	VALIDATION	Start- up date is Mandatory field when construction is less than X years.	BRF+
EQUI074	EQUIPMENT CLASSIFICATION	CLASS EQUI	CLASS	VALIDATION	Classification is Mandatory field when construction is less than X years.	BRF+
EQUI075	MANUFACTURER OF ASSET	EQUI	HERST	VALIDATION	Manufacturer is Mandatory field when construction is less than X years.	BRF+
EQUI076	FUNCTIONAL LOCATION	EQUI	TPLN_EILO	VALIDATION	Functional Location is Mandatory field when construction is less than X years.	BRF+
EQUI077	PLANT SECTION	EQUI	BEBE_EILO	VALIDATION	Plan Section is Mandatory field when construction is less than X years.	BRF+
EQUI078	COST CENTER	EQUI	KOST_EILO	VALIDATION	Cost Center is Mandatory field when construction is less than X years.	BRF+
EQUI079	PLANNING PLANT	EQUI	PPLA_EEQZ	VALIDATION	Planning Plant is Mandatory field when construction is less than X years.	BRF+
EQUI080	PLANNER GROUP	EQUI	INGR_EEQZ	VALIDATION	Planner Group is Mandatory field when construction is less than X years.	BRF+
EQUI081	MAIN WORK CENTER	EQUI	ARBP_EEQZ	VALIDATION	Main work center is Mandatory field when construction is less than X years.	BRF+
EQUI082	ABC INDICATOR	EQUI	ABCK_EILO	VALIDATION	ABC Indicator is Mandatory field when construction is less than X years.	BRF+

© 2020 Utopia Global, Inc.

EQUI083	TECHNICAL IDENT NO.	EQUI	TIDN_EEQZ	VALIDATION	Technical Ident No. is Mandatory field when construction is less than X years.	BRF+
EQUI084	Manuf is mandatory,if ModelNo Maintain	EQUI	HERST	VALIDATION	Manufacturer Name is mandatory,if Model Number maintained	BRF+
EQUI085	CHARACTERISTIC CHECK BASED ON CLASS TYPE	CLASS EQUI	TEXTBEZ	VALIDATION	At least one characteristic vaue should be maintained, if Equipment has Class Type	BAdI
EQUI086	DESCRIPTION DUPLICATE CHECK BASED ON TEC	EQUI	TXTMI	VALIDATION	Equipment Description should have unique Technical identification number	BAdI
EQUI088	Populate Production Work Centre for F Ca	EQUI	EQTYP	VALIDATION	VAL: "Production Work Centre" Mandatory, if Equipment of Category "X"	BRF+
EQUI089	Planner group is mandatory	EQUI	INGR_EEQZ	VALIDATION	DERIVE: Maintenance Plant Devive to "XXXX"	BRF+
EQUI090	SET ORDER TYPE TO PM02	MITEM	AUART	DERIVATION	VAL: Object Type Field is Mandatory	BRF+
EQUI091	Equipment plant 9999	EQUI	SWER_EILO	DERIVATION	VAL: Authorization Group is mandatory	BRF+
EQUI092	Enter Object Type	EQUI	EQART_EQU	VALIDATION	VAL: "Construction Type" is Mandatroy for all EQUIP's	BRF+
EQUI093	Authorization Group	EQUI	BEGRU	VALIDATION	DERIVE: Planning Plant "XXXX" if EQUIP Category = "X"	BRF+
EQUI095	Construction Typeis mandatory	EQUI	SUBM_EEQZ	VALIDATION	VAL: "Start-Up Date" = "Equipment Installation Date"	BRF+
EQUI096	If Equi.Cat=T,then Plan.Plant=9999	EQUI	PPLA_EEQZ	DERIVATION	DERIVE: "Start-Up Date" = "Installation Date" of Equipment	BRF+
EQUI097	Check start up date = Equi.Inst.Date	EQUI	INBDT	VALIDATION	VAL: "Valid from Date" = MDG Change Request Creation Date	BAdI

© 2020 Utopia Global, Inc.

EQUI098	Fill Start-up date based on Equi.Inst.dt	EQUI	INBDT	DERIVATION	VAL: Installation of Equipment with Category 'X' to be blocked (Installation under FLOC)	BRF+
EQUI100	Valid from date should be current date	EQUI	DATA_EEQZ	VALIDATION	VAL: "Valid from Date" = MDG Change Request Creation Date	BAdI
EQUI101	Equip.Category T vs Fun.Loc check	EQUI	EQTYP	VALIDATION	VAL: Installation of Equipment with Category 'X' to be blocked (Installation under FLOC)	BRF+
EQUI102	Equip.Category T vs Super.Equip.check	EQUI	EQTYP	VALIDATION	VAL: Installation of Equipment with Category 'X' to be blocked (Installation under Superio Equip)	BRF+
EQUI103	If Equip.status is AVLB,clear WC & Plant	EQUI	ARBP_EEQZ, WERGW_EQI	DERIVATION	DERIVE: Clear "Main. WC / Plant" of EQUI, if System Status = AVLB	BAdI
EQUI104	If Eq.status is AVLB,clear cost centre	EQUI	KOST_EILO	DERIVATION	DERIVE: Clear "Costcenter" of EQUI, if System Status = AVLB	BAdI
EQUI105	If Eq.status is AVLB,clear planner grp.	EQUI	INGR_EEQZ	DERIVATION	DERIVE: Clear "Planner Group" of EQUI, if System Status = AVLB	BAdI
EQUI106	Equip.category vs Planning Plant check	EQUI	PPLA_EEQZ	VALIDATION	VAL: Planning Plant = "XXXX", if EQUIP Category = "X"	BRF+

© 2020 Utopia Global, Inc.

3.3. Functional Location: Object: FUNCLOC

In uBIPS, the following Functional Location rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
FLOC001	FL INSTALLATION ALLOWED CHECK LEVEL 1-4	FUNCLOC	IEQUI	VALIDATION	All Functional Locations should allow Installation (IEQUI) of Equipment except level 1 to 4.	BAdI
FLOC002	FL INSTALLATION ALLOWED CHECK LEVEL 5-8	FUNCLOC	IEQUI	VALIDATION	Functional Location for level 3 and above should always have Equipment installed	BAdI
FLOC003	Functional Location Description	FUNCLOC	TXTMI	VALIDATION	Functional Location description will only allow Symbols and Char as below "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz1234567890()/}.-_"	BAdI
FLOC004	MAINTENANCE PLANT DEFAULT VALUE	FUNCLOC	SWERK_FL	DERIVATION	Set Maintenance Plant default value to XXXX.	BRF+
FLOC006	Superior Functional Location	FUNCLOC	TPLMA	VALIDATION	Superior Functional Location is mandatory except level 1, Same level Functional Location can't be created under same level and Functional Location should be only one level down of superior.	BAdI
FLOC007	ACQUISITION DATE CHECK	FUNCLOC	ANSDT	VALIDATION	Display warning message if Acquisition Date Not Maintained.	BAdI
FLOC008	Install Allowed based on Object Type	FUNCLOC	IEQUI	DERIVATION	Installation Allowed Checkbox Selected/Ticked based on Object types	BAdI
FLOC009	FLOC DESCRIP BASED ON OBJ DESCRIPTION	FUNCLOC	TXTMI	DERIVATION	Floc Descrip Derive based on obj Descrip except Level1 Floc	BAdI
FLOC010	Classification with Functional Location	FUNCLOC	FLOC_REF	VALIDATION	For Masked Functional Location Classification is mandatory.	BAdI
FLOC011	Storage Location	FUNCLOC	STOR_FLOC	VALIDATION	Storage Location Field is mandatory in Functional Location.	BRF+
FLOC013	Functional Location Category	FUNCLOC	FLTYP	VALIDATION	Check for Functional Location Category value equal to C, G, S, P, U or	BAdI
FLOC014	STRUCTURE INDICATOR CHECK	FUNCLOC	TPLKZ_FLC	VALIDATION	Structure Indicator should be equal to XXXX	BRF+
FLOC015	Start-up date	FUNCLOC	FLTYP	VALIDATION	Check for Functional Location Category equal to T, I, M, E and start-up date not blank.	BRF+

© 2020 Utopia Global, Inc.

FLOC016	ABC Indicator	FUNCLOC	FLTYP	VALIDATION	Check for Functional Location Category equal to T, I, M, E and ABC Indicator not blank.	BRF+
FLOC017	Sort Field	FUNCLOC	FLTYP	VALIDATION	Check for Functional Location Category equal to T, I, M, E and Sort Field not blank.	BRF+
FLOC018	Cost center validation for CR Types	FUNCLOC	KOST_FLOC	VALIDATION	Check for FLOC Level greater than or equal to 3 and Cost Center not blank, else error for all CR Types except ZXXXXXX , For ZXXXXXX if FLOC Level equal to 3 and Cost Center equal blank then error, If Cost Center is blank, or if Superior Functional Location has changed, set Cost Center to Superior Functional Location Cost Center.	BAdI
FLOC019	Planner group validation for CR Types	FUNCLOC	INGR_FLOC	VALIDATION	Check for FLOC Level greater than or equal to 3 and Main. Planner Group equal to blank and CR Type not equal to ZXXXXXX or check for FLOC Level equal to 3 and Main. Planner Group equal to blank and CR Type equal to ZXXXXX or check for CR Type not equal to ZXXXXX, and FLOC Level greater than 3, and either Main. Planner Group is blank or Superior FLOC has changed, Set Main. Planner Group to Superior FLOC Main. Planner Group.	BAdI
FLOC020	EQUI-INSTALLATION ALLOWED CHECK	FUNCLOC	IEQUI	VALIDATION	Check for Installation Allowed (IEQUI) equal "Yes" and Functional Location Category is T,I,M,E and Catalog Profile not equal to "IL".	BAdI
FLOC021	Single Installation	FUNCLOC	EINZL	VALIDATION	Single Installation and Installation Allowed should be equal to "YES"	BRF+
FLOC023	UNIT OF WEIGHT	FUNCLOC	BRGEW	DERIVATION	Check Gross Weight (BRGEW) is not blank then default Unit of Weight to XX	BRF+
FLOC024	Functional Location ID naming convention	FUNCLOC	FUNCLOC	VALIDATION	Validate the entry, restict special character except underscore and dash.	BRF+

© 2020 Utopia Global, Inc.

FLOC025	FL DESCRIPTION LENGTH CHECK	FUNCLOC	TXTMI	VALIDATION	Functional Location description should not be more than XX character.	BRF+
FLOC026	Require to assign Object Type	FUNCLOC	EQART	VALIDATION	VAL: "Technical Object Type" is Mandatory	BRF+
FLOC028	Require to assign Start Up Date	FUNCLOC	INBDT	VALIDATION	Check for Start Up Date	BRF+
FLOC029	Require to assign ABC Indicator	FUNCLOC	ABCKZ FLOC	VALIDATION	Check for ABC Indicator	BRF+
FLOC033	NO CHANGE WHEN STATUS OF FLOC IS IN EXPT	FUNCLOC	USWO_ FLOC	VALIDATION	Check for User Status Without Number = 'EXPT Exported [E0003]'.	BRF+
FLOC034	Mandatory check for Main Work center	FUNCLOC	GEWR KFLOC	VALIDATION	Check if Main Work Center is not initial	BRF+
FLOC035	Mandatory check for Planner Group	FUNCLOC	INGR_F LOC	VALIDATION	Check if Planner Group is not initial	BRF+
FLOC036	Mandatory check for Catalog Profile	FUNCLOC	RBNR_ FLOC	VALIDATION	Check if Catalog Profile is not initial	BRF+
FLOC037	Mandatory check for Auth Group	FUNCLOC	BEGRU	VALIDATION	VAL: "Authorization Group" is Mandatory	BRF+
FLOC039	Mandatory check for Room	FUNCLOC	MSGRP	VALIDATION	Check if Room is not initial.	BRF+
FLOC040	Mandatory check for construction type	FUNCLOC	SUBMT IFLO	VALIDATION	Check if Construction Type is not initial.	BRF+
FLOC042	CONSTRUCTION TYPE MATERIAL CHECK	FUNCLOC	SUBMT IFLO	VALIDATION	Get value of Construction Type check is starts with XX.	BRF+
FLOC043	Character limit on Sort Field	FUNCLOC	EQFNR	VALIDATION	Check for Sort Field length must be XX character.	BRF+
FLOC044	Character limit on Size/Dimension field	FUNCLOC	GROES	VALIDATION	Check for Size/Dimension length must be XX character.	BRF+
FLOC045	Character limit on ERP Position field	FUNCLOC	POSNR	VALIDATION	Check for ERP Position length must be X character.	BRF+
FLOC046	Character limit on Model Number field	FUNCLOC	TYPBZ	VALIDATION	Check for Model Num length must be XX character.	BRF+
FLOC047	Character limit on Serial Number field	FUNCLOC	SERGE	VALIDATION	Check for Serial Num length must be XX character.	BRF+
FLOC048	Character limit on Manufacturer's part n	FUNCLOC	MAPAR	VALIDATION	Check for Manufacturer Part Number length must be XX character.	BRF+
FLOC049	Character limit on Inventory Number fiel	FUNCLOC	INVNR	VALIDATION	Check for Inventory Number length must be XX character.	BRF+
FLOC050	Character limit on Superior Functional	FUNCLOC	TPLMA	VALIDATION	Check for Superior Functional Location length must be XX character.	BRF+
FLOC051	Character limit on Room field	FUNCLOC	MSGRP	VALIDATION	Check for Room length must be X character.	BRF+

© 2020 Utopia Global, Inc.

FLOC052	Require Floc Category	FUNCLOC	FLTYP	VALIDATION	Check if Functional Location Category is populated.	BRF+
FLOC053	Require Structure Indicator	FUNCLOC	TPLKZ_ FLC	VALIDATION	Check for Structural Indicator to be populated.	BRF+
FLOC054	Location Mandatory	FUNCLOC	STOR_ FLOC	VALIDATION	Location data attribute should be mandatory.	BRF+
FLOC055	Status cannot change to Marked Deleted	FUNCLOC	LVORM	VALIDATION	Check for Status in data load = (inactive & marked deleted) OR (marked deleted)	BAdI
FLOC061	Validation Superior Functional Location	FUNCLOC	TPLMA	VALIDATION	Validate Mandatory Fields.	BRF+
FLOC062	Validation Start-Up Date	FUNCLOC	INBDT	VALIDATION	Validate Mandatory Fields.	BRF+
FLOC064	Validation Object Type	FUNCLOC	EQART	VALIDATION	Validate Mandatory Fields.	BRF+
FLOC066	Classification Functional Location Categ	FUNCLOC	FLTYP	VALIDATION	For Function Location Classification is mandatory.	BAdI
FLOC067	Classification Structure Indicator	FUNCLOC	TPLKZ_ FLC	VALIDATION	For Structure Indicator Classification is mandatory.	BAdI
FLOC069	Start-up date	FUNCLOC	INBDT	VALIDATION	Check for Functional Location Category equal to T, I, M, E and start-up date not blank.	BRF+
FLOC070	ABC Indicator	FUNCLOC	ABCKZ FLOC	VALIDATION	Check for Functional Location Category equal to T, I, M, E and ABC Indicator not blank.	BRF+
FLOC071	Sort Field	FUNCLOC	EQFNR	VALIDATION	Check for Functional Location Category equal to T, I, M, E and Sort Field not blank.	BRF+
FLOC074	Single Installation	FUNCLOC	IEQUI	VALIDATION	Single Installation and Installation Allowed should be equal to "YES"	BRF+
FLOC075	Unit of weight	FUNCLOC	GEWEI	DERIVATION	Check Gross Weight is not blank then default Unit of Weight (GEWEI) to XX	BRF+
FLOC076	AQUISITION DATE	FUNCLOC	ANSDT	VALIDATION	Acquisition Date will not be initial if Superior functional location is blank	BRF+
FLOC077	REQUIRE TO ASSIGN CLASSIFICATION	CLASSFL OC	CLASS	VALIDATION	Class field should be filled by the user.	BRF+
FLOC078	Acquisition Value Length Validation	FUNCLOC	ANSWT	VALIDATION	Validation on Acquisition Value length as it should not exceeds X Character limit	BRF+
FLOC079	Gross Weight Length Validation	FUNCLOC	BRGE W	VALIDATION	Validation on length of the Gross Weight field as it should not exceeds X Character limit	BRF+

© 2020 Utopia Global, Inc.

FLOC080	FLOC DESCRIPTION CHAR LIMITS VALIDATION	FUNCLOC	TXTMI	VALIDATION	Functional Location Description character length should not exceeds XX chars	BRF+
FLOC081	AUTHORIZ GROUP BASED ON FLOC CATEGORY.	FUNCLOC	BEGRU	DERIVATION	Authorization Group Assignment based on Floc Category.	BAdI
FLOC082	CATALOGPROF VALUE SHOULD SAME AS OBJ TYP	FUNCLOC	RBNR_ FLOC	VALIDATION	Catalog Profile Must be same as Technical Object Type	BAdI
FLOC083	OBJECT TYPE CHECK BASED ON FLOC LEVEL	FUNCLOC	EQART	VALIDATION	Object Type validation based on Level of FLOC	BAdI
FLOC084	Planner Group is Mandatory	FUNCLOC	INGR_F LOC	VALIDATION	VAL: Planner Group is Mandatory	BRF+
FLOC085	If Func.Loc Cat=T,then Plan.Plant=9999	FUNCLOC	PLNT_ FLOC	DERIVATION	DERIVE: Planning Plant "XXXX" if FLOC Category = "X"	BRF+
FLOC086	Cost Center	FUNCLOC	FLTYP	VALIDATION	VAL: "Cost Centre" Mandatory, Excluding FLOC with Categories with 'X' or 'Y'	BRF+
FLOC087	Determine Structure indicator	FUNCLOC	TPLKZ_ FLC	DERIVATION	DERIVE: FLOC Structure Indicator = "XXXX", Excluding FLOC Category = "Y"	BAdI
FLOC088	Set Acqui.Date to cre.dt if us.stat=04	FUNCLOC	ANSDT	DERIVATION	DERIVE: "Acquisition Date" whenever FLOC User Status = "XXXX"	BAdI
FLOC090	Func.Loc.category vs Plan.Plant check	FUNCLOC	PLNT_ FLOC	VALIDATION	VAL: Planning Plant = "XXXX", if FLOC Category "X"	BRF+

© 2020 Utopia Global, Inc.

3.4. Bill of Material (MBOM): OBJECT: PMBOMHDR

In uBIPS, the following Bill of Material (MBOM) rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
MBOM001	Material BOM description must not exceed	PMBOMHDR	TXTMI	VALIDATION	BOM Description restricted to XX characters.	BAdI
MBOM010	Description of BOM must be populated	PMBOMHDR	TXTMI	VALIDATION	Description of BOM must be populated	BAdI
MBOM012	Material Type	PMBOMHDR	MTART	VALIDATION	Material Type should be 'XXXX'	BAdI
MBOM014	Duplicate check on BOM Component	BOMITEM	ITMCOMP	VALIDATION	Duplicate components are not allowed in BOM Item.	BAdI
MBOM020	BOM Item Details	BOMITEM	BOMITMPOS	VALIDATION	BOM Item Details should be filled.	BAdI
MBOM023	Item Category with Storage Location	BOMITEM	ITMCATREF	VALIDATION	Item Category must be 'L' if production storage location assigned	BRF+
MBOM024	Item Category with no Storage Location	BOMITEM	ITMCATREF	VALIDATION	Item Category must be 'N' if no production Storage location assigned	BRF+
MBOM025	BOM Item Quantity	BOMITEM	ITMQTY	VALIDATION	BOM Item Quantity should be whole numbers (No decimal values allowed)	BRF+

© 2020 Utopia Global, Inc.

3.5. Measuring Point (MSPT)

In uBIPS, the following Measuring Point rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
MSPT001	MSPT Description-Special Char Check	MSPOINT	PTTXT	VALIDATION	Special Characters (* " ' ? ^ | ~ = © ! # \) are not allowed in Measuring Point Description.	BRF+

© 2020 Utopia Global, Inc.

3.6. General Task list (TLGN)

In uBIPS, the following General Task list rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
TLGN001	UNIT OF MEASUREMENT FOR WORK	TLGNOPRS	ARBEH	DERIVATION	DERIVE UOM VALUE FOR WORK AS 'H'	BRF+
TLGN002	PLANT OF TASK LIST HEADER	TLGNTLIST	GPLNT2T_R	VALIDATION	VAL: The Plant of the task list header work center shall be 9999. EX; "0002" instead of "9999"	BRF+
TLGN003	OPERATION SHORT TEXT	TLGNOPRS	LTXA1	VALIDATION	OPERATION SHORT TEXT IS MANDATORY FIELD	BRF+
TLGN004	NORMAL DURATION OF ACTIVITY	TLGNOPRS	DAUNO	VALIDATION	NORMAL DURATION OF ACTIVITY IS MANDATORY	BRF+
TLGN005	WORK INVOLVED IN THE ACTIVITY	TLGNOPRS	ARBEI	VALIDATION	OPERATION WORK INVOLVED IN THE ACTIVITY	BRF+
TLGN007	UNIT OF MEASUREMENT FOR DURATION	TLGNOPRS	DAUNE	DERIVATION	DERIVE UOM VALUE FOR DURATION AS 'H'	BRF+
TLGN008	STANDARD TEXT KEY	TLGNOPRS	KTSCH	VALIDATION	STANDARD TEXT KEY IS MANDATORY FIELD	BRF+
TLGN009	SYSTEM CONDITION AT TL HEADER LEVEL	TLGNTLIST	ANLZU	VALIDATION	SYSTEM CONDITION SHOULD BE BLANK AT THE	BRF+
TLGN010	SYSTEM CONDITION AT TL OPERATION LEVEL	TLGNOPRS	TANLZU	VALIDATION	SYSTEM CONDITION MUST BE POPULATED AT TL	BRF+
TLGN011	SPECIAL CHAR CHECK FOR TASK LIST DESCRIP	TLGNTLIST	KTEXT	VALIDATION	VAL: Special Characters [* " ' ? ^ | ~ = © ! # \] not be allowed in Task List Description	BRF+
TLGN012	Set Task List usage to 4	TLGNTLIST	TVERWE	DERIVATION	DERIVE: General Task List, Status = "4 - General Released"	BRF+

© 2020 Utopia Global, Inc.

3.7. Equipment Task list (TLEQ)

In uBIPS, the following Equipment Task list rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
TLEQ001	Set Task List Usage To 4	TLEQTLIST	TVERWE	DERIVATION	DERIVE: Equip. Task List, Status = "4 - General Released"	BRF+
TLST006	Component Quantity	TLEQCOMP	MENGE	VALIDATION	Component Quantity is mandatory field	BRF+
TLST007	Task List Planner Group	TLEQTLIST	VAGRP2ETL	VALIDATION	Task List Planner group is Mandatory field	BRF+

3.8. Functional Location Task list (TLFL)

In uBIPS, the following Functional Location Task list rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
TLFL001	Set Task List Usage To 4	TLFLTLIST	TVERWE	DERIVATION	DERIVE: Fun. Location Task List, Status = "4 - General Released"	BRF+

© 2020 Utopia Global, Inc.

3.9. Maintenance Plan & Items (MPMI)

In uBIPS, the following Maintenance Plan & Items rules are covered as part of the scope.

BR_BRID	BRNAME	ENTITY	FIELD	RULE_TYPE	RULE_TEXT	IMP_TECH
MPMI001	TASK LIST IN MAINTENANCE ITEM	MITEM	PLNAL_MI	VALIDATION	Task List entry is mandatory in Maintenance Item	BRF+
MPMI002	Order Type in Maintenance Item	MITEM	AUART	DERIVATION	The order Type default value set to PMXX	BRF+
MPMI003	Order Type PM02	MITEM	AUART	DERIVATION	DERIVE: PM Order Type = "PM02" always in Maintenance Plan / Item	BRF+
MPMI004	SPECIAL CHAR CHECK FOR MPLAN DESCRIPTION	MPMI	WPTXT	VALIDATION	VAL: Special Characters [* " ' ? ^ | ~ = © ! # \] not be allowed in Maint. Plan Description	BRF+
MPMI005	Set Call horizon to 100%	MPLAN	HORIZ	DERIVATION	Set Call horizon to 100%	BRF+
MPMI006	Set Scheduling period to 7 years	MPLAN	ABRHO	DERIVATION	Set Scheduling period to 7 years	BRF+
MPMI007	UoM for scheduling interval set to Years	MPLAN	HUNIT	DERIVATION	UoM for scheduling interval set to Years	BRF+
MPMI008	Check 'Do not Rel. immediately' indicator	MITEM	NO_AUFREL	DERIVATION	DERIVE: "Do Not Release Immediately" = "X" Checkbox	BRF+
MPMI009	Set 'Task list factor' is equal to 1	MITEM	APFKT_MI	DERIVATION	DERIVE: Task list Cycle Modification Factor = " 1.00"	BRF+

© 2020 Utopia Global, Inc.

MPMI010	Task List Type	MITEM	PLNTY_MI	DERIVATION	DERIVE: Task List Type must always be "A" (General)	BRF+
MPMI011	Maintenance plan status	MPLAN	INACT_MP	DERIVATION	If 'Mark for deletion' is checked; then 'Inactive' should be checked	BRF+
MPMI012	Set Completion Requirement to bank	MPLAN	CALL_CONF	DERIVATION	Set Completion Requirement check box to bank.	BRF+
MPMI013	SET MAIN WC=WC_TEST & PLANT=0002	MITEM	ARBP_MI, WERGW_MI	DERIVATION	DERIVE: A Generic WC & Plant XXXXXXX / YYYY, If Equip Sys. Status used in MPMI = AVLB	BAdI
MPMI014	Main work centre validation for EQIP Ref	MITEM	ARBP_MI	VALIDATION	VAL: MPLAN / ITEM Main.WC = EQUIPMENT Main.Work Center	BAdI
MPMI015	Main work centre validation for FLOC Ref	MITEM	ARBP_MI	VALIDATION	VAL: MPLAN / ITEM Main.WC = FLOC Main.Work Cente	BAdI

© 2020 Utopia Global, Inc.

4. uBIPS Out of Scope

The uBIPS for following MDG objects are out of scope in Utopia UDGA 9.2 release: -

- Finance
- Floc BOM, Equipment BOM and WBS BOM
- Work Center
- Object link and Network.

© 2020 Utopia Global, Inc.