



PUBLIC

SAP Best Practices for SAP SuccessFactors Employee Central Payroll

Document Version: 1H 2024 – 2024-05-08

User Settings and Activation of Services: Configuration Guide

Content

1	User Settings and Activation of Services.	3
2	User Settings.	4
2.1	Enabling SAP-Scripting.	4
2.2	Setting Decimal Notation and Date Format.	5
3	Activation of Services.	6
3.1	Activation of Services for SAP NWBC.	6

1 User Settings and Activation of Services

The guide describes the set of technical tasks that are required to be performed in the Employee Central Payroll system, prior to activating the business configurations.

Before the installation of the building block, some preparatory activities must be performed. Some of these activities can only be performed manually, while others are automated. All these activities are described on the following pages.

Before starting the installation, complete the following activities:

- Read the **Configuration Guide: Getting Started** document for the SAP Best Practices solution you are implementing.
- Ensure that you meet the recommended prerequisites as specified in that document.

The logon language must be EN.

2 User Settings

2.1 Enabling SAP-Scripting

Use

To allow eCATT processing, the profile parameter **sapgui/user_scripting** must be set. The value for **Enable or disable user scripting on the front-end** must be set to **true**.

Procedure

Carry out the following steps:

1. Access the activity using the following navigation path:

Transaction Code

RZ11

2. On the *Maintain Profile Parameters* screen make the following entries:

Field Name	Description	User Action and Values	Comment
PARANAME	Profile parameter name	sapgui/user_scripting	
Display			

3. On the *Display Profile Parameters Attributes* screen, select *Change values*.
4. On the *Change Parameter Value* screen, make the following entries:

Field Name	Description	User Action and Values	Comment
	New Value	TRUE	Enable SAP Scripting

5. *Save* your entries.

2.2 Setting Decimal Notation and Date Format

Use

Perform this activity to set up the installation user ID.

Procedure

Carry out the following steps:

1. Access the activity using one of the following navigation options:

SAP ECC Menu	Transaction Code
 <i>System User Profile</i> <i>Own Data</i>	SU3

2. Choose the *Defaults* tab.
3. Make sure that **Decimal Notation** is set up according to your country's default, for example, **1,234,567.89** for the United States.
4. Make sure that the *Date Format* is set up per your country's default, for example, **MM.DD.YYYY** for the United States.
5. Make sure to assign your printer in the field output device. The recommended entry for the installation is **LP01**.
6. *Save* your settings.
7. When the complete installation procedure is finished, you may change these values as desired.

Result

The decimal notation and date format have been set up according to your country specific format. The standard printer has been defined.

3 Activation of Services

3.1 Activation of Services for SAP NWBC

In this step, you activate services for SAP NetWeaver® Business Client (SAP NWBC).

Procedure

1. To activate the services required for the SAP Best Practices solution builder and SAP NWBC, access transaction **SICF**.
2. On the *Maintain Services* screen, choose *Execute (F8)*.
3. On the *Maintain service* screen, expand the *Virtual Hosts / Services* node as follows and activate the services listed below:

Note

Only if you use SAP NWBC 3.0, activate the following services:

default_host	sap	public	bc	icons	
default_host	sap	public	bc	icons_rtl	
default_host	sap	public	bc	pictograms	
default_host	sap	public	bc	ur	
default_host	sap	public	bc	webdynpro*	
default_host	sap	public	bc	webicons	
default_host	sap	public	bsp	sap	htmlb
default_host	sap	public	icf_info*		
default_host	sap	public	icman		
default_host	sap	bc	bsp	sap	public
default_host	sap	bc	bsp	sap	rsr_bex_launch
default_host	sap	bc	bsp	sap	system

default_host	sap	bc	igs_data		
default_host	sap	bc	NWBC*		
default_host	sap	bc	print*		
default_host	sap	bc	smart_forms		
default_host	sap	bc	wd_trace_tool		
default_host	sap	bc	wdvd		
default_host	sap	bc	webdynpro	kyk*	
default_host	sap	bc	webdynpro	sap	cfs_application
default_host	sap	bc	webdynpro	sap	configure_*
default_host	sap	bc	webdynpro	sap	create_complaints_comp
default_host	sap	bc	webdynpro	sap	cust_cockpit_comp
default_host	sap	bc	webdynpro	sap	FITE_EXPENSES
default_host	sap	bc	webdynpro	sap	FITV_POWL_TRIPS
default_host	sap	bc	webdynpro	sap	FITV_TRIP_FORM
default_host	sap	bc	webdynpro	sap	hress_a_cats_1
default_host	sap	bc	webdynpro	sap	lcm_application
default_host	sap	bc	webdynpro	sap	lo_oif_cdocs_appl
default_host	sap	bc	webdynpro	sap	lo_oif_main_app
default_host	sap	bc	webdynpro	sap	LO_OIF_OC
default_host	sap	bc	webdynpro	sap	lo_oif_reuse_cond_appl
default_host	sap	bc	webdynpro	sap	lo_oif_vcfg_appl
default_host	sap	bc	webdynpro	sap	lord*
default_host	sap	bc	webdynpro	sap	mmpur_ui_pr_app
default_host	sap	bc	webdynpro	sap	mmpur_vndctcdta_app
default_host	sap	bc	webdynpro	sap	mmsrv_sp_details_app
default_host	sap	bc	webdynpro	sap	mt_order_app
default_host	sap	bc	webdynpro	sap	o2c_*

default_host	sap	bc	webdynpro	sap	POWL*
default_host	sap	bc	webdynpro	sap	psu_md_wui_wda_pss_oif_cfg
default_host	sap	bc	webdynpro	sap	qimt_notification_app
default_host	sap	bc	webdynpro	sap	sawe_sa
default_host	sap	bc	webdynpro	sap	sawe_time_ps
default_host	sap	bc	webdynpro	sap	wd_*
default_host	sap	bc	webdynpro	sap	wdhc_application

*activate all services.

Caution

Activate the following additional services **only** for troubleshooting and error analysis. By default, you should **not** activate these services due to security reasons.

When you choose automatic implementation, these services are not activated by default.

default_host	sap	bc	echo*		
default_host	sap	bc	error*		
default_host	sap	bc	bsp	sap	bsp_veri
default_host	sap	bc	bsp	sap	htmlb_samples
default_host	sap	bc	bsp	sap	it00
default_host	sap	bc	bsp	sap	sbspext_htmlb
default_host	sap	bc	bsp	sap	sbspext_xhtmlb
default_host	sap	bc	webdynpro	sap	WDR_TEST_EVENTS
default_host	sap	bc	webdynpro	sap	WDR_TEST_POPUPS_RT
default_host	sap	bc	webdynpro	sap	WDR_TEST_TABLE
default_host	sap	bc	webdynpro	sap	wdr_test_ui_elements
default_host	sap	bc	webdynpro	sap	prpl_cap_wc_period

4. Choose [Back](#).

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.

About the icons:

- Links with the icon  : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
 - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
 - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon  : You are leaving the documentation for that particular SAP product or service and are entering an SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.

The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Bias-Free Language

SAP supports a culture of diversity and inclusion. Whenever possible, we use unbiased language in our documentation to refer to people of all cultures, ethnicities, genders, and abilities.

© 2024 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see <https://www.sap.com/about/legal/trademark.html> for additional trademark information and notices.