



SAP BusinessObjects Business Intelligence Suite 4.0 Feature Pack 3 Patch 10

- Release Notes

Copyright:

© 2012 SAP AG. All rights reserved

SAP, R/3, SAP NetWeaver, Duet, PartnerEdge, ByDesign, SAP BusinessObjects Explorer, StreamWork, SAP HANA and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and other countries. Business Objects and the Business Objects logo, BusinessObjects, Crystal Reports, Crystal Decisions, Web Intelligence, Xcelsius, and other Business Objects products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Business Objects Software Ltd. Business Objects is an SAP company.

Sybase and Adaptive Server, iAnywhere, Sybase 365, SQL Anywhere, and other Sybase products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Sybase, Inc. Sybase is an SAP company.

Crossgate, m@gic EDDY, B2B 360°, B2B 360° Services are registered trademarks of Crossgate AG in Germany and other countries. Crossgate is an SAP company.

All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary.

These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies ("SAP Group") for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

9/13/2012

About these Release Notes

These Release Notes contain important information about known issues, fixed issues and design limitations present in SAP BusinessObjects BI 4.0 Patches. To see whether known issues in one Patch are fixed in a subsequent Patch, use the ADAPT number of the known issue to search within the PDF.

Only the last four Patches are available on SMP at any moment. If you expect that you will need an additional installation at a later time, download all relevant patches from the same Patch Level at the same time as older Patches will not be available on SMP once they are removed.

Before installing the software, we recommend that you read the entire document.

Where to find more information about this release:

For information on	See
Installing this release	http://service.sap.com/~sapidb/011000358700000124692011E/xi4sp1_sapbo_update_en.pdf

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 1

SAP BusinessObjects Explorer: Installing on Crystal Server deployments

ADAPT01624033

During Linux installation of Explorer on a Crystal Server 2011 Feature Pack 3 deployment, the following optional prerequisite check for “Summary of any missing critical or optional prerequisites” will always show up as “Failed”:
Check Item: “BI Platform server is installed in the specified install directory. (optional)”

Description: “BI Platform server was not found in the specified install directory. WebTier features will not be installed, and Explorer will create a new SIA instead of using a local SIA.....”

In this instance the prerequisite is not required, and it is safe to proceed with the installation. This issue is being addressed for a later version. Contact SAP Support for information about fix patches.

In CMC, Web Intelligence Services link is listed.

ADAPT01624726

Users may find that in CMC under "Service Categories", "Web Intelligence Services" are listed. There is no support for Web Intelligence in a Crystal Server 2011. This is a user interface issue that will be addressed in a future patch. Web Intelligence services are not present.

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 10

Displaying an SAP BusinessObjects iView in a new window

ADAPT01645211

When launching an SAP BusinessObjects iView in a new window, outside of the main NetWeaver Portal window, use the "Display in Separate Window" option under the "Launch in New Window" configuration setting for the iView in question.

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 2

Live Office: Outlook may terminate unexpectedly when navigating Search Results pages

ADAPT01620001

When users navigate between Search Results pages in the Live Office Panel, Outlook may terminate unexpectedly if the search results include a Dashboards model.

This issue is being addressed for a later version. Contact SAP support for information about fix patches.

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 3

Fail to launch the Version Management application on the Solaris 10 machine

ADAPT01621953

To launch Version Management on the Solaris machine, you require libiconv.so.2 and libgcc_s.so.1 files. These files are specific to Solaris operating system. However, in Solaris 10, these files does not exist. Therefore, when you launch Version Management from CMC, an error occurs.

To workaround this issue, perform the following steps on the Solaris 10 machine:

1. Copy libiconv.so.2 and libgcc_s.so.1 files to /usr/local/lib.
2. Run <BOBJ_INST_DIR>/sap_bobj/lcm_installer.sh with the following command: lcm_installer.sh <LCM_repository> <CMS password>

The LCM_repository will be created in the home directory.

3. Go to the CMC home page and select Applications Tab.

4. Right-click Version Management.

The values for VMS Settings fields are filled by default.

5. Choose Version Management Tab in the CMC home page.

You will be able to launch the Version Management application successfully.

Web Intelligence : Essbase unx on UNIX : cannot create document

ADAPT01630976

Using Web Intelligence, an error "FatalException occurred. The cause was : com.businessobjects.corba.generic.container.proxy.internal.DependencyFailoverCallbackImpl \$FailoverFatalException: Prepare failover failed" occurs when trying to create a report using a unx universe accessing an Essbase 11 server. No report can be created.

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 5

When you install BI 4.0 FP3 or BI 4.0 SP4 patch on BI 4.0 SP2, you will not be able to launch the Version Management application from CMC.

ADAPT01633294

When you install BI 4.0 FP3 or BI 4.0 SP4 patch on BI 4.0 SP2, you will not be able launch the Version Management application from CMC as Version Management Settings fields are empty.

To workaround this issue, configure the Version Management settings manually and restart the Adaptive Processing Server(APS).

1. Log on to CMC.
2. Navigate to Applications in CMC home page.
3. Right-click Version Management and select VM Settings.
4. Enter the following fields:
 - Server Name: Name of the machine on which SubVersion is installed.
 - Server Port: SubVersion port
 - User Name: SubVersion username
 - Password: SubVersion password
 - Install Path: SubVersion install location
 - Repository Name: Name of the LCM repository
 - Workspace Directory: Path of the Checkout folder.
4. By default, svn protocol will be selected. Retain the same setting.
5. Save and close the VM Settings.
6. Go to Servers in the CMC home page.
7. Select Servers List.
8. Restart APS.

Information about configuring the Monitoring application for the DB2 database in the Business Intelligence Platform Administrator Guide is incorrect

ADAPT01633732

In the Business Intelligence Platform Administrator Guide, we have mentioned that to configure the sbo file for DB2, you must update the db2.sbo file. This information is incorrect.

To configure sbo for the DB2 database, you must update the db2iseries.sbo file with following DB alias tags:

```
<DataBase Active="Yes" Name="DB2 UDB for iSeries v5">
<Aliases>
<!-- You can add an alias here if you are using some connections that are defined with an older database engine
-->
<Alias>DB2/400 V5</Alias>
<Alias>DB2/400 V4</Alias>
<Alias>DB2 for iSeries v4</Alias>
<Alias>DB2</Alias>
</Aliases>
```


Cannot connect to universes (UNX) based on relational connections to SAP ERP databases after adding the SAPERP Data Access feature

ADAPT01634804

After adding the "SAPERP" installation feature ("Instances -> Database Access -> SAPERP") through the modify installation workflow, errors will be received in client applications when attempting to connect to universes (UNX) based on relational connections to SAP ERP databases.

After adding the "SAPERP" feature, a restart of the Adaptive Processing Server may be required for full functionality to be available.

Creating OLAP connection to Essbase for WebI usage via business layer

ADAPT01636800

When connecting to Essbase from WebI via the business layer (DSL), an Essbase connection has to be created using Information Designer Tool (IDT), that is, the Essbase OLAP connection cannot be created in CMC.

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 6

Numeric values formatted based on decimal notation settings from SU01 (User Profile) transaction

ADAPT01637887

Numeric values, which are displayed in Analysis, edition for OLAP, for content created off BEX Queries are formatted based on the decimal notation settings from SU01 (User Profile) transaction.

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 7

Web Intelligence: Input control filtering a dimension not in the table produces #TOREFRESH for delegated measure.

ADAPT01633954

To get the aggregated values for a delegated measure for a table, the system is doing a specific query with only the dimension of the table (grouping set query).

To get these value filtered by a dimension (from the input control) that is not in the table, the system has to add this dimension to the query (grouping set query). The user must then refresh the updated query to get the new result set and then filter the result set with the related filter.

The system displays "TOREFRESH" if the query has not been refreshed.

Known Issues and Limitations for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 9

SAP Range Variable Report Compatibility Issue

ADAPT01656594

There are compatibility issue with report using SAP range variables. Report may not load. Users are recommended to wait for the fix available in the next patch if they are concerned.

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 1

ADAPT01611039

Description:

A "Univers not found" error is displayed in the Report Conversion Tool when trying to convert a Desktop Intelligence document based on a derived universe.

New Behavior:

The issue is resolved.

Limitations:

ADAPT01618781

Description:

When users modify the install to add the "Insight to Action" feature, the "Insight to Action" service fails to get automatically added to the default Adaptive Processing Server .

New Behavior:

The problem is resolved.

Limitations:

None.

ADAPT01619223

Description:

SAP BusinessObjects Mobile Application rights available for clients

New Behavior:

From mobile server side the following application rights are now available; these can be consumed by clients.

- Log on to SAP BusinessObjects Mobile application.
- Send documents from device as an email.
- Subscribe to document alerts.
- Save documents to the local store of a device.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 10

ADAPT01655832

Description:

Existing report crashes Designer and does not show image correctly

New Behavior:

Does not crash and show image correctly

Limitations:

ADAPT01656594

Description:

SAP BEx report with range variable with default value cannot be opened after saving

New Behavior:

SAP BEx report with range variable with default value can be opened after saving

Limitations:

ADAPT01656603

Description:

In Crystal Reports for Enterprise the "getValueDescription" function does not work correctly.

New Behavior:

This problem is resolved.

Limitations:

When viewing a report in BI LaunchPad, the "getValueDescription" function does not work correctly when the report is refreshed without changing the parameter value. Instead, the function will display nothing in the parameter section of the function.

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 2

ADAPT01553261

Description:

It is not possible to exclude or hide optional BEx variables from Web Intelligence report if there is no default value when using the feature Set Variables.

New Behavior:

This problem is resolved.

Limitations:

If another variable depends on a hidden variable, this hidden variable will be shown at runtime but just as an information (it is not editable) to help user to choose value for its dependant prompts.

ADAPT01587336

Description:

Using optional prompts in sub queries gives incorrect results.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01595683

Description:

When a Crystal report against BW is published to Enterprise, the parameter page does not display the parameters

New Behavior:

problem fixed

Limitations:

ADAPT01598402

Description:

In the universe design tool, the test for connection to MS Analysis Services with Windows AD authentication and connection setting to "Use Single Sign on" does not work. It throws an error.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01598790

Description:

While applying a Patch update, the BOE web application may fail to deploy to the bundled Tomcat web application server due to out of memory errors.

New Behavior:

This problem is resolved. The maximum heap space used by the WDeploy tool has been increased to make this problem less likely to occur.

Limitations:

ADAPT01598939

Description:

The Crystal Reports 2011 Report Application Server shows a failed status after starting all servers on Solaris platforms.

New Behavior:

The problem is resolved. The Crystal Reports 2011 Report Application Server is started successfully and shows a running state.

Limitations:

ADAPT01599335

Description:

In the Web Intelligence Rich Client, a query filters using the "Result from another query" option is lost and the following error message appears when editing query:

"The current query contains un resolvable objects"

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01599413

Description:

When a user runs the upgrade management tool and imports Active Directory users and groups from the BusinessObjects XI R2 system, Active Directory group CUIDs are not maintained in SAP BusinessObjects XI 4.0 Service Pack patches.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01599612

Description:

In Web Intelligence, measures appear with no values after an object with dimensions or details in separate Grouping Sets has been inserted or removed to the block.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01600676

Description:

An extra autorefresh is triggered at the opening of the document.

New Behavior:

This issue is fixed.

Limitations:

ADAPT01601541

Description:

A TOREFRESH error is generated when Web Intelligence document is refreshed.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01601572

Description:

The opening of a Web Intelligence report triggers an extra automatic refresh.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01601856

Description:

Upon a document built on a BEx query, after a change source operation, #MULTIVALUE is displayed in cells.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01602080

Description:

Error 16 appears when you click "Expand Hierarchy" or "Expand Descendant" on a Hierarchy variable in a Web Intelligence report.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01602157

Description:

A Business Warehouse report may not be available if a user republishes it, and then overwrites it.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01602202

Description:

LCM should successfully promote Blank Folders.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01603295

Description:

Activating query stripping in a Web Intelligence report without refreshing the report itself corrupts it.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01603437

Description:

SAP roles and aliases are not updated if there are multiple SAP entitlement systems and one of them is disabled.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01603883

Description:

When trying to run queries that use prompts with the same prompting message, the following error message appears:

Cannot build the query or generate the report. (WIS 30351) (WIS 30351)

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01603979

Description:

The Hierarchical Navigation contextual menu should not be available when a sort is applied on a measure in a Web Intelligence document.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01604015

Description:

OpenDocument did not pass the preferred viewing locale parameter properly.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01605081

Description:

When a filter with merged dimensions is used with a Business Warehouse data source, incorrect values appear.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01605254

Description:

Universe design tool: The SQL is generated incorrectly when using a shortcut join in the universe. The generated SQL does not contain a FROM clause.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01606165

Description:

In a filter the LOV shows A17 as the key, whereas the report shows A02, which is the correct value.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01606409

Description:

Memory consumption is high when a report based BEx query contains lots of data.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01606848

Description:

In WebIntelligence, data in the webi report based on BEX query is showing short text instead of Medium text as configured in BW

New Behavior:

In WebIntelligence, data in the webi report based on BEX query is showing Medium text as configured in BW

Limitations:**ADAPT01607148****Description:**

A Web Intelligence report with a cascading LOV encounters problems when viewed in view mode and when the report is scheduled.

New Behavior:

The problem has been resolved.

Limitations:

When the instance is rescheduled, there is an issue with the prompt management for Cascading LOV. The path is incomplete.

ADAPT01612326**Description:**

While calculating dependencies, the Upgrade Management Tool displays a "null Statement too complex" message.

New Behavior:

The problem is resolved.

Limitations:**ADAPT01614614****Description:**

SAP BusinessObjects Mobile: Unable to save large BI documents to local store on Blackberry device.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01615235****Description:**

Selecting a value within factorized prompts in a BEx query does not pass the information to Web Intelligence prompts.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01619844****Description:**

When using OLAP Connections using MessageServer (no matter whether it has Single Sign-On or preconfigured user configured) we get an exception.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01620001****Description:**

With Live Office installed, Outlook may terminate unexpectedly when navigating pages that contain the CrystalEnterprise.XL.XcelsiusEnterprise object.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01620964

Description:

When you try to create a Web Intelligence report based on a BEx query, the following error message appears:
"Hierarchy is not an attribute hierarchy."

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01621236

Description:

In the information design tool or Query Panel, for .unx universes with connections to SAP BusinessObjects Planning and Consolidation 10 (or 7.5), some metadata and parameters exposed in the cube are not available when querying the universe.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01622439

Description:

The login to Explorer is not possible when Crystal Server 2011 Feature Pack 3 is installed.

New Behavior:

This problem is now fixed.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 3

ADAPT01554692

Description:

Missing details. The Event Type "Prompt" (Event Type Id 1004) is missing the Universe name and Universe Id entries for the Event Detail Type.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01564103

Description:

Update KPIScript.jar for supportability feature to the latest version.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01577972

Description:

When using an OLAP MSAS universe in ODBO mode, Web Intelligence shows incorrect and inconsistent results for measure values over 2 decimal places.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01580632

Description:

When opening in viewing mode a Web Intelligence report migrated from BusinessObjects Enterprise XI 3.x to Business Intelligence platform 4.0 using the Upgrade Management Tool, an "Open Document: ERROR INF" error message appears.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01591810

Description:

Publishing and scheduling a Web Intelligence document using dynamic recipients fails and the following error message appears:

"An exception was caught while fetching dynamic recipient's data."

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01596686

Description:

When creating a Web Intelligence publication and the "Refresh at Runtime" check box is selected in the New Publication dialog box, content does not automatically refresh when the publication opens in SAP BusinessObjects Business Intelligence launch pad. When choosing dynamic recipients for the publication, no data appears for the recipients.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01597822****Description:**

The functions CurrentTime, CurrentDate, LastExecuteDate fail to work in Web Intelligence documents when the time zone on the Linux server has been set to "Asia/Tokyo" (GMT+9).

New Behavior:

This problem is resolved.

Limitations:**ADAPT01600606****Description:**

When you create a Web Intelligence report based on a BEx query, the following error message can appear: SQL generation failed. See your BusinessObjects administrator. Inconsistent answers (WIS 00013)

This error message does not contain SAP server information.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01600891****Description:**

When you want to create a Web Intelligence report based on a BEx query, an error can occur if the BEx query contains a "customer exit" type variable and a "greater than" operator.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01603493****Description:**

When using an Oracle auditing database, audit events older than the specified number of days were not cleaned up from the database, potentially allowing the auditing database to grow too large.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01604107****Description:**

The boconfig.cfg file becomes corrupted when the system runs out of disk space.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01605106****Description:**

Analysis, edition for OLAP fails to display data when you open a BEx query containing a characteristic member with an external key that has more characters or digits than maintained in the SAP BW NetWeaver back-end database.

The data fails to display because the wrong member may be returned in this case.

New Behavior:

You can successfully open such queries after applying the solution for SAP Note 1615082.

Limitations:

ADAPT01606511

Description:

WSDL Unable to load Url - qaawsWsdL.zip mechanism does not work.

New Behavior:

This problem is resolved.

Limitations:

No limitations.

ADAPT01606817

Description:

When you create a Web Intelligence document based on BEx query that contains certain optional variables, like Company Code, the following error message appears:
WIS 00000 cannot retrieve dimensions from cube xxxxx.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01607069

Description:

In Web Intelligence, when selecting members in hierarchy based on a BEx query, the member selector does not show any hierarchy value for members.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01607321

Description:

A BEx query used in Web Intelligence uses the string "Not Assigned" instead of # when "#" is used as a default value.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01608248

Description:

An error can occur when opening in Web Intelligence a converted Desktop Intelligence document.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01608415

Description:

An error may occur when performing a drill action when "Use query drill" option is checked in WebIntelligence.

New Behavior:

The issue is resolved.

Limitations:

ADAPT01609462

Description:

Decimal places are displayed as zero (0) in a Web Intelligence report when they come from a calculated member which is defined as 'Percent'.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01609491****Description:**

In Web Intelligence, changing a prompt answer on a BEx query dimension does not change the related values in the report.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01609565****Description:**

The string for the "Not assigned" value in a BW Variable is incorrect. It should be "#" instead of "#EMPTY_VALUE#".

New Behavior:

This problem is resolved.

Limitations:**ADAPT01610507****Description:**

It is possible to define a Memory Maximum Threshold limit for the WebIntelligenceProcessingServer. If the WebIntelligenceProcessingServer reaches this limit, it will restart. In some case the WebIntelligenceProcessingServer crashed during this restart process.

New Behavior:

Now the WebIntelligenceProcessingServer will restart without any crash.

Limitations:**ADAPT01612189****Description:**

When a value is selected for a factorized prompt (a prompt different from the default value), an empty LOV is proposed to the query filter.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01612572****Description:**

Certain XLF files may fail to open in Dashboards due to a communication issue between Dashboards and Excel.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01612585****Description:**

Web Intelligence reports hang when refreshed and the prompt value is modified.

New Behavior:

The problem has been resolved.

Limitations:

If you are using the BW server, refer to SAP note 158280.

ADAPT01612760**Description:**

In the WebForm viewer for Crystal Reports for Enterprise, if a LOV being retrieved exceeds the maximum size, the LOV will not be populated at all.

New Behavior:

To solve the problem, you will have to use the drop-down list for the LOV and search for a value in the LOV.

You can configure the maximum size for the LOV using the CMC. To configure the maximum size, do the following steps:

1. In the CMC dialog box, select "Application/Crystal Reports Configuration", right-click "Crystal Reports Configuration", and click "Properties".
2. In the right pane of the "Properties: Crystal Reports Configuration" dialog box, click "Add New".
3. Enter "DslLovMaxSize" (excluding the quotes) under the "Property" column, enter a number under value column, and then click the check box.
4. Click "Save & Close".
5. In the CMC dialog box, select "Server".
6. Restart "AdaptiveJobServer", "CrystalReportCascheServer" and "CrystalReportsProcessServer".

If the size of the LOV being retrieved is greater than the "DslLovMaxSize" value set, then the LOVs will not be populated at all.

Limitations:**ADAPT01613371****Description:**

A performance issue has been raised upon an opening of a Web Intelligence cached document.

New Behavior:

This issue is resolved.

Limitations:**ADAPT01613927****Description:**

You cannot schedule a Web Intelligence report that contains optional prompts if the prompts are left blank.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01613975****Description:**

A memory leak occurs in the WiReportServer when using a BEx data source.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01614139****Description:**

Promotion of a job with security including application rights is not working.

New Behavior:

Promotion Management successfully promote users/group along with their "Advanced" Application rights.

Limitations:**ADAPT01614614****Description:**

SAP BusinessObjects Mobile: Unable to save large BI documents to local store on Blackberry device.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01614634****Description:**

Issue with merge and hierarchies

New Behavior:

This problem is resolved

Limitations:**ADAPT01614922****Description:**

BEx Web Applications fails with HTTP error 500 when launched via BI Launch Pad. This issue currently only occurs if the Web Tier is hosted on a SAP NetWeaver 7.2 platform.

New Behavior:

BEx Web Applications launches as expected.

Limitations:**ADAPT01617773****Description:**

An optional prompt does not work properly in a Web Intelligence report based on a .UNX file.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01617986****Description:**

On HANA the "explore more" of a facet was getting all the values of the facet and not per batch of 500 (it was creating a huge tall on the Explorer Mobile performance)

New Behavior:

This problem is resolved

Limitations:**ADAPT01618150****Description:**

Attributes of characteristics having the same caption within a BEx query cannot be used in a Web Intelligence query.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01619024****Description:**

On BWA the facet grouping wasn't taken into account

New Behavior:

This problem is resolved

Limitations:

ADAPT01619028

Description:

When there are some "_" in the measure name, the chart will be empty if 2 dimensions are selected

New Behavior:

This problem is resolved

Limitations:

ADAPT01619387

Description:

in a Web Intelligence document based on a Bex query with delegated measure, #torefresh remains persistent after refresh which generates a "processDPcommand" error message.

New Behavior:

This problem is resolved

Limitations:

ADAPT01621953

Description:

Version Management is not working.

New Behavior:

lcm_installer.sh is executed manually ,So the VMS is working fine

Limitations:

ADAPT01622826

Description:

The time required for Crystal Reports for Enterprise to retrieve data from relational connection objects may be longer than expected.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01622938

Description:

Users cannot create a Web Intelligence report with prompts in the Integration Option for Microsoft SharePoint software.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01622940

Description:

In Integration Option for Microsoft SharePoint, you cannot create a publication with personalization using Web Intelligence documents.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01623447

Description:

Should be able to pass DrillFilter value to opendocument

New Behavior:

Using fixed filter value in report, passing this to opendocument works fine.
Passing the result of DrillFilter value does not work.

Limitations:

ADAPT01626953

Description:

function reportfilter return keyvalue instead of the caption of the value

New Behavior:

This problem is resolved

Limitations:

ADAPT01627378

Description:

Some CMC tab access restriction workflows can lock out members of Administrators group from CMC

New Behavior:

Members of Administrators can access all tabs in CMC at all time.

Limitations:

ADAPT01631184

Description:

"Addnode -update" script fails to complete successfully because the temporary CMS launched crashes while trying to update the Out of Box Servers' meta-data. This happens if the Out of Box Servers had been deleted.

New Behavior:

The problem is resolved.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 4

ADAPT01465143

Description:

Attempts to refresh a Web Intelligence report based on an MS Analysis Services SSO universe in the BI launch pad using Rich Internet Application are unsuccessful.

New Behavior:

This problem is resolved

Limitations:

- In deployments of BI 4.0 Support Package 3 or earlier, the SwitchToOdbo must be set to true or 1 because Kerberos is not fully supported in XMLA. Modify the following file:

<BOE_INSTALL>\SAP BusinessObjects Enterprise XI 4.0\<platform>\OlapClient.cfg

SwitchToOdbo=true

- If "SwitchToOdbo=true", the MS SQL Analysis Services OLEDB Provider needs to be installed.

ADAPT01587601

Description:

After applying a product update to Crystal Reports 2011, unable to create a new report or refresh an existing report off a Salesforce.com connection.

The problem is due to the following two .jar files:

- C:\Program Files (x86)\SAP BusinessObjects\SAP BusinessObjects Enterprise XI 4.0\java\lib\CRDBSForceServer.jar;

- C:\Program Files (x86)\SAP BusinessObjects\SAP BusinessObjects Enterprise XI 4.0\java\lib\external\CRDBSForceExternal.jar

The error message "SAP Crystal Reports: Failed to open the connection. Details: Unexpected Error" is displayed.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01602379

Description:

LCM should promote Dashboard objects without any error

New Behavior:

After Patch Installation user is able to promote the Dashboard Objects to Destination.

Limitations:

Following Limitation for the Patch:

- 1) user can only promote the objects with any any error if source system is updated to Patch 3.4
- 2) if source system below Patch 3.4 then promotion of job may failure
- 3) User should upgrade Patch to FP3.4 Level for promotion of Dashboard Objects.

ADAPT01608709

Description:

CR Java Designer does not pick up sap variable change from optional to mandatory without re-entering query panel.

New Behavior:

The issue is resolved.

Limitations:

ADAPT01612836

Description:

If the Adaptive Server is restarted while the refresh of a Web Intelligence report based on a BEx query is in progress, the Web Intelligence Processing server crashes and generates a core dump.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01616745

Description:

The Upgrade Management Tool does not migrate Crystal Report objects that reside in a user's Personal folder or BI Inbox. A message appears stating that the parent of the Personal folder or BI Inbox does not exist.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01616987

Description:

Java Designer crashes when viewing a report created with PQuery with Multi-Hierarchy

New Behavior:

The issue is resolved.

Limitations:

ADAPT01617893

Description:

In Crystal Reports for Enterprise, if a report is based on a BEx query and a variable in that query has been modified, the parameter list of values will be empty.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01618102

Description:

Prompts from a BEx connection in Web Intelligence web viewers are not showing hierarchical LOV values.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01619090

Description:

Previously, user couldn't not connect to MSAS perspective without an error.

New Behavior:

Connection to MSAS perspective does not throw error, and metadata can be added to crosstab.

Limitations:

ADAPT01619299

Description:

The fix correct the way the flex files are send

New Behavior:

everything is working as expected

Limitations:

ADAPT01620152

Description:

Unable to create a Single-Sign-On (SSO) connection to Microsoft SQL Server Analysis Services (MSAS) in Information Design Tool, when IIS is on different server from MSAS

New Behavior:

The problem is resolved

Limitations:

ADAPT01621617

Description:

Webi application exposes a service via a jsp page that allows to retrieve prompts without using webi SDK (legacy prompts). This has been designed for BIW and it can be used by any other application running in InfoView portal.

New Behavior:

Webi application exposes a service via a jsp page that allows to retrieve prompts without using webi SDK. This has been designed for BIW and it can be used by any other application running in InfoView portal. It now supports legacy prompts as well as SAP variables

support SAP variables

Limitations:

ADAPT01622335

Description:

Promotion of a job with security including application rights

New Behavior:

promotion management to promote users/group along with their default " Access Levels " Application rights.

Limitations:

ADAPT01622337

Description:

After BI 4.0 FP03 patch is installed the override functionality is broken.

New Behavior:

The issue is now resolved.

Limitations:

ADAPT01624141

Description:

WebIntelligence client, the hierarchy variable prompt of BEx should not be dependent on optional prompt value being selected

New Behavior:

The problem is resolved

Limitations:

ADAPT01624214

Description:

SAP BusinessObjects Mobile: Content Search (Search on Server) on iPad MOBI client does not work when it is connected to mobile server from SAP BusinessObjects BI 4.0 SP02 Patch 13.

New Behavior:

Issue is Fixed.

Limitations:

ADAPT01625350

Description:

Promotion job instance should adjust the System Time.

New Behavior:

Promotion job now adjusts the time when Daylight Saving Time starts.

Limitations:**ADAPT01627306****Description:**

The "Copying Objects to Another Folder" right should allow a user to use "Save As".

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01628403****Description:**

LDAP User Group Updation should happen when new LDAP user is added

New Behavior:

Migrate LDAP groups from dev environment to prod environment, the newly added LDAP user get updated in prod environment

Limitations:**ADAPT01629489****Description:**

Promotion Management: A script error is thrown when you try to promote a job through SSL environment.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01629715****Description:**

A measure is duplicated when the measure attribute is inserted into the Query Panel in front of the measure.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01629795****Description:**

When there was a prompt on a dimension which was tag as "geography" and error was thrown even if they were already validated

New Behavior:

the values entered for the prompts are taken into account and everything work as intended

Limitations:**ADAPT01630429****Description:**

The InetAddress::gethostname method sometimes returns the FQDN instead of the hostname under certain platforms.

New Behavior:

The issue is fixed. The fix checks the return string and extracts the substring until the first "." is encountered. This ensures the hostname will always be returned.

Limitations:

ADAPT01630970

Description:

when a connection to a hana server wasn't working, listing the information spaces attached to any connection was throwing an error

New Behavior:

the list of the Information space will be displayed without any error, selecting the dataprovier will display all the IS even those without the working connection and you will be able to delete them.

Limitations:

ADAPT01630976

Description:

Web Intelligence : Essbase unx on UNIX : cannot create document.

Using Web Intelligence, an error "FatalException occurred. The cause was :

com.businessobjects.corba.generic.container.proxy.internal.DependencyFailoverCallbackImpl

\$FailoverFatalException: Prepare failover failed" occurs when trying to create a report using a unx universe accessing an Essbase 11 server. No report can be created.

New Behavior:

The error that was preventing to create report with FP3.3 is no longer occuring in Patch3.4.

Limitations:

ADAPT01632014

Description:

LDAP authentication fails for client tools connecting to the Central Management Server.

New Behavior:

This problem is resolved. This patch allows for any client connecting to the CMS with LDAP authentication to compensate for additional variables added for LDAP Kerberos enhancement.

Limitations:

ADAPT01632569

Description:

there was issue on XLS and XLSX file regarding percentage formating when creating an Information Space from an Excel data source.

New Behavior:

The formating issues are corrected

Limitations:

ADAPT01632852

Description:

User is unable to send Web Intelligence reports to StreamWork

New Behavior:

This issue has been resolved.

Limitations:

ADAPT01632939

Description:

There was son synchronization issue in the Hana JDBC driver which made the response time for the Eviews based on HANA too slow when several users where using the same Eview

New Behavior:

Big imprevoelent on the response time on EView based on HANA

Limitations:

ADAPT01633047

Description:

If a Crystal Reports for Enterprise user logs onto BIP, then logs off and on again, and then attempts to access the repository via BOE WS SDK, exceptions may occur.

New Behavior:

This problem is resolved. The exceptions no longer occur.

Limitations:

ADAPT01633326

Description:

Web Intelligence : in some charts, an error appears when you go to Area Display in the Format Chart window.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01633807

Description:

When viewing reports through the DHTML Viewer in the Internet Explorer from a secured site (HTTPS), lists of values would not get retrieved for prompts.

New Behavior:

This issue has been resolved.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 5

ADAPT01594439

Description:

QAAWS client throws a version warning message when login to server having the same version.

New Behavior:

This problem is resolved.

Limitations:

No limitations.

ADAPT01627146

Description:

Complete RollBack is not working for Jobs promoted with security as it is throwing following error message "Sorry, Promotion management application is unable to process your request with stack trace"

New Behavior:

Complete rollback is working with Security. the security includes Application rights, User right and object rights.

Limitations:

ADAPT01627607

Description:

When migrating publications, incorrect dependency calculations may occur, causing all objects in the root folder to be treated as a dependency.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01628046

Description:

When upgrading an existent BI4 system with the installer, the installer does not install all files and files are left in the .../setup/packagestemp folder

New Behavior:

This issue has been fixed.

Limitations:

ADAPT01628539

Description:

The parameter value passed to the child report via hyperlink is ignored in Rich Internet Application view mode and data is not filtered as per the values passed.....Note: Data is filtered correctly in Web view mode.

New Behavior:

The issue is fixed on BICS

Limitations:

ADAPT01629755

Description:

Calculations that showed as correct values in Business Intelligence platform 4.2 Patch 2.x display in Feature Pack 3 as UNAVAILABLE.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01630474****Description:**

The Dynamic Receipt Page in BOE/CMC doesn't have the same font and look compared to the same page in Webi.

New Behavior:

The problem is resolved.

Limitations:**ADAPT01631116****Description:**

Java Designer is not responsive when saving a report to local or BOE after a variable is changed from single to range type, and the new report is not saved.

New Behavior:

The problem is resolved.

Limitations:**ADAPT01631153****Description:**

Java Designer crashes after selecting a query from Target Data Source

New Behavior:

No crash occurs

Limitations:**ADAPT01632367****Description:**

The Authorization Update Processing plug-in queries the number of children under a specific Authorization Update Tool DFO and deletes all non-pending instances for a particular authorization plug-in when there are fewer than 1000 instances. SAP BusinessObjects Business Intelligence platform retains the last run instance so the CMC can report the last time the update ran. The currently executing instance eventually becomes the last run instance, and the currently running instance has a pending outcome and is not deleted. If there are more than 1000 instances, it can take a long time to delete instances, and BI platform continues to use system resources making the deletions.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01632612****Description:**

When loading a BEx query, an Idle message is displayed instead of a Loading message.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01633487****Description:**

When multi-tab Webi reports are viewed in FP03 the charts are no longer showing up properly.

New Behavior:

This problem is resolved

Limitations:

ADAPT01633823

Description:

When applying a maintenance update the SAP HANA driver can be removed from the BOE deployment, breaking reporting workflows.

New Behavior:

The problem is resolved. If the SAP HANA driver is not present on the system it will be added or updated as long as either the SAP HANA or MaxDB driver features are present.

Limitations:

ADAPT01633979

Description:

When you display the Grand Total for a measure in Analysis, edition for OLAP, the grand total is labeled as "SUM" regardless of how it is calculated. For instance, if you click Totals & Sub-Totals > Calculate totals as > Maximum, the grand total is labeled as "SUM".

New Behavior:

Grand totals are always labeled as "Overall Result", regardless of how they are calculated.

Limitations:

ADAPT01634242

Description:

Dashboard should not hang if there is interval Answer

New Behavior:

This issue is fixed

Limitations:

ADAPT01634730

Description:

After a patch is installed, the CMC cannot pause or resume recurring instances in the Instance Manager.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01634773

Description:

when the index of an Information Space had some file missing or was empty. there was an error and the home page was empty.

New Behavior:

the error doesn't prevent the user to see the other Information Spaces and EViews

Limitations:

ADAPT01636061

Description:

When a calculation refers to another reference cell in a child model, the result may be incorrect.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01637027

Description:

The following error message appears when a calculation formula is modified in a Web Intelligence report: Unable to get the first page of the current report (WIJ 20003)

New Behavior:

The problem has been resolved.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 6

ADAPT01579758

Description:

Column selection in Web Intelligence changes view focus to the beginning of the table when the selected column is beyond the page width.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01609842

Description:

When rescheduling a Web Intelligence instance with the "Comma Separated Values (CSV)" output format selected, the "Column delimiter" list in the Schedule dialog box contains only the "," (comma) option. The resulting successful instance displays text as comma delimited, instead of in columns separated by tabs.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01611686

Description:

When using a Crystal Reports report that contains a subreport to create a publication with a personalization filter, the following delivery rule is ignored:
"Deliver only if report contains data."

New Behavior:

This problem is resolved.

Limitations:

ADAPT01625518

Description:

A-OLAP workspace would hang after refreshing BW variable selection.

New Behavior:

BW variables can be refreshed and submitted in prompt dialog without workspace hanging.

Limitations:

ADAPT01628046

Description:

When upgrading an existent BI4 system with the installer, the installer does not install all files and files are left in the .../setup/packagestemp folder

New Behavior:

This issue has been fixed.

Limitations:

ADAPT01628880

Description:

Edit works with fully qualified name and IP.

New Behavior:

User will be able to edit LCM job in promotion management

Limitations:

Failed in corner case scenario-- If host name is added to manage system and source login as full-name an IP , (showing error source has been removed by administrator, but it is already added with host entry).

ADAPT01631555**Description:**

Customer will get getPreferredViewingLocale() locale error in dashboard if they set BI launch pad preferences as "local to web browser"

New Behavior:

Issue is fixed.

Limitations:

Issue is fixed.

ADAPT01634054**Description:**

API property to allow upload of unmanaged reports to BOE.

New Behavior:

If property is set, BOE will allow upload of unmanaged reports.

Limitations:**ADAPT01634229****Description:**

In Web Intelligence reports based on a BICS connection with hierarchical node variables, the selection of the root node of the hierarchical variable can generate an exception when running the report.

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01634556****Description:**

In the User Prompt Input panel (Web Viewer), the (--Show List Of Values--) is not available so that the user has to click on the (--More Values--) to select any values other than the original ones.

New Behavior:

This issue is solved.

For hierarchical List Of Value, the members of first level is shown. If user wants to see deeper level values, he has to click on "More Values" link.

Limitations:**ADAPT01634633****Description:**

Web Intelligence Java Client cannot launch from BI launch pad when BOE D2P is deployed on WebLogic Server

New Behavior:

This issue is solved

Limitations:**ADAPT01634858****Description:**

To be able to schedule a Web intelligence document based on a BW Universe (UNV) after applying FP03.

New Behavior:

Problem is resolved

Limitations:**ADAPT01634948****Description:**

Error occurs when a business layer is created on top of an EPM Business Financial 10 for MSAS 10. Some metadata (apart from measures) are prevented from being used in filters in query panel.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01635103****Description:**

Chart and Crosstab doesn't show the correct data in Java InfoView and Preview in Browser if Measure is used for the delegated summary.

New Behavior:

The problem is fixed.

Limitations:**ADAPT01636379****Description:**

In Web Intelligence documents based on a BEx query, choosing a prompt value that contains the plus sign character (+) in the member key returns an error.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01636566****Description:**

Error occurs when the driver for Financial Consolidation 10 for Microsoft Platform is used to report on a Microsoft Analysis Services cube and the designer drops details/attributes as result objects of the query. The value of the details/attributes are not coming through.

New Behavior:

This problem is resolved.

Limitations:

There are no known limitations.

ADAPT01636573**Description:**

Members can be selected or deselected in a timely manner without encountering any browser error.

New Behavior:

Deselecting members in the member selector occurs quickly and without error.

Limitations:**ADAPT01636684****Description:**

now lcm biar file getting recorded in destination and also in history it is getting sucess

New Behavior:

now lcm biar file getting recorded in destination and also in history it is getting sucess

Limitations:**ADAPT01637195**

Description:

Stylesheet is not being applied to BI Launch Pad logon page if launched from a Favourites shortcut in Internet Explorer

New Behavior:

This issue is resolved.

Limitations:**ADAPT01637257****Description:**

WIH 444444 Error is displayed while editing Web Intelligence reports in Web viewer mode.

New Behavior:

This issue is solved.

Limitations:**ADAPT01637289****Description:****New Behavior:**

The problem is resolved.

Limitations:**ADAPT01637379****Description:**

When remapping to a new report datasource and additional parameters are added, if there are parameters that have dependencies on other parameters an error occurs.

New Behavior:

The issue is resolved.

Limitations:**ADAPT01637775****Description:**

In WebIntelligence with dhtml client, The input control is saying that the values are obsolete.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01637887****Description:**

Cell values are always displayed using the default formatting settings.

New Behavior:

Cell values are now formatted and displayed based on a users SU01 settings.

Limitations:**ADAPT01638131****Description:**

Error is raised with Webi Rich Client and BI Launch Pad clients upon the opening of migrated webi documents which is based upon more than 2 BW Queries.

New Behavior:

This problem is solved.

Limitations:

ADAPT01638177

Description:

Measure attributes with units are being displayed properly in query panel

New Behavior:

Unit of measure is shown in query panel when creating/editing BICs report

Limitations:

ADAPT01638222

Description:

When scheduling a SAP BW query Web Intelligence report using a universe (unv) and keydate, the users want to use the default of current date and set a recurring schedule.

New Behavior:

Problem is resolved

Limitations:

ADAPT01638224

Description:

Receiving sporadic errors when editing Web Intelligence reports in Interactive (web) mode.

New Behavior:

The issue is solved

Limitations:

ADAPT01638786

Description:

After upgrading to xi 4.0 FixPack 03, the RunningSum aggregate function does not always work correctly. It can return the #UNAVAILABLE error.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01639391

Description:

On UNIX, the server crashes when you try to turn a vertical table into a cross table.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01639489

Description:

Migrated Xcelsius objects that are saved as Dashboard objects get deleted from the repository after a certain period of time

New Behavior:

This issue is resolved.

Limitations:

ADAPT01639590

Description:

The issue is fixed as in the inbox & my favourites when we go inside the sub-folders, and try to search it is successfully getting searched

New Behavior:

The issue is fixed as in the inbox & my favourites when we go inside the sub-folders, and try to search it is successfully getting searched

Limitations:

ADAPT01639601

Description:

Date Modified property for the BOE servers changed for no apparently reason. This was due to various pollings performed by internal threads in order to update the server's alive status or info on the auditing data retrieval

New Behavior:

The DateModified timestamp is now modified only if there are real modifications on the server objects.

Limitations:

ADAPT01641167

Description:

GetValueDescriptions function now returns correct values for currency variables when used in a formula.

New Behavior:

GetValueDescriptions function now returns correct values for currency variables when used in a formula.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 7

ADAPT01329705

Description:

When using the opendoc function to call a Crystal Report based off a BusinessObjects Enterprise XI Release 3.0 datasource, the output is in Crystal Reports format when users have exported the report to PDF or Excel format.

The cause of the problem is that the SAP viewer fails to correctly the export format.

New Behavior:

This problem is resolved.

To enable the fix, users must do the following configurations:

- 1) Undeploy the web application "SAP" from the Web Application Server.
- 2) Rename and backup the SAP.jar located in the following directory: <BOE_DIR>\BusinessObjects Enterprise 12.0\warfiles\WebApps\SAP\WEBINF\lib
Replace <BOE_DIR> with the name of the directory for BusinessObjects Enterprise
- 3) Return SAP.jar to the same directory you removed it from: <BOE_DIR>\BusinessObjects Enterprise 12.0\warfiles\WebApps\SAP\WEBINF\lib
- 4) Manually rebuild SAP.war using the following path: <BOE_DIR>\BusinessObjects Enterprise 12.0\warfiles\WebApps\SAP\
- 5) Redeploy SAP.war to the Web Application Server.
- 6) Restart the Web Application server.

Limitations:

ADAPT01446778

Description:

After migration using Upgrade management tool, the third party authentication users such as Windows AD lose relationship to their user group. The result is that theses users will not be able to log on to the Central Management Server (CMS).

New Behavior:

The problem is resolved.

Limitations:

ADAPT01628001

Description:

As of today in TM, with a wid document, you can create variable.
This variable you should be able to translate with TM.

New Behavior:

This problem is resolved

Limitations:

ADAPT01628046

Description:

When upgrading an existent BI4 system with the installer, the installer does not install all files and files are left in the .../setup/packagestemp folder

New Behavior:

This issue has been fixed.

Limitations:

ADAPT01628331

Description:

Dynamic Prompts are not working : It's adding the double quotation mark.

New Behavior:

The problem is solved.

Limitations:

Numeric prompts based on List of values returning string datas are no more supported in BI4.x

To get the same behavior as in XI3.x, the solution is to replace the type set in the prompt from 'N' to 'K' (see an example below) :

Here is the previous syntax :

```
@Prompt('Prompt information','N','FY',MONO,CONSTRAINED).
```

The new syntax is :

```
@Prompt("Prompt information",'K','FY',MONO,CONSTRAINED)"
```

This update has to be done, MANUALLY,

* on all concerned tables in the Data Foundation

* and/or on all concerned objects in the Business Layer

Updating tables and/or objects can be achieved thru the option 'Find/Replace' :

1) Open the Data Foundation or the Business Layer,

2) Select, thru the Menu, the option Edit, and Find/Replace

ADAPT01628502

Description:

LCM Destination system shows dashes after login to destination window

New Behavior:

LCM Destination system should not show dashes on destination window

Limitations:

ADAPT01628522

Description:

When editing or promoting an existing promotion job, if the source system is down, the edit/promote page never stops loading and there is no way to cancel the task except refreshing the CMC page. In this case, should prompt proper error message if the source system is not accessible

New Behavior:

New Patch will Give Proper error messages when Source CMS is down

Limitations:

ADAPT01631560

Description:

In Web Intelligent Rich Client, prompt values in a report in which the "Refresh on Open" property is activated are purged, even though "Keep last values selected" is selected in the prompt properties.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01632673

Description:

Refresh Webi report based on BEx and they should work fine on BILaunchPad running on SAP Netweaver 7.3.

New Behavior:

This problem is resolved

Limitations:

ADAPT01635564

Description:

Crystal Reports for Enterprise crashes when previewing a report with one or more subreports. This happens when Crystal Reports for Enterprise consumes more than 700 MB of memory regardless if the report has subreports or not.

New Behavior:

The problem is resolved.

Limitations:

ADAPT01635579

Description:

When saving as PDF a Web Intelligence report containing charts, the charts on the PDF document are blurred.

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01635851

Description:

Hierarchy feature is not working on mobile server

New Behavior:

Issue is fixed

Limitations:

ADAPT01637488

Description:

The upgrade management tool does not migrate a user when the user preferences set the default view to an object and then recommit the preference settings after the object's deletion. This causes the user's default view to point to an empty value.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01637490

Description:

In some cases, the upgrade management tool fails to migrate a publication object that contains an invalid ID for a child object.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01637493

Description:

The upgrade management tool does not capture all error messages from object plug-ins.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01637496

Description:

When you select a small subset from a large number of available objects on the "Select Object" page in the upgrade management tool, the "Statement too complex" error may be displayed when you attempt to navigate to the next page.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01637503****Description:**

The Java process of the upgrade management tool does not terminate during an attempt to close the application after an extended idle period during a long migration job.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01637725****Description:**

Users attempting to log into BI Launchpad using IE web browser and SAML authentication would sometimes get an empty page after being authenticated.

New Behavior:

This issue is resolved.

Limitations:**ADAPT01638133****Description:**

High CPU utilization occurs on the SAP NetWeaver Application Server when running Analysis, edition for OLAP under load.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01638165****Description:**

LOVS are incorrectly displayed in a strange concatenated format when using a legacy OLAP Universe on iPad MOBI client connected to MOBI Server of BI 4.0 FP03 Patch 3

New Behavior:

Issue is Fixed

Limitations:**ADAPT01638260****Description:**

If while saving a Web Intelligence document the Auto Save duration has been exceeded, the Web Intelligence Processing Server crashes

New Behavior:

The problem has been resolved.

Limitations:**ADAPT01639551****Description:**

The webi document hangs at the loading window with the processing icon and report never comes up. It happens intermittantly

New Behavior:

This problem is resolved

Limitations:

ADAPT01639862

Description:

There should not be star showing on dashboard when there is warning message display on BI panel

New Behavior:

There should not be star showing on dashboard when there is warning message display on BI panel

Limitations:

ADAPT01640086

Description:

Webi LOV fails on custom dimension.

New Behavior:

custom dimension's Lov is correctly displayed in Webl.

Limitations:

ADAPT01640108

Description:

UMT fails after preparing phase,when migrating a universe with missing dependencies

New Behavior:

The specific error is reported in the finish screen in the object log tab

Limitations:

ADAPT01640910

Description:

When a Business Layer with connector parameters modified in Data Federator is published from Information Design Tool, the modified connector parameters are lost and replaced by default parameters.

New Behavior:

This problem is resolved. The Data Federator connector configuration is published with the modified parameters.

Limitations:

ADAPT01641179

Description:

The "Measure Format" dialog box in Analysis, edition for OLAP shows only the leaf nodes for hierarchical key figures.

New Behavior:

This problem is resolved. The "Measure Format" dialog box shows all nodes for hierarchical key figures.

Limitations:

ADAPT01641187

Description:

Selecting measures in the Measure Formatting dialog causes the scroll bar to jump to the end of the measures list, regardless of the position of the current measure selected.

New Behavior:

The scroll bar stays in line with the current measure selected rather than always jumping to the end.

Limitations:

ADAPT01641189

Description:

Percentage value decimal place can be changed in Excel without corrupting data.

New Behavior:

Calculations with percent formatting in A-OLAP can be exported to Excel and have the percentage decimal place modified correctly.

Limitations:**ADAPT01642388****Description:**

Introduced a configurable flag in crystal reports property file, which fixed issue that Prompt selection window while scheduling Crystal report based on BEx qry is coming with technical BEx variable names instead of text names

New Behavior:

go to C:\Program Files (x86)\SAP BusinessObjects\Tomcat6\webapps\BOE\WEB-INF\config\default, find CrystalReports.properties file. Within the file, set page.boe.prompt.page.show.prompt.text=true. Then restart tomcat. Now prompt text will be shown next to the parameter name like so, <parameter name> - <prompt text>.

Limitations:**ADAPT01642399****Description:**

Fixes the image corruption issue when saving a report with image

New Behavior:

Images in a report will not be corrupted when resaving the report. Also, Crystal Report for Enterprise does not crash when opening a report with corrupted image.

Limitations:**ADAPT01642571****Description:**

A-OLAP application will not throw error after actions in crosstab applied to time dimensions.

New Behavior:

User can drill down on time dimension in crosstab and add another time dimension to analysis without error.

Limitations:**ADAPT01643805****Description:**

When a report is created with a BW connection and saved on to BOE with the report data and while trying to open the report from BOE in Crystal Reports for Enterprise it tries to connect to BW to load the report.

New Behavior:

While opening the report from BOE Crystal Reports for Enterprise won't try to open the BW connection when the report has saved data.

Limitations:**ADAPT01643912****Description:**

Support of fact tables with no dimension table with Data Federator NWBI connector.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01644084****Description:**

Personal folders search is not happening in folder level on ADD objects Page

New Behavior:

Search should happen at all folder level search

Limitations:**ADAPT01644088****Description:**

CRW could recognized the ras server which name has been changed

New Behavior:

CRW could recognized the ras server which name has been changed

Limitations:**ADAPT01644170****Description:**

Get a WebI Error on Essbase UNX " PbSerial::Exception" when trying to to load in the WebI query panel an UNX universe with a great object depth.

New Behavior:

Universes can be loaded in the WebI query panel.

Limitations:**ADAPT01644179****Description:**

LCM ADD button not working in Add Object Page on reverse proxy server

New Behavior:

LCM Add button works fine in Add Object Page on reverse proxy server

Limitations:**ADAPT01644195****Description:**

Under some circumstances, attempting to update deleted LDAP mapped user groups would result in an error.

New Behavior:

This problem is resolved.

Limitations:**ADAPT01644323****Description:**

Hierarchical Prompts for documents with BW as data source throws runtime exceptions

New Behavior:

Issue is fixed

Limitations:**ADAPT01644617****Description:**

Crystal Reports for Enterprise and BOE DHTML Viewer can not display the updated default value in a variable of a BEx Query. They still display the old default value.

New Behavior:

The above problem is resolved in Crystal Reports for Enterprise.

The problem in BOE DHTML Viewer will be addressed in 3.8.

Limitations:**ADAPT01645388****Description:**

Crystal Report shows Java.lang.NullPointerException when Unit of measure object is used in a report

New Behavior:

The above problem is resolved.

Limitations:

ADAPT01645433

Description:

Web Intelligence : Export to Excel - "Shrink to Fit" configurable option

Since different options have been required by customers for .xls font formatting and especially the "Shrink to Fit" parameter, this option is now configurable in the media property file, so that each customer can choose their preferred behavior.

By default, the "Shrink to Fit" option is deactivated.

The media property file is an xml file configurable by the administrator ; the parameters defined in this file apply to all reports (defined in any client as well as scheduled reports)

New Behavior:

The media property file can be accessed under : INSTALL_DIR/ SAP BusinessObjects Enterprise XI 4.0/ win32_x86/config/bobjserver/ caching_media_profiles.xml

The parameters for for Export to Excel are the following:

```
<PROPERTY NAME="output.format.xls.shrinktextactivated">no</PROPERTY>
<!-- you can edit output.format.xls.shrinktextactivated -->
```

The default value of this parameter is set to "no" in order to disable Shrink to fit mode.

In order to activate it, this parameter have to be set to "yes" and the WebIntelligence server have to be restarted.

This parameter is configurable with the following profiles:

-Excel, ExcelFormatted, ExcelOptimised, ExcelDataCentric for xls files

-ExcelXFormatted and ExcelXDataCentric for Excel 2007 files.

You can find attached a sample of caching_media_profiles.xml

Limitations:

ADAPT01645549

Description:

GetValueDescription Function in formulas does not return data when used on a subreport data passing parameter.

New Behavior:

The function now displays the correct data.

Limitations:

ADAPT01645814

Description:

With Essbase as the datasource, when we merge dimensions (custom dimensions) from two separate queries... We are getting blank cells on the merged table.

New Behavior:

This problem is resolved

Limitations:

ADAPT01646054

Description:

The CMS cannot match a user group when committing an update because the casing of the source and destination user group names is different on the the source and destination deployments. Thus, either the user or the user group is renamed.

New Behavior:

The problem is resolved.

Limitations:

ADAPT01646058

Description:

The Upgrade management tool (UMT) fails to match up the same user group when committing an update because the casing is different between the source and destination user group names during a migration. The result is that either the user or the user group gets renamed.

New Behavior:

The problem is resolved.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 8

ADAPT01618958

Description:

The error message JRC00001812 is generated when trying to run a new Crystal Reports for Enterprise report based on queries that have leading spaces in the Caption of the Measure.

New Behavior:

This problem is resolved.

Limitations:

Crystal Reports for Enterprise reports will not be able to differentiate between descriptions that only differ in leading or trailing spaces.

For example,

"My Description" would be the same as
" My Description"

The query panel may allow these two fields to be used in the resultset and they will show in the preview, but the reporting engine in Crystal Reports will ignore leading or trailing spaces; it will not be able to differentiate between the two fields.

From a report design perspective, once one of these fields is used in the report, the other will not be allowed to be used.

We recommend that you do not use leading or trailing spaces in your description names. Use another identifier for better sorting or visibility into a structure, or use distinctive names.

ADAPT01637106

Description:

After configuring the SSL protocol, launching Web Intelligence Rich Client results in the following error: "SSL mode is being requested but the following argument(s) are not present: passphrase (FWM 01012)"

New Behavior:

The problem has been resolved.

Limitations:

ADAPT01641314

Description:

The substitution of the variable BOUSER in the ConnectInit parameter was not performed in the case of a MSU data foundation

New Behavior:

This problem is resolved

Limitations:

ADAPT01642540

Description:

When users attempt to login to BI Widgets where the Windows Regional Settings -> Format is set to English (India), the following error occurs: Cannot connect to the Host. login exception login exception (Error: WSE 99998). The argument has an invalid value en_IN

The cause of the problem is that the SAP BusinessObjects BI Platform host did not recognize the regional format English (India).

New Behavior:

This problem is resolved.

Limitations:

ADAPT01644897

Description:

Launching a report using OpenDocument in Safari OSX using the same window causes the toolbar and left panel to duplicate in the destination report

New Behavior:

This problem is resolved

Limitations:

ADAPT01645222

Description:

When you attempt to restrict the maximum number of elements displayed in the object browser folder tree by setting the tree.pagesize property in the custom global.properties configuration file, the restriction is not reflected in the object browser folder tree.

The cause of the problem is that the property name in the default global.properties file, typically referenced as a template for the custom properties file, is incorrect. The correct property name is max.tree.children.threshold.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01646384

Description:

fix the designer crashing problem when remapping the datasource. The original problem was due to incorrect processing of measure field names which contain spaces

New Behavior:

designer will not crash when remapping the datasource

Limitations:

ADAPT01646740

Description:

CRE report crashes when trying to save in structure mode

New Behavior:

CRE report does not crash while saving in structure mode

Limitations:

ADAPT01646984

Description:

In Web Intelligence reports based on Microsoft Analysis Services universes, Lists of Values (LOV) are displayed as EMPTY_VALUES for certain dimensions.

New Behavior:

This problem is resolved.

Limitations:

ADAPT01648334

Description:

1. Create new APS.
2. Enter derby database location.
3. Limitation : restart APS.
4. remove origin system from manage system and add it again.
5. Override works fine.

New Behavior:

If the default "AdaptiveProcessingServer" is deleted from BI system the..overrides should working.

Limitations:

ADAPT01648732

Description:

While login into Source or destination system in LCM with SAP authentication Client ID option is displayed . User is able to login Source or destination with SAP Authentication

New Behavior:

The issue is fixed .

Limitations:

ADAPT01650338

Description:

WebIntelligence Java client doesn't launch on Mac OS Lion and the last version of Java plug-in.

New Behavior:

The problem is resolved.

Limitations:

Fixed Issues for SAP BusinessObjects Business Intelligence Suite 4.0 Support Package 3 Patch 9

ADAPT01635564

Description:

Crystal Reports for Enterprise crashes when previewing a report with one or more subreports. This happens when Crystal Reports for Enterprise consumes more than 700 MB of memory regardless if the report has subreports or not.

New Behavior:

The problem is resolved.

Limitations:

ADAPT01644880

Description:

When refresh a MDX report with variable which contains multiple variable, a shortdump could be observed in Transaction Code ST22

New Behavior:

The problem is resolved.

Limitations:

N/A

ADAPT01646769

Description:

A query containing range and hierarchy variable is displayed correctly on Crystal Report for Enterprise (Designer).

New Behavior:

A query containing range and hierarchy variable is displayed correctly on Crystal Report for Enterprise (Designer).

Limitations:

ADAPT01646872

Description:

Excel cannot open the file '<file name.xlsx>' because the file format or file extension is not valid.

New Behavior:

MS Excel can open a MS Excel spreadsheet from the BusinessObjects Enterprise repository.

Limitations:

ADAPT01650904

Description:

Unable to view bubble charts on Mobi on Android.

New Behavior:

This issue is now fixed.

Limitations:

ADAPT01652211

Description:

Multiple BW connections are not created when verifying prompting

New Behavior:

Issue is resolved

Limitations:

ADAPT01652928

Description:

'Prompt with description' option in parameters gets unchecked automatically when editing data sources.

New Behavior:

'Prompt with description' does not get unchecked after editing data sources

Limitations: