

PUBLIC
SAP Data Services
Document Version: 4.2 Support Package 13 (14.2.13.0) – 2021-01-08

Supplement for Siebel

© 2020 SAP SE or an SAP affiliate company. All rights reserved.

THE BEST RUN SAP

Content

1 Overview of the SAP Data Services Siebel interface. 3

2 System requirements. 4

2.1 Security. 4

3 Datastores. 5

3.1 Defining a Siebel datastore. 5

3.2 Browsing and importing metadata. 5

Table - by type. 6

3.3 Extracting data from Siebel applications. 7

1 Overview of the SAP Data Services Siebel interface

The Data Services Siebel interface allows you to create Siebel datastores and import tables for use as sources in Data Services jobs. With this interface, you can use the Designer to:


- Browse and import Siebel tables grouped by type, business component, and Siebel repository
- Browse to tables in a Siebel repository using the following path through higher level data: *applications* > *screens* > *views* > *business objects* > *business components* > *tables*.
- Import function metadata

Related Information

Browsing and importing metadata [page 5]

2 System requirements

The Siebel interface allows you to connect SAP Data Services with a third-party database under the Siebel application layer. You can import tables (including table and column descriptions) and function metadata. Data Services also displays information from both the logical business objects and user interface layers of Siebel applications. This makes it easier to find and import tables.



Siebel Architecture

Install the drivers you need to connect your database with Data Services on the same computers on which you install the Designer and Job Server components.

The Siebel interface supports Siebel version 7.5.2 and higher compatible versions. It can be installed using the Data Services installer.

2.1 Security

Because SAP Data Services connects to Siebel applications through a database connection, Data Services can see all Siebel application objects that a database user can access without requiring the application's user login security information.

3 Datastores

SAP Data Services uses datastore connections to link with other applications or databases.

- In a design environment, use a datastore to browse or import metadata that represents external tables and other database objects.
- In a production environment, Data Services uses datastore information to move data between source and target databases and applications.

After defining a Siebel datastore in Data Services, you can browse tables by type, or drill down on business components or Siebel repositories to find the tables you want to import. You can also import tables, functions, and business components by name.

3.1 Defining a Siebel datastore

With a Siebel datastore connection, you can browse Siebel application metadata.

1. In the object library of the Designer, go to the *Datastores* tab
2. Right-click inside the object library window and select *New*.
3. In the *Datastore Editor* window, enter a name for this datastore (`DS_SiebelApps`, for example).
4. In the *Datastore type* list, select *Siebel*.
5. Enter the connection information.
6. Click *OK*.
   The Siebel datastore appears in the object library.

3.2 Browsing and importing metadata

After you create a Siebel datastore, you can browse and import the metadata from the connected application.

> **i Note**
>
> While you cannot browse functions, you can import them by name.

1. Right-click the Siebel datastore name and select *Open*, or double-click the datastore name.

   The workspace displays a list of folders.
2. To find the tables you want to import, expand the Table by type, Business Component, or Repository folder. See the remainder of this section for a description of these folders.
3. To import table data, right-click one or more tables or business components and select *Import*.

> **Note**
>
> When you import a table into SAP Data Services via the Siebel interface, the software does not preserve the source folder (table hierarchy). All tables display at the same level. For example, import all the tables in a Business Component, then add select statements, joins, and mappings using the Designer to create the same associations used in your Siebel application.

You can also import Siebel metadata by right-clicking a Siebel datastore in the object library and selecting *Import by name*.

Once tables are imported, you can view column names, data types, and business names for use in creating jobs.

3.2.1 Table - by type

Siebel applications use many table types. You can browse tables by looking at tables grouped by type.

3.2.1.1 Business component

Business components are sets of tables used to create a logical Siebel application object called a business object. Business components are grouped in alphabetical folders.

You can select and import one or more business components or tables.

3.2.1.2 Repository

Siebel repositories hold a variety of Siebel application objects. You can drill through them to find the tables you want to import.

These associations apply:

- *Seibel Repository:* Repository
- *Seibel Dynamic Commerce:* Application
- *Auctions:* Screen
- *Auction Items:* View
- *Auction Services:* Business Object
- *Auction Item Detail:* Business Component

3.3 Extracting data from Siebel applications

When extracting data from Siebel applications, SAP Data Services processes and converts data types appropriately.

Important Disclaimers and Legal Information

Hyperlinks

Some links are classified by an icon and/or a mouseover text. These links provide additional information.
About the icons:

- Links with the icon : You are entering a Web site that is not hosted by SAP. By using such links, you agree (unless expressly stated otherwise in your agreements with SAP) to this:
  - The content of the linked-to site is not SAP documentation. You may not infer any product claims against SAP based on this information.
  - SAP does not agree or disagree with the content on the linked-to site, nor does SAP warrant the availability and correctness. SAP shall not be liable for any damages caused by the use of such content unless damages have been caused by SAP's gross negligence or willful misconduct.
- Links with the icon : You are leaving the documentation for that particular SAP product or service and are entering a SAP-hosted Web site. By using such links, you agree that (unless expressly stated otherwise in your agreements with SAP) you may not infer any product claims against SAP based on this information.

Videos Hosted on External Platforms

Some videos may point to third-party video hosting platforms. SAP cannot guarantee the future availability of videos stored on these platforms. Furthermore, any advertisements or other content hosted on these platforms (for example, suggested videos or by navigating to other videos hosted on the same site), are not within the control or responsibility of SAP.

Beta and Other Experimental Features

Experimental features are not part of the officially delivered scope that SAP guarantees for future releases. This means that experimental features may be changed by SAP at any time for any reason without notice. Experimental features are not for productive use. You may not demonstrate, test, examine, evaluate or otherwise use the experimental features in a live operating environment or with data that has not been sufficiently backed up.
The purpose of experimental features is to get feedback early on, allowing customers and partners to influence the future product accordingly. By providing your feedback (e.g. in the SAP Community), you accept that intellectual property rights of the contributions or derivative works shall remain the exclusive property of SAP.

Example Code

Any software coding and/or code snippets are examples. They are not for productive use. The example code is only intended to better explain and visualize the syntax and phrasing rules. SAP does not warrant the correctness and completeness of the example code. SAP shall not be liable for errors or damages caused by the use of example code unless damages have been caused by SAP's gross negligence or willful misconduct.

Gender-Related Language

We try not to use gender-specific word forms and formulations. As appropriate for context and readability, SAP may use masculine word forms to refer to all genders.

www.sap.com/contactsap

© 2020 SAP SE or an SAP affiliate company. All rights reserved.

No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company. The information contained herein may be changed without prior notice.

Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies.

Please see https://www.sap.com/about/legal/trademark.html for additional trademark information and notices.

THE BEST RUN SAP