



## Business Intelligence Suite Error Messages Explained

- SAP BusinessObjects Business Intelligence Suite 4.0 Feature Pack 3

2012-06-18

## Copyright

© 2012 SAP AG. All rights reserved. SAP, R/3, SAP NetWeaver, Duet, PartnerEdge, ByDesign, SAP BusinessObjects Explorer, StreamWork, SAP HANA and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP AG in Germany and other countries. Business Objects and the Business Objects logo, BusinessObjects, Crystal Reports, Crystal Decisions, Web Intelligence, Xcelsius, and other Business Objects products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Business Objects Software Ltd. Business Objects is an SAP company. Sybase and Adaptive Server, iAnywhere, Sybase 365, SQL Anywhere, and other Sybase products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of Sybase, Inc. Sybase is an SAP company. Crossgate, m@gic EDDY, B2B 360°, B2B 360° Services are registered trademarks of Crossgate AG in Germany and other countries. Crossgate is an SAP company. All other product and service names mentioned are the trademarks of their respective companies. Data contained in this document serves informational purposes only. National product specifications may vary. These materials are subject to change without notice. These materials are provided by SAP AG and its affiliated companies ("SAP Group") for informational purposes only, without representation or warranty of any kind, and SAP Group shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP Group products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

2012-06-18

# Contents

<b>Chapter 1</b>	<b>Administration &amp; Security Error Messages.....</b>	<b>47</b>
1.1	Administration (ADM) Errors.....	47
1.2	Administration Wizard (ADW) Error Messages.....	47
1.3	BIP Framework Middleware (FWM) Error Messages.....	48
1.3.1	FWM 00001 - FWM 00009.....	48
1.3.2	FWM 01001 - FWM 01014.....	51
1.3.3	FWM 02001 - FWM 02124.....	54
1.3.4	FWM 04002 - FWM 04038.....	65
1.3.5	FWM 08001 - FWM 08006.....	70
1.3.6	FWM 10001 - FWM 10007.....	72
1.3.7	FWM 12001 - FWM 12013.....	73
1.3.8	FWM 14001 - FWM 14009.....	75
1.3.9	FWM 16001 - FWM 16005.....	77
1.3.10	FWM 17001 - FWM 17003.....	78
1.4	BI Platform Servers (FWB) Error Messages.....	79
1.4.1	FWB 00001 - FWB 00999.....	80
1.4.2	FWB 01000 - FWB 01999.....	99
1.4.3	FWB 02000 - FWB 02999.....	100
1.5	Security (USR) Errors.....	101
1.5.1	You are not authorized to use Designer. (USR0006) .....	101
<b>Chapter 2</b>	<b>Analysis edition for OLAP Errors.....</b>	<b>103</b>
2.1	AOC 00000 - 09999.....	103
2.1.1	There was a problem replacing the original workspace. Try again or use Save As. (AOC00001).....	103
2.1.2	An unknown error has occurred while saving the workspace. The workspace could not be saved. (AOC00002).....	103
2.1.3	Your request could not be completed because your session was disconnected. Log on again to retry. (AOC00003).....	104
2.1.4	Analysis edition for OLAP could not open the workspace. The workspace is corrupt. Please contact your administrator. (AOC00005).....	104
2.1.5	Analysis edition for OLAP could not find the requested workspace. It may have been deleted. (AOC00006).....	104

2.1.6	An error occurred while restoring the workspace. Please contact your administrator. (AOC00007).....	104
2.1.7	Analysis edition for OLAP could not save the workspace. The name is missing. Please enter a valid name and try again. (AOC00008).....	105
2.1.8	Analysis edition for OLAP could not save the workspace. The workspace folder is missing. Select a valid folder and try again. (AOC00009).....	105
2.1.9	You do not have permission to save to this folder. Contact your administrator if you need this permission enabled. (AOC00011).....	105
2.1.10	An error occurred while trying to retrieve connections from the Enterprise server. Contact an administrator to verify that the server is running. (AOC00012).....	105
2.1.11	An error occurred while trying to retrieve connections. Not all connections were available. If the problem persists, contact your administrator. (AOC00013).....	106
2.1.12	You do not have permission to perform the requested action. If you require assistance, please contact your system administrator. (AOC00018).....	106
2.1.13	Either no connections have been defined in the Central Management Console, or you have not been granted rights to view any existing connections. Please contact your administrator for more information. (AOC00020).....	106
2.1.14	Analysis edition for OLAP was unable to complete the last action. Please try again. If the problem persists, contact your administrator. (AOC00021).....	107
2.1.15	Analysis edition for OLAP was unable to remove "{0}". The analysis has lost its connection. (AOC00022).....	107
2.1.16	An error has occurred while fetching the report parameters. Try the operation again. If the problem persists, please contact your administrator. (AOC00023).....	107
2.1.17	The requested operation was not completed successfully because the MDAS service cannot be reached. Try the operation again. If the problem persists, please contact your administrator. (AOC00040).....	107
2.1.18	The MDAS service encountered an error. (AOC00041).....	108
2.1.19	Analysis edition for OLAP was unable to open a connection. (AOC00044).....	108
2.1.20	The requested operation could not be completed because it puts the query into an invalid state. (AOC00045).....	108
2.1.21	The requested operation could not be completed due to a hierarchy conflict. (AOC00046).....	108
2.1.22	The requested operation could not be completed because the query is too large. (AOC00047).....	109
<b>Chapter 3</b>	<b>BIP Servers (FWR) Error Messages.....</b>	<b>111</b>
3.1	FWR 000001-000007.....	111
3.1.1	_a_An internal error occurred. Please contact your system administrator. (FWR 000001)_z_.....	111
3.1.2	_a_The property {0} is missing a value. (FWR 000002)_z_.....	111
3.1.3	_a_The property {0} has an invalid value of {1}. (FWR 000003)_z_.....	112
3.1.4	_a_The argument {0} has an invalid value of {1}. (FWR 000004)_z_.....	112
3.1.5	_a_An error occurred while deserializing an object. (FWR 000005)_z_.....	112
3.1.6	_a_An error occurred while serializing property {0}. (FWR 000006)_z_.....	112
3.1.7	_a_The value for {0} must be in the range from {1} to {2}. (FWR 000007)_z_.....	112
3.2	FWR 100001-100002.....	113

3.2.1	Internal error. Please contact your system administrator. (FWR 100001).....	113
3.2.2	Out of memory error. Please contact your system administrator. (FWR 100002).....	113
<b>Chapter 4</b>	<b>Check Integrity Messages (CIM).....</b>	<b>115</b>
4.1	Table {0} is missing a primary key. (CIM 01100).....	115
4.2	Table {0} is not linked to any other table. (CIM 01101).....	115
4.3	The Table {0} referenced in the Data Foundation {1} does not exist in the connection. (CIM 01102).....	116
4.4	A new column {0} has been detected in table {1} from the connection. (CIM 01103).....	116
4.5	The column {0} in the table {1} does not exist in the connection. (CIM 01104).....	116
4.6	The column {0} in table {1} has an undetermined data type. (CIM 01105).....	116
4.7	The column {0} referenced in the table {1} does not have the same data type as in the connection. (CIM 01106).....	117
4.8	The calculated column {0} referenced in the table {1} contains invalid SQL. (CIM 01107).....	117
4.9	The connection for the checked table {0} in the data foundation {1} is not valid. (CIM 01108).....	117
4.10	The connection for the derived table {0} in the data foundation {1} is not valid. (CIM 01109).....	117
4.11	The derived table {0} in the data foundation {1} has an empty expression. (CIM 01110).....	118
4.12	The derived table {0} in the data foundation {1} has an invalid SQL expression. (CIM 01111).....	118
4.13	The connection for the alias table {0} in the data foundation {1} is not valid. (CIM 01112).....	118
4.14	The alias table {0} in the data foundation {1} does not reference any table. (CIM 01113).....	118
4.15	The table {0} referenced by the alias table {1} does not exist in the data foundation {2}. (CIM 01114).....	119
4.16	The connection for the calculated column {0} in the table {1} is not valid. (CIM 01115).....	119
4.17	The expression for the calculated column {0} in the table {1} is empty. (CIM 01116).....	119
4.18	The expression for the calculated column {0} in the table {1} is invalid. (CIM 01117).....	119
4.19	The connection {0} is invalid: {1}. (CIM 01200).....	120
4.20	The Join {0} of the data foundation {1} has no valid link on tables. (CIM 01300).....	120
4.21	The table {0} involved in the join was not found in the data foundation {1}. (CIM 01301).....	120
4.22	The column {0} involved in the join was not found in the data foundation {1}. (CIM 01302).....	120
4.23	The connection for the join {0} in the data foundation {1} is not valid. (CIM 01303).....	121
4.24	The cardinality of the join {0} of the data foundation {1} is undetermined. (CIM 01304).....	121
4.25	The Join {0} in the data foundation {1} has a different cardinality than the detected cardinality. (CIM 01305).....	121
4.26	The expression for the checked join {0} in the data foundation {1} is empty. (CIM 01306).....	121
4.27	The expression of the checked join {0} in the data foundation {1} is not correctly parsed. (CIM 01307).....	122
4.28	The business object '{0}' is not owned by a universe. (CIM 01400).....	122
4.29	The binding of the business object '{0}' is not valid. (CIM 01401).....	122
4.30	It was impossible to execute the business object '{0}'. Check the object properties. (CIM 01403).....	122
4.31	The business object '{0}' is invalid. (CIM 01405).....	122
4.32	The solve order value must be a number (CIM 01406).....	123

4.33	The name of this measure is already used in the business layer. (CIM 01407).....	123
4.34	The MDX expression does not reference the dimension [MEASURES]. (CIM 01409).....	123
4.35	A hierarchy must be specified. (CIM 01410).....	123
4.36	This name is already used by a calculated member within the same hierarchy. (CIM 01411).	124
4.37	The MDX expression does not reference the hierarchy assigned to the calculated member. (CIM 01412).....	124
4.38	A hierarchy must be specified (CIM 01413).....	124
4.39	The name is already used by another named set (CIM 01414).....	124
4.40	The MDX expression contains the "crossjoin" operator. The named set may show unexpected behavior at query time. (CIM 01415).....	125
4.41	The MDX expression does not reference the hierarchy assigned to the named set. (CIM 01416).....	125
4.42	The language value must be a number. (CIM 01417).....	125
4.43	The @Variable expression is incorrect. (CIM 01418).....	125
4.44	The @Select expression is incorrect. (CIM 01419).....	126
4.45	The name is already used by a measure predefined on the OLAP server (Search the string [Measures].[{0}] in the OLAP catalog). (CIM 01420).....	126
4.46	The name is already used by a named set predefined on the OLAP server (CIM 01421).....	126
4.47	The checked context "{0}" in data foundation "{1}" contains loops. (CIM 01501).....	126
4.48	The checked context "{0}" in data foundation "{1}" contains an excluded join that generates a Cartesian product. (CIM 01502).....	127
4.49	The list of values "{0}" must have at least one column in the data table (CIM 01601).....	127
4.50	In the list of values "{0}", the Filter Before Use option must be set to False. (CIM 01602).....	127
4.51	In the list of values "{0}", the Automatic Refresh option must be set to True. (CIM 01603).....	127
4.52	In the list of values "{0}", the Allow users to search values in the database option must be set to False. (CIM 01604).....	128
4.53	In the list of values "{0}", the Query execution timeout option must be disabled. (CIM 01605).	128
4.54	In the list of values "{0}", the Max Rows option must be disabled. (CIM 01606).....	128
4.55	Check that the SQL expression is not empty. (CIM 01607).....	128
4.56	Check that the list of values connection is available. (CIM 01608).....	129
4.57	Check that the list of values data structure is available. (CIM 01609).....	129
4.58	In the list of values "{0}", the Allow users to search values in the database option must be set to False (CIM 01610).....	129
4.59	Prompt must have a name. (CIM 01611).....	129
4.60	Prompt {0} has a data type which is not well set (i.e. String, Number, or Date). (CIM 01612).	130
4.61	Prompt "{0}" must have a Question (CIM 01613).....	130
4.62	If Use Key Values From List is selected, the Select Only From List option must also be selected (CIM 01614).....	130
4.63	The default values are empty. (CIM 01615).....	130
4.64	The list of values is empty. (CIM 01616).....	131
4.65	"{0}" has an empty query definition. (CIM 01700).....	131
4.66	"{0}" query definition cannot be parsed. (CIM 01701).....	131

4.67	Query "{0}" has no query. (CIM 01702).....	131
4.68	Query "{0}" references a missing object ({1}) from the universe. (CIM 01703).....	131
4.69	Query "{0}" has no result objects. (CIM 01704).....	132
4.70	Query "{0}" has combined queries with an inconsistent result object count. (CIM 01705).....	132
4.71	"{0}" could not be found (CIM 01800).....	132
4.72	"{0}" has broken dependencies (CIM 01801).....	132
4.73	Undocumented issue (CIM 02000).....	133
<b>Chapter 5</b>	<b>Crystal Reports Server (CRS) error messages.....</b>	<b>135</b>
5.1	CRS 200001 - CRS 200005.....	135
5.1.1	Internal error. Please contact your system administrator. (CRS 200001).....	135
5.1.2	Out of memory error. Please contact your system administrator. (CRS 200002).....	135
5.1.3	Request failed because the user does not have the right to do the following: {0}. (CRS 200003).....	136
5.1.4	Unsupported run-time modification detected. Can not add user specific content at run-time. (CRS 200004).....	136
5.1.5	Drill down not possible. (CRS 200004) (CRS 200005).....	136
5.2	CRS 300001 - CRS 300024.....	136
5.2.1	Internal error. Please contact your system administrator. (CRS 300001).....	136
5.2.2	{0} (CRS 300002).....	137
5.2.3	{0} (CRS 300003).....	137
5.2.4	Error writing exported report to disk. (CRS 300004).....	137
5.2.5	Error communicating with BOE: {0} (CRS 300005).....	137
5.2.6	Scope batch job processing failed. (CRS 300006).....	137
5.2.7	Global delivery rule alert processing failed. (CRS 300007).....	138
5.2.8	Unable to deliver document to destination. (CRS 300008).....	138
5.2.9	Unable to find personalization target field: {0} in report. (CRS 300009).....	138
5.2.10	Cannot map BOE profile value to non-string parameter field: {0} (CRS 300010).....	138
5.2.11	Cannot map a profile expression to a parameter field: {0} (CRS 300011).....	139
5.2.12	Parameter field(s): {0} are not optional. Cannot set no value. (CRS 300012).....	139
5.2.13	Parameter field(s): {0} do not allow multiple values. (CRS 300013).....	139
5.2.14	Parameter field(s): {0} are in use and require a value. (CRS 300014).....	139
5.2.15	Parameter field(s): {0} do not allow null values. (CRS 300015).....	139
5.2.16	The publication source document does not have saved data, but saved data is required. (CRS 300016).....	140
5.2.17	Unable to convert profile value type to report field type for field: {0} (CRS 300017).....	140
5.2.18	Personalizing data parameter(s): {0} can result in poor performance by potentially causing 1 database refresh per recipient. (CRS 300018).....	140
5.2.19	Cannot personalize boolean group parameter(s): {0}. Personalizing a parameter in a boolean group is not supported. (CRS 300019).....	140
5.2.20	User does not have right to print document. (CRS 300020).....	141

5.2.21	User does not have right to download document and only has rights to schedule to the default enterprise location and inbox destinations. (CRS 300021).....	141
5.2.22	Failed to schedule a multilingual report. (CRS 300022).....	141
5.2.23	Failed to trigger alert within the report. (CRS 300023).....	141
5.2.24	Could not run publication because the document is based on a semantic layer with user-specific security, and publication is not using per-recipient bursting mode. (CRS 300024).....	142
<b>Chapter 6</b>	<b>Check Security Mapping (CSM) error messages.....</b>	<b>143</b>
6.1	The checked Data Security Profile "{0}" contains an invalid data foundation. Check that the data foundation exists or contains at least one table. (CSM 00001).....	143
6.2	A row restriction in the checked Data Security Profile "{0}" contains a restricted table not defined in the data foundation. Correct the definition of the row restriction. (CSM 00002).....	143
6.3	A row restriction in the checked Data Security Profile "{0}" contains an undefined restricted table. Define a new restricted table. (CSM 00003).....	144
6.4	The table mapping in the checked Data Security Profile "{0}" contains an original table "{1}" not defined in the data foundation. Check the definition of the original table. (CSM 00004).....	144
6.5	The table mapping in the checked Data Security Profile "{0}" contains an undefined replacement table. Define a new valid replacement table for the original table "{1}". (CSM 00005).....	144
6.6	The table mapping in the checked Data Security Profile "{0}" contains a replacement table "{1}" which is an alias. Alias tables are not supported as replacement tables. (CSM 00006).....	144
6.7	The table mapping in the checked Data Security Profile "{0}" contains a replacement table "{1}" which is a derived table. Derived tables are not supported as replacement tables. (CSM 00007).....	145
6.8	The connection mapping in the checked Data Security Profile "{0}" contains an original connection not defined as the data source in the data foundation. Check the definition of the original connection. (CSM 00008).....	145
6.9	The connection mapping in the checked Data Security Profile "{0}" contains an undefined original connection. Redefine the original connection. (CSM 00009).....	145
6.10	The connection mapping in the checked Data Security Profile "{0}" contains an undefined replacement connection. Define a new valid replacement connection for the original connection "{1}". (CSM 00010).....	146
6.11	The SQL WHERE clause for a row restriction in the Data Security Profile "{0}" is incomplete. Enter a valid SQL statement for the row restriction. (CSM 00011).....	146
6.12	The SQL WHERE clause in a row restriction condition in the Data Security Profile "{0}" is not valid. Enter a valid SQL statement. (CSM 00012).....	146
6.13	The Business Security Profile "{0}" contains an invalid universe reference. Redefine Business Security Profile "{0}" on a new universe. (CSM 00101).....	146
6.14	The Business Security Profile "{0}" refers to a denied object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Create Query panel. (CSM 00102).....	147
6.15	The Business Security Profile "{0}" refers a granted object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Display Data panel. (CSM 00103).....	147

6.16	The Business Security Profile "{0}" refers to a denied view that has been removed from the universe "{1}". Edit the Business Security Profile and remove the view from the Create Query panel. (CSM 00104).....	147
6.17	The Business Security Profile "{0}" refers a granted view that has been removed from the universe "{1}". Edit the Business Security Profile and remove the view from the Create Query panel. (CSM 00105).....	147
6.18	The Business Security Profile "{0}" refers to a denied object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Display Data settings. (CSM 00106).....	148
6.19	The Business Security Profile "{0}" refers to a granted object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Display Data panel. (CSM 00107).....	148
6.20	The Business Security Profile "{0}" refers to a filter that has been removed from the universe "{1}". Edit the Business Security profile and remove the filter from the Filters panel. (CSM 00108).....	148
6.21	The Business Security Profile "{0}" contains a filter "{1}" with an invalid query definition. In the Business Security Profile, redefine the filter with a correct query definition. (CSM 00109)....	149
6.22	The Business Security Profile "{0}" refers to a named set that has been removed from the universe "{1}". Edit the Business Security Profile and remove the named set from the Filters panel. (CSM 00110).....	149
6.23	The Business Security Profile "{0}" contains a named set "{1}" which has no hierarchy assignment. In the Business Security Profile, redefine a named set with the correct hierarchy. (CSM 00111).....	149
6.24	The Business Security Profile "{0}" contains a named set "{1}" with a hierarchy that has been removed from universe "{2}". In the Business Security Profile, redefine a named set with a correct hierarchy. (CSM 00112).....	149
<b>Chapter 7</b>	<b>Data Access Error Messages.....</b>	<b>151</b>
7.1	Database (DA) Error Messages.....	151
7.1.1	Connection or SQL sentence error. (DA0005).....	151
7.1.2	BLOB column cannot fetch more than one row. (DA0009).....	152
7.1.3	Some of the objects from the universe are missing or ambiguous. You cannot run the query on this universe. (DA0010).....	152
7.2	Data Provider (DMA) Error Messages.....	152
7.2.1	Bad hierarchy name (DMA0002).....	153
7.2.2	Export failed! (DMA0005).....	153
7.2.3	Editing this data provider requires an additional BusinessObjects component which has not been installed on your computer. Please contact your system administrator. (DMA0006).....	154
7.2.4	The following data providers have not been successfully refreshed (DMA0007).....	155
7.2.5	A variable prevented the data provider from being refreshed. (DMA0008).....	155
7.3	File (DPP) Error Messages.....	155
7.3.1	Cannot open file. (DPP0001).....	156
7.3.2	You are not authorized to use this stored procedure. (DPP0002).....	156
7.4	Connection (DPQ) Error Messages.....	156

7.4.1	Connection is not defined. (DPQ0001).....	157
7.4.2	The server is not responding! (DPQ0003).....	157
7.4.3	Connection problem (DPQ0005).....	157
7.4.4	Does not exist. (DPQ0006).....	158
7.5	Stored Procedures (DPS) Error Messages.....	158
7.5.1	This stored procedure has been removed. (DPS0001).....	158
7.5.2	You are not allowed to use this stored procedure (DPS0002).....	159
7.6	SQL (QPF) Error Messages.....	159
7.6.1	The only authorized SQL command is ""Select"" (QPF0001).....	159
7.7	SQL Query (QP) Error Messages.....	159
7.7.1	Error during SQL generation. (QP0001).....	160
7.7.2	Internal memory error during SQL generation. (QP0002).....	160
7.7.3	Memory error during SQL generation. (QP0003).....	160
7.7.4	Incompatible combination of objects. (QP0004).....	160
7.7.5	Outer joins are incoherent. (QP0005).....	161
7.7.6	Cartesian product not allowed. (QP0006).....	161
7.7.7	The query does not reference a table. (QP0007).....	161
7.7.8	There is a reference to a table that has been deleted. (QP0008).....	162
7.7.9	One of the objects in the query is not valid. (QP0009).....	162
7.7.10	One of the properties in the query is not valid. (QP0010).....	162
7.7.11	The .PRM file cannot be found. (QP0011).....	162
7.7.12	The complex condition has created a Cartesian product. (QP0013).....	163
7.7.13	Loop in complex condition. (QP0014).....	163
7.7.14	This query is too complex. One of the subqueries contains incompatible objects. (QP0015).....	163
7.7.15	The server is not responding. (QP0016).....	164
7.7.16	Columns of the SELECT clause are different from the result objects. (QP0017).....	164
7.7.17	Syntax error in variable. (QP0018).....	164
7.7.18	You are not authorized to use the object. (QP0019).....	165
7.7.19	Aggregate aware resolution failed. (QP0020).....	166
7.7.20	Ambiguous condition on a measure. Remove it or cancel your scope of analysis. (QP0021).....	166
7.7.21	You cannot create a new tab before including at least one result object in this tab. (QP0022).....	167
7.7.22	You cannot combine subqueries. (QP0023).....	167
7.7.23	You cannot delete this query. You must delete the condition first. (QP0025).....	167
7.7.24	Some obsolete objects have been removed from the query. (QP0027).....	167
<b>Chapter 8</b>	<b>Data Federation (DFA) Error Messages.....</b>	<b>169</b>
8.1	Cannot find the data federation driver. (DFA 0003).....	169
8.2	Problem getting metadata for catalogs. (DFA 00010).....	169
8.3	Cannot retrieve driver properties for URL : '{0}' (DFA 0030).....	169
8.4	An internal error occurred. (DFA 20001).....	170
8.5	Problem getting metadata for catalogs. (DFA 30001).....	170

8.6	Cannot connect to the server that hosts the data federation service. (DFA 40001).....	170
8.7	Cannot find the data federation driver. (DFA 40002).....	170
8.8	Cannot retrieve driver properties for URL : '{0}' (DFA 40003).....	171
8.9	An error occurred when retrieving connection id. (DFA 40004).....	171
8.10	An error occurred when explaining the query on the data federation query engine. (DFA 50001).....	171
8.11	The list of functions cannot be retrieved from the data federation service. (DFA 50002).....	171
8.12	An error occurred when executing the query on the data federation query engine. (DFA 50003).....	172
8.13	An error occurred while executing an XPath query on the XML result returned by the data federation service. (DFA 50004).....	172
8.14	An error occurred while parsing the XML returned by the data federation service. (DFA 50005).....	172
8.15	An error occurred while preparing a query. (DFA 50006).....	172
8.16	Cannot get system properties. (DFA 60001).....	173
8.17	An error occurred while cancelling a query. (DFA 50007).....	173
8.18	Too many rows to display. Maximum allowed is '999'. (DFA 50008).....	173
8.19	Cannot reset the configuration for connector '{0}'. (DFA 60002).....	173
8.20	Cannot get the configuration for connector '{0}'. (DFA 60003).....	173
8.21	Cannot update the configuration for connector '{0}'. (DFA 60004).....	174
8.22	Cannot ping the connector '{0}'. (DFA 60005).....	174
8.23	Cannot get the connector '{0}' capabilities. (DFA 60006).....	174
8.24	Cannot retrieve statistics from the data federation service. (DFA 70001).....	174
8.25	Cannot update statistics. (DFA 70002).....	175
8.26	Cannot get system parameters. (DFA 80002).....	175
8.27	Cannot get session parameters. (DFA 80003).....	175
8.28	Cannot get startup parameters. (DFA 80004).....	175
8.29	Cannot update the system parameter '{0}'. (DFA 80005).....	175
8.30	Cannot update the session parameter '{0}'. (DFA 80006).....	176
8.31	Cannot restore default value of system parameters. (DFA 80007).....	176
<b>Chapter 9</b>	<b>Document and Universe Exchange Error Messages.....</b>	<b>177</b>
9.1	Category (CAT) Error Messages.....	177
9.1.1	The category name contains invalid characters. Valid characters are: (CAT0001).....	177
9.2	Document Exchange (DX) Error Messages.....	177
9.2.1	Cannot generate temporary file. (DX0001).....	178
9.2.2	The file will not be secured on your workstation. (DX0002).....	178
9.2.3	RSS file not accessible. (DX0003).....	178
9.2.4	Wrong SQL used. (DX0004).....	179
9.2.5	Error during import. (DX0005).....	179
9.2.6	Error during import. (DX0007).....	179

9.2.7	Unknown error during import of <document>. Import canceled. <document> cannot be imported. (DX0009).....	180
9.2.8	Unable to close <document>. Import canceled. <document> cannot be imported. (DX0010).....	180
9.2.9	Unable to create file associated with <document>. Import canceled. <document> cannot be imported. (DX0011).....	181
9.2.10	Unable to delete previous file. Import canceled. <document> cannot be imported. (DX0012).....	181
9.2.11	Unable to write to <document>. Import canceled. <document> cannot be imported. (DX0014).....	182
9.2.12	The file cannot be deleted. (DX0017).....	182
9.2.13	The file name is not compliant with the platform you are working on. Change the name. (DX0018).....	182
9.2.14	You requested to export the secured file <document>. This action on the file is forbidden to you. The export was canceled for <document>. (DX0022).....	183
9.2.15	Unknown error during export of <document>. Export stopped. <document> not exported. (DX0024).....	183
9.2.16	Database error during export of <document>. Export stopped. <document> not exported. (DX0025).....	183
9.2.17	Break during export of <document>: Export has stopped. <document> is not exported. (DX0026).....	184
9.2.18	Cannot open file associated with <document>. <document> not exported. (DX0027).....	184
9.2.19	Cannot load the dll. Check the Microsoft Exchange installation. (DX0037).....	184
9.2.20	Cannot open file associated with <document>. (DX0040).....	185
9.2.21	Cannot send the message. (DX0041).....	185
9.2.22	Unable to get the document's properties! (DX0044).....	185
9.2.23	Database error (DX0045).....	186
9.2.24	The document domain is not responding! (DX0046).....	186
9.2.25	You need a more recent version of BusinessObjects to import this document. (DX0047).....	186
9.2.26	Document deletion failed. (DX 00050).....	187
9.3	Universe Exchange (UX) Error Messages.....	187
9.3.1	UX0001 - UX0019.....	187
9.3.2	UX0020 - UX0039.....	190
9.3.3	UX0040 - UX0049.....	193
9.3.4	UX0050 - UX0059.....	197
9.3.5	UX0060 - UX0071.....	200
<b>Chapter 10</b>	<b>Enterprise Application Errors.....</b>	<b>205</b>
10.1	Enterprise Applications - SAP (EAS) Errors.....	205
10.1.1	EAS 10001 - 10010.....	205
10.1.2	EAS 30001.....	208
<b>Chapter 11</b>	<b>Publishing (FBE) Errors.....</b>	<b>209</b>
11.1	FBE 40000 - 49999.....	209

11.1.1	The method {0} was called with the parameter {1} set to null. Please initialize this parameter. (FBE42001).....	209
11.1.2	The Post-Processing plugin with class {0} could not be located. Did you configure your publication properly? (FBE42003).....	209
11.1.3	Unable to download the artifact's files. Is the FRS accessible, and are the file access permissions configured properly? (FBE42008).....	210
11.1.4	The publication's OnPostProcessPersonalizedDocs plugin is not defined for merge format(CeMergedFormat): {0}. Did you configure your publication properly? (FBE42009).....	210
11.1.5	An IO Error occurred while attempting to merge artifacts into zip file {0}. Are the file access rights configured properly? (FBE42014).....	210
11.1.6	A publication instance with ID {0} is already being processed and cannot be restarted until the initial run has completed. (FBE42016).....	210
11.1.7	Empty global delivery rule expression specified. Did you properly configure your publication? (FBE42017).....	211
11.1.8	Global delivery rule document with CUID {0} is not valid. Did you properly configure your publication? (FBE42018).....	211
11.1.9	Publication with ID {0} has an inaccessible source document. Did you configure your publication properly? (FBE42033).....	211
11.1.10	The document with ID {0} does not use the IPublicationInfo interface and cannot be processed with this publication. (FBE42034).....	211
11.1.11	The BusinessObjects report engine could not handle the specified report type {0}. (FBE42042).....	212
11.1.12	Unable to find the static document with CUID {0} during distribution. Did you configure your publication properly? (FBE42044).....	212
11.1.13	Unable to find the publication artifact with ID {0} during distribution. (FBE42045).....	212
11.1.14	Unable to find the destination plugin with prog ID {0}. Did you configure your publication properly? (FBE42046).....	213
11.1.15	Unable to find the last processed recipient {0} in the data provider's data. If the database changed since the last run, please reschedule the publication. (FBE42048).....	213
11.1.16	The post-distribution plugin with class {0} failed to execute. Did you configure your plugin properly? (FBE42049).....	213
11.1.17	Failed to merge MHTML documents. (FBE42050).....	213
11.1.18	Could not find HTML part of MHTML document. (FBE42051).....	214
11.1.19	Unable to find valid profile value from principal with ID {0} for Profile with ID {1}. (FBE42052).....	214
11.1.20	Scheduling the global delivery rule document failed. (FBE42055).....	214
11.1.21	Unable to schedule document with id {0} for publication with id {1} due to insufficient access rights to the source document. (FBE42056).....	214
11.1.22	Unable to find a profile filter expression for the document type "{0}" for the user or group ID {1} and profile ID {2}. Ensure that your administrator has set a filter expression for document type "{0}" in the profile in the Central Management Console. (FBE42057).....	215
11.1.23	Unable to download MHTML documents. Please contact your administrator to ensure the Central Management Server and the Input and Output File Repository Servers servers are running properly. (FBE42058).....	215
11.1.24	Could not upload administrative logs to CMS: {0} (FBE42059).....	215

11.1.25	An enterprise user name "{1}" was specified for the dynamic recipient "{0}" but no enterprise user with that user name exists. (FBE42060).....	215
11.1.26	Multiple enterprise user names were specified for the dynamic recipient with ID "{0}". Only one enterprise user name may be specified per dynamic recipient. (FBE42061).....	216
11.1.27	A task was unexpectedly interrupted while waiting to be processed for publication with ID {0}. (FBE42062).....	216
11.1.28	A service instance could not be found for process the document with ID "{0}", Name "{1}", Kind "{2}". (FBE42063).....	216
11.1.29	Service with ID "{0}", Name "{1}" hosted on server with ID "{2}" does not specify the maxJobs property. (FBE42064).....	216
11.1.30	Service Hosts were not found for the service with ID "{0}", Name "{1}". (FBE42066).....	217
11.1.31	StatusMonitor query for job status did not return result for job with ID "{0}". Was the object deleted? (FBE42067).....	217
11.2	FBE 60000 - 69999.....	217
11.2.1	Unable to find the infostore service. Is your CMS running and configured properly? (FBE 60002).....	217
11.2.2	An SDKException was caught. Is your CMS running and configured properly? (FBE 60003).....	218
11.2.3	Unable to determine publication submitter ID in publication instance '{0}' (ID: {1}) - processing cannot continue! Did you configure your publication properly? (FBE 60004).....	218
11.2.4	Distribution to destination {0} failed. Recipient: {1}, Document Scope: {2}. {3} (FBE 60013).....	218
11.2.5	Unable to find any distributable documents in scope batch with ID {0}. Please check your publication configuration and ensure that the CMS is running. (FBE 60016).....	218
11.2.6	Unsupported Destination Type: {0}. Did you properly configure your publication? (FBE 60019).....	219
11.2.7	Could not complete post-distribution event handlers in scope batch with SI_ID {0}. Did you properly configure your publication? (FBE 60022).....	219
11.2.8	Unable to find a static document with ID {0} for scope batch with SI_ID {1}, scope {2}. (FBE 60025).....	219
11.2.9	Unable to find a publication document with source document SI_ID {0}, format {1} for scope batch with ID {2}, scope {3}. (FBE 60026).....	219
11.2.10	Invalid plugin configuration for plugin: {0}. Did you properly configure your publication? (FBE 60027).....	220
11.2.11	Failed to execute post-distribution plugin {0} for scope batch {1} [recipients "{2}" to "{3}"]. (FBE 60029).....	220
11.2.12	Unable to grant View/ViewInstance rights on the Artifact with ID {0} for scope batch object with ID {1}. Is everything configured correctly? (FBE 60033).....	220
11.2.13	Unable to find any distributable documents in scope batch with ID {0}, scope {1}. (FBE 60034).....	220
11.2.14	Cannot deliver artifact because you do not have the "Subscribe to publications" right on enterprise recipient "{0}" (id {1}). Contact your BusinessObjects Business Intelligence platform administrator to be granted this right. (FBE 60036).....	221
11.2.15	Waiting for distribution job to complete. Job ID:%1, name:%2, kind:%3 in %4 state (FBE 60037).....	221
11.2.16	There are no To or CC addresses in the SMTP options. Email delivery without an address will fail. The To or CC address should include either an email address or the %SI_EMAIL_ADDRESS% placeholder. (FBE 60038).....	221

11.2.17	Attempted to replace an %SI_EMAIL_ADDRESS% placeholder, but the email address for the recipient with user name "{0}" is empty or missing. (FBE 60039).....	222
11.2.18	Skipping clean-up of the scope batch and artifacts because auditing is enabled. (FBE 60040).....	222
11.2.19	Unable to download MHTML documents. Please contact your administrator to ensure the Central Management Server and the Input and Output File Repository Servers servers are running properly. (FBE 60041).....	222
11.2.20	Invalid expression {0} specified for the global delivery rule document with ID: {1}. Global delivery rule check can not continue. Is your publication configured properly? (FBE 60100).....	222
11.2.21	Publication global delivery rule document with ID {0} is invalid. Is your publication configured properly? (FBE 60101).....	223
11.2.22	Failed to schedule the global delivery rule document with ID {0}: {1} (FBE 60105).....	223
11.2.23	Unable to query global delivery document with ID {0}. (FBE 60106).....	223
11.2.24	Waiting for global delivery rule job to complete. Job ID:%1, name:%2, kind:%3 in %4 state (FBE 60107).....	223
11.2.25	Post-processing plugin failure! Cannot instantiate plugin class {0}. (FBE 60208).....	224
11.2.26	The publishing service is not started or was restarted while the publication job was running. (FBE 60211).....	224
11.2.27	Web1 publications support only the "One database fetch for all recipients" and "One database fetch per recipient" bursting methods. (FBE 60212).....	224
11.2.28	This publication references a profile object with ID {0} that no longer exists in the system. (FBE 60213).....	224
11.2.29	Unable to find a static document with ID {0} for scope batch with ID {1}, scope {2}. (FBE 60216).....	225
11.2.30	Unable to find a publication document with source document ID {0}, format {1} for scope batch with ID {2}, scope {3}. (FBE 60217).....	225
11.2.31	Plugin artifact {0} with ID {1} for scope batch with ID {2} does not specify a destination. (FBE 60218).....	225
11.2.32	An artifact {0} with ID {1} for scope batch with ID {2} does not contain enough information to be distributed. (FBE 60219).....	225
11.2.33	Error retrieving document objects for scope batch with ID {0}. (FBE 60220).....	226
11.2.34	An unsupported busting mode for this publication was chosen. (FBE 60224).....	226
11.2.35	{0} publications do not support "One database fetch for all recipients" bursting method. (FBE 60225).....	226
11.2.36	{0} publications do not support "One database fetch for each batch of recipients" bursting method. (FBE 60226).....	226
11.2.37	{0} publications do not support "One database fetch per recipient" bursting method. (FBE 60227).....	227
11.2.38	{0} publications do not support selected bursting method. (FBE 60228).....	227
11.2.39	Unable to run redistribution for principal(s) {0} because they are not original publication recipients. (FBE 60314).....	227
11.2.40	Unable to run redistribution for dynamic recipient(s) {0} because they are not original publication recipients. (FBE 60315).....	227
11.2.41	Unable to find a profile filter expression for the document type "{0}" for the user or group '{1}' (ID: {2}) and profile '{3}' (ID: {4}). Please ensure that your administrator has set a filter expression for document type "{0}" in the profile in the Central Management Console. (FBE 60317).....	227

11.2.42	The user who scheduled the publication does not have the view right on the enterprise recipient principal with ID {0}. (FBE 60318).....	228
11.2.43	The user who scheduled the publication does not have the view right on the excluded enterprise recipient principal with ID {0}. (FBE 60319).....	228
11.2.44	The user who scheduled the publication does not have the view right on the profile with ID {0}. (FBE 60320).....	228
11.2.45	The user who scheduled the publication does not have the view right on the group with ID {0} which is a parent group of the principal '{1}' (ID {2}). Any profile values from this group and its parent groups will not be applied. (FBE 60321).....	229
11.2.46	The limit of {0} recipients per publication has been reached. User {1} with ID {2} was not processed. (FBE 60322).....	229
11.2.47	Unable to redistribute publication instance with ID {0}, because artifacts were not delivered to the default Enterprise location. (FBE 60323).....	229
11.2.48	Unable to locate precise publication with SI_ID {0}, and/or precise scope batch with SI_ID {1}. Is your publication configured properly, and is the CMS running? (FBE 60400).....	230
11.2.49	An exception was caught during post-processing. (FBE 60401).....	230
11.2.50	Unable to retrieve post-processing publication event handler (post-processing will be skipped). (FBE 60402).....	230
11.2.51	No scopes found in scope batch with SI_ID {0}. Is everything configured correctly? (FBE 60404).....	230
11.2.52	Post-processing plugin failure! Plugin class {0} threw an exception. (FBE 60405).....	231
11.2.53	Post-processing plugin class {0} returned a set of null or zero info objects. (FBE 60406).....	231
11.2.54	Unable to find a Post-Processing plugin matching the specified classname: {0}. (FBE 60408).....	231
11.2.55	A plugin-generated artifact was created that does not implement IPublicationInfo. The artifact may not be distributed properly: Title = '{0}', Kind = '{1}' (FBE 60409).....	232
11.2.56	An exception was caught while committing the plugin-generated artifacts created by the Post-Processing Plugin class {0}. (FBE 60410).....	232
11.2.57	An exception was caught while creating a plugin-generated artifact with progID {0} for the Post-Processing Plugin class {1}. (FBE 60411).....	232
11.2.58	An exception occurred while trying to retrieve artifact and static documents for this context: ScopeBatch = {0}, Destination = {1}, Plugin Class = {2} (FBE 60412).....	232
11.2.59	An exception occurred while trying to sort artifact and static documents (according to the source document order) for this context : ScopeBatch = {0}, Destination = {1}, Plugin Class= {2} (FBE 60413).....	233
11.2.60	An exception occurred while trying to retrieve the publication's source documents. (FBE 60414).....	233
11.2.61	Post-processing skipping scope level doc with SI_ID: {0} that was not listed as a source document on the publication. Is your publication configured correctly? (FBE 60415).....	233
11.2.62	Scheduling document job "{2}" (ID: {0}) failed: {1} (FBE 60502).....	233
11.2.63	There are no schedulable documents in the publication. (FBE 60503).....	234
11.2.64	The list of documents in the publications contains an empty value. Is everything configured correctly? (FBE 60504).....	234
11.2.65	Document '{0}' is an invalid publication document and cannot be published. (FBE 60505).....	234
11.2.66	Unable to add document field mappings into target document. Is everything configured correctly? (FBE 60506).....	234

11.2.67	Document '{0}' does not have exactly 1 instance containing state information (was either 0 or >1 or could not be retrieved). (FBE 60507).....	235
11.2.68	Waiting for scheduling job to complete. Job ID:%1, name:%2, kind:%3 in %4 state (FBE 60509).....	235
11.2.69	Warning while running document job "{0}" (id {1}): {2} (FBE 60510).....	235
11.2.70	Error while processing document "{0}" (id {1}): {2} (FBE 60512).....	235
11.2.71	Warning while processing document "{0}" (id {1}): {2} (FBE 60513).....	236
11.2.72	Document processing could not be started due to invalid parameters (FBE 60600).....	236
11.2.73	Plugin kind {0} could not be processed for publication (FBE 60601).....	236
11.2.74	{0} exception, Message: {1} (FBE 60602).....	236
<b>Chapter 12</b>	<b>GUI Error Messages.....</b>	<b>237</b>
12.1	GUI (GUI) Error Messages.....	237
12.1.1	The file name contains forbidden characters. (GUI0003) .....	237
12.1.2	File not found. Please verify the correct file name was given. (GUI0005).....	238
12.1.3	<name> path not found. Please verify the correct path name was given. (GUI0006).....	238
<b>Chapter 13</b>	<b>Information Design Tool (IDT) error messages.....</b>	<b>239</b>
13.1	00 messages (security login, authentication, CMS and sessions).....	239
13.1.1	A problem occurred when publishing or sharing a resource in the repository in the folder: {0}. (IDT 00420).....	239
13.1.2	Unable to create Universe file in folder: {0}. (IDT 00425).....	240
13.1.3	An error occurred when accessing the resource {0} in the repository. (IDT 00630).....	240
13.1.4	An error occurred when retrieving universe {0} from the repository. (IDT 00631).....	240
13.2	02 messages (framework).....	241
13.2.1	An error occurred when accessing the resource {0}. (IDT 02300).....	241
13.2.2	An error occurred when retrieving the universe {0}. (IDT 02311).....	241
13.3	06 messages (security profiles).....	241
13.3.1	An error occurred when saving the Data Security Profile Connection {0}. (IDT 06103).....	242
13.3.2	An error occurred when creating the Data Security Profile {0}. (IDT 06120).....	242
13.3.3	An error occurred when saving Data Security Profile aggregation options {0}. (IDT 06130).....	242
13.3.4	An error occurred when assigning the security profile {0} to a user or a group. (IDT 06150).....	243
13.3.5	An error occurred when retrieving a security profile for the universe {0}. (IDT 06200).....	243
13.3.6	An error occurred when retrieving security for the universe {0}. (IDT 06201).....	243
13.3.7	An error occurred when accessing Data Security Profile {0}. (IDT 06202).....	244
13.3.8	An error occurred when retrieving a Business Security Profile for the universe {0}. (IDT 06203).....	244
13.3.9	An error occurred when retrieving Data Security Profile aggregation options for the universe {0}. (IDT 06204).....	245
13.3.10	An error occurred when retrieving Business Security Profile aggregation options for the universe {0}. (IDT 06205).....	245

13.3.11	An error occurred when retrieving users or groups assigned to the security profile {0}. (IDT 06210).....	245
13.4	095 messages (conversion).....	246
13.4.1	The universe file must be generated using a more recent product version. Universe file path: {0}. (IDT 09501).....	246
13.4.2	Cannot open the Universe file. Check that this file is not corrupted. (IDT 09502).....	246
13.4.3	The conversion of OLAP universes is not supported. (IDT 09503).....	246
13.4.4	The conversion of universes with stored procedures is not supported. (IDT 09504).....	247
13.4.5	The conversion of secured universes from a file is not supported. Use the convert from CMS option instead. (IDT 09505).....	247
13.4.6	Cannot convert the universe. The universe must have a connection assigned in the universe design tool. (IDT 09506).....	247
13.4.7	The conversion of universes with a Data Federator connection is not supported. (IDT 09507).....	247
13.4.8	Cannot read the core universe %s from the CMS. (IDT 09508).....	248
13.4.9	Cannot read the universe from the CMS. (IDT 09509).....	248
13.4.10	The conversion of a password protected universe is not supported. In the universe design tool, remove the password. (IDT 095010).....	248
13.4.11	Your user profile does not allow you to convert a universe. (IDT 095011).....	248
13.5	15 messages (Generic connections).....	248
13.5.1	Unable to retrieve the connection from the CMS. Check if the connection exists in the CMS and if you have rights. (IDT 15025).....	249
<b>Chapter 14</b>	<b>Information Engine Services (IES) Error Messages.....</b>	<b>251</b>
14.1	Information Engine Services (IES) Error Messages.....	251
14.1.1	Some objects are no longer available in the universe. (IES 00001).....	251
14.1.2	Some objects are not available to your user profile. You cannot refresh this document. (IES 00002).....	251
14.1.3	Some pre-defined filters are no longer available in the universe. (IES 00003).....	252
14.1.4	Some database tables are no longer available in the universe. (IES 00004).....	252
14.1.5	Invalid prompt definition. (IES 00005).....	252
14.1.6	Invalid definition of aggregate aware object. (IES 00006).....	252
14.1.7	A filter contains an incorrect value. You cannot run this query. (IES 00007).....	253
14.1.8	The query cannot run because it contains incompatible objects. (IES 00008).....	253
14.1.9	The query cannot run because an advanced filter contains an incompatible object. (IES 00009).....	253
14.1.10	The universe does not allow complex expressions in a GROUP BY statement. (IES 00010).....	253
14.1.11	The object {obj_list} contains multiple attributes. This syntax is no longer supported. (IES 00011).....	254
14.1.12	You cannot run this query because it will produce a Cartesian product. (IES 00012).....	254
14.1.13	SQL generation failed. (IES 00013).....	255
14.1.14	Aggregate aware resolution failed. (IES 00014).....	255

14.1.15	Multiple query filters contain a prompt with the same text, but the prompts use a different operand type or number of values. (IES 00015).....	255
14.1.16	The query contains a @script() function, which is not supported. (IES 00016).....	255
14.1.17	The following objects cannot be used as result objects: {obj_list}. (IES 00017).....	256
14.1.18	The following objects cannot be used as query filters: {obj_list}. (IES 00018).....	256
14.1.19	A query filter contains too many values. (IES 00019).....	256
14.1.20	The SQL generated by the query is invalid. (IES 00020).....	256
14.1.21	The combined query cannot run because one of the queries contains incompatible objects. (IES 00021).....	257
14.1.22	The query does not reference a table in the WHERE clause. (IES 00022).....	257
14.1.23	Invalid sub-query. (IES 00023).....	257
14.1.24	Incompatible object types in the subquery. (IES 00024).....	257
14.1.25	The query is too complex to apply a sampling function. (IES 00025).....	257
14.1.26	Failed to regenerate SQL for optional prompts -- one or more required prompts were skipped. (IES 00026).....	258
14.1.27	Removing optional prompts from the query will introduce new prompts. This introduces complexities that cannot be supported. (IES 00027).....	258
14.1.28	No value specified for the Keydate parameter. (IES 00028).....	258
14.1.29	The universe is already open with write permission by another user. (IES 00029).....	258
14.1.30	Syntax error in formula '%1%' at position %2%. (IES 10001).....	259
14.1.31	Problem initializing the dictionary of functions. (IES 10002).....	259
14.1.32	The object '%1%' at position '%2%' is not unique in the report. (IES 10005).....	259
14.1.33	The object '%1%' at position '%2%' does not exist in the report. (IES 10006).....	259
14.1.34	The integer '%1%' at position '%2%' is too long. (IES 10013).....	259
14.1.35	The number '%1%' at position '%2%' has a format that is incompatible with your regional settings. (IES 10014).....	260
14.1.36	Missing quotation mark after '%1%' at position '%2%'. (IES 10016).....	260
14.1.37	The list of dimensions in the input or output context is empty. (IES 10032).....	260
14.1.38	The variable '%1%' cannot be deleted because it has dependant formulas or variables linked to: '%2%'. (IES 10033).....	260
14.1.39	You attempted to create a variable or update a variable name using a variable name that already exists. (IES 10034).....	261
14.1.40	The date or time format '%1%' at position '%2%' is not valid. (IES 10035).....	261
14.1.41	The expression or sub-expression at position '%2%' is not valid. (IES 10036).....	261
14.1.42	The expression or sub-expression at position '%2%' in the '%1%' function uses an invalid data type. (IES 10037).....	261
14.1.43	Invalid character '%1%' in variable name at position '%2%'. (IES 10038).....	262
14.1.44	The formula for variable '%1%' contains a reference to a variable with the same short name. (IES 10040).....	262
14.1.45	Incorrect use of multiple comparison operators (<,>,<>,<=,>=,=) at position '%2%'. (IES 10041).....	262
14.1.46	There is a circular reference because the formula for variable '%1%' references a variable whose formula references '%1%'. (IES 10042).....	262

14.1.47	The function '%1%' has missing arguments or closing parenthesis at position %2%. (IES 10061).....	263
14.1.48	Missing ';' or closing parenthesis in list '%1%' at position %2%. (IES 10064).....	263
14.1.49	Missing object identifier in '%1%' at position %2%. (IES 10069).....	263
14.1.50	Incorrect reset context at position %2%. (IES 10072).....	263
14.1.51	The object '%1%' at position %2% is incompatible. (IES 10077).....	263
14.1.52	Invalid string '%1%' at position %2%. (IES 10082).....	264
14.1.53	The qualification of the variable '%1%' cannot be changed. (IES 10083).....	264
14.1.54	Invalid set definition. (IES 10086).....	264
14.1.55	Custom functions could not be loaded. (IES 10100).....	264
14.1.56	Your database server does not support the Both and Except operators. (IES 10701).....	265
14.1.57	A filter is defined on an object that is incompatible with the result objects. (IES 10702).....	265
14.1.58	The numeric value for the query filter based on '{object}' is invalid. (IES 10703).....	265
14.1.59	The date for the prompt '{prompt}' is invalid. (IES 1070) (IES 10704).....	265
14.1.60	The prompt '{prompt}' contains an invalid numeric value. (IES 10705).....	266
14.1.61	The date for the prompt '{prompt}' is invalid. (IES 10706).....	266
14.1.62	The server cannot build the SQL for the query. (IES 10707).....	266
14.1.63	The object '{ObjName}' in the prompt '{PromptName}' can no longer display a list of values. Remove the prompt from the query or contact your administrator to clear the "Select only from list" option of the object properties tab. (IES 10708).....	266
14.1.64	You do not have the right to refresh this document. (IES 10801).....	267
14.1.65	The query SQL has {nbHaving} instead of {nbWanted} columns. (IES 10810).....	267
14.1.66	The data type of a column in the query is not valid. (IES 10811).....	267
14.1.67	Custom SQL cannot contain optional prompts. (IES 10812).....	267
14.1.68	Incompatible objects cannot be used in combined queries. (IES 10820).....	267
14.1.69	A subquery in the '{dp_name}' data provider has missing objects. (IES 10830).....	268
14.1.70	The filtered object is missing in a ranking in the '{dp_name}' data provider. (IES 10831).....	268
14.1.71	The rank-based object is missing in a ranking in the '{dp_name}' data provider. (IES 10832).....	268
14.1.72	The document cannot be loaded. (IES 10833).....	268
14.1.73	Additional context resolution is not supported with optional prompts. (IES 10834).....	269
14.1.74	Invalid data in column "{col_name}". (IES 10840).....	269
14.1.75	Invalid UTF-8 string in column "{col_name}". (IES 10841).....	269
14.1.76	The file that is required to create or update the query cannot be found on the file system. File not found: "{filename}". (IES 10850).....	269
14.1.77	Error originates from the Personal Data Provider: {message}. (IES 10853).....	270
14.1.78	Unable to create or update the Excel personal data provider: the file path is invalid. (IES 10870).....	270
14.1.79	Unable to create or update the Excel personal data provider: cannot retrieve the named ranges. (IES 10872) (IES 10871).....	270
14.1.80	Unable to create or update the Excel personal data provider: cannot open the workbook. (IES 10872).....	270

14.1.81	Unable to create or update the Excel personal data provider: cannot retrieve the named ranges. (IES 10873).....	271
14.1.82	Unable to create or update the Excel personal data provider: cannot retrieve data from the file. (IES 10874).....	271
14.1.83	Unable to create or update the Excel personal data provider: cannot retrieve data from the file. (IES 10875).....	271
14.1.84	Unable to create or update the Excel personal data provider: cannot build the iterator on the data set. (IES 10876).....	271
14.1.85	Unable to create or update the Excel personal data provider: no worksheet available. (IES 10877).....	272
14.1.86	Unable to create or update the Excel personal data provider: unable to retrieve the list of worksheets. (IES 10878).....	272
14.1.87	Unable to create or update the Excel personal data provider: invalid data retrieved from the selected range. (IES 10879).....	272
14.1.88	Unable to create or update the Excel personal data provider: the selected worksheet is invalid. (IES 10880).....	272
14.1.89	Unable to create or update the Excel personal data provider: an error occurred while retrieving the data sampling. (IES 10881).....	273
14.1.90	Unable to create or update the Excel personal data provider: an error occurred while creating the data iterator. (IES 10882).....	273
14.1.91	Unable to create or update the Excel personal data provider: an error occurred during data retrieval. (IES 10883).....	273
14.1.92	Unable to create or update the Excel personal data provider: an internal error occurred. (IES 10884).....	273
14.1.93	Unable to create or update the Excel personal data provider: the range selection is invalid. (IES 10885).....	274
14.1.94	Unable to create or update the Excel personal data provider: the range selection does not match the worksheet. (IES 10886).....	274
14.1.95	A condition on an object refers to an object from another query that has a different type. (IES 10887).....	274
14.1.96	A condition on an object refers to an object in another query that does not exist. (IES 10888).....	274
14.1.97	There is a circular dependency in the query. (IES 10889).....	275
14.1.98	Database error: {error_db}. (IES 10901).....	275
14.1.99	Query exceeded fixed time limit: {error_db}. (IES 10902).....	275
14.1.100	Invalid Database Field Type : {db_fieldname}. (IES 10903).....	275
<b>Chapter 15</b>	<b>Installation (INS) Error Messages.....</b>	<b>277</b>
15.1	INS 00000-00002.....	277
15.1.1	Please use a user account that has administrative privilege. (INS00).....	277
15.1.2	Please use a user account with administrative privileges. (INS00001).....	277
15.1.3	Please install Microsoft .NET Framework 2.0 or higher. (INS00002).....	278
15.2	INS 00286-00293.....	278
15.2.1	BI platform services is already installed on this machine. INS000286 (INS00286).....	278

15.2.2	Please use a user account that has administrative privilege. INS00287.....	278
15.2.3	You cannot install this product as the root user. INS00288.....	278
15.2.4	A reboot request is suppressed. Reboot current machine before the installation. INS00289.....	279
15.2.5	Please uninstall SAP Crystal Reports Server before installing #product.boe64_name# on the same machine. INS00290.....	279
15.2.6	#product.boe64_name# is already installed on this machine. INS00291.....	279
15.2.7	This product needs to be installed on a 64-bit Operating System (OS). Please verify that your OS matches this requirement. INS00292.....	279
15.2.8	localhost, 127.0.0.1 or the machine's hostname are not pingable. INS00293.....	280
15.2.9	There is not enough free space in /tmp. INS000295 (INS00295).....	280
15.2.10	The UID and GID must not be greater than 65536. INS000296 (INS00296).....	280
15.2.11	Please install Microsoft .NET Framework 3.5 or higher. (INS00297).....	280
15.2.12	Please install Microsoft .NET Framework 3.0 or higher. (INS00298).....	281
15.2.13	Microsoft Visual Studio 2005 Tools for Office Second Edition Runtime not detected, please install it. (INS00299).....	281
15.2.14	Please install Microsoft Office 2003 or higher. (INS00300).....	281
15.3	INS 00301-00305.....	281
15.3.1	This update targets #productname# #product_version# #product_patch#, which was not detected. (INS00301).....	281
15.3.2	#productname# #product_version# has a higher version than this update, so the update is not applicable. It is not recommended that you continue. (INS00302).....	282
15.3.3	This update targets #productname# #product_version#, which was not detected. (INS00303).....	282
15.3.4	Update for Microsoft Office 2003 (KB907417) (INS00304).....	282
15.3.5	Please install Microsoft Visual Studio 2010 before installing this product. (INS00305).....	282
<b>Chapter 16</b>	<b>Lifecycle management console Error Messages.....</b>	<b>283</b>
16.1	Lifecycle management error messages.....	283
16.1.1	LCM CMS is either null or not logged in (LMC 00001).....	283
16.1.2	CMS is either null or not logged in. The CMS could be either source or destination (LMC 00002).....	284
16.1.3	Username is either null or empty (LMC 00003).....	284
16.1.4	Password is either null or empty (LMC 00004).....	284
16.1.5	There are no resources to export (LMC 00005).....	284
16.1.6	Source CMS is either null or not logged in (LMC 00006).....	284
16.1.7	Destination CMS is either null or not logged in (LMC 00007).....	285
16.1.8	Destination cannot be same as the Source.(LMC 00008).....	285
16.1.9	Login to BusinessObjects LifeCycle Manager failed.(LMS 00001).....	285
16.1.10	Log off from the Lifecycle management console for SAP BusinessObjects Business Intelligence platform failed. (LMS 00002).....	285
16.1.11	The job contains parent id which is less than zero. This job is invalid.(LMS 00003).....	286
16.1.12	Job creation failed. Please refer to the stack trace (LMS 00004).....	286
16.1.13	Failed to save the job (LMS 00005).....	286

16.1.14	Failed to create a job from an existing job (LMS 00006).....	286
16.1.15	Login to CMS (source / destination) failed (LMS 00007).....	286
16.1.16	Log off from CMS (source / destination) failed (LMS 00008).....	287
16.1.17	Job did not promote successfully (LMS 00009).....	287
16.1.18	Please check the stack trace to determine why the job has failed to run (LMS 00010).....	287
16.1.19	Scheduling of job failed (LMS 00011).....	287
16.1.20	Unable to retrieve job. Select a valid LCM Job.(LMS 00012).....	288
16.1.21	Unable to retrieve job by name (LMS 00013).....	288
16.1.22	Failed to retrieve job history.(LMS 00014).....	288
16.1.23	Unable to retrieve unique resources from the given set of dependencies.(LMS 00015).....	288
16.1.24	Unable to retrieve the infoobject with cuid = {0}.(LMS 00016).....	288
16.1.25	The Query {0} failed. (VDS 00013) (LMS 00017).....	289
16.1.26	Unable to delete list of resources from the job.(LMS 00018).....	289
16.1.27	Error in setting enabled events. Refer to the stack trace.(LMS 00019).....	289
16.1.28	Error in getting supported audit events. Please refer to the stack trace (LMS 00020).....	289
16.1.29	Error in getting enabled audit events. Please refer to the stack trace (LMS 00021).....	290
16.1.30	A general exception occurred in LCM Application. Refer to the stack trace for more information.(LMS 00022).....	290
16.1.31	Failed to Login to Source CMS as the user access to it is denied by the Administrator.(LMS 00023).....	290
16.1.32	Failed to login to the Destination CMS because the user is denied access by the Administrator (LMS 00024).....	290
16.1.33	The LCMBiar file location for importing the resources in either missing or invalid.(LMS 00025).....	291
16.1.34	The location to export resources to LCMBIAR file is either missing or invalid.(LMS 00026).....	291
16.1.35	The selected job is either null or invalid. Please select a valid LCM job.(LMS 00027).....	291
16.1.36	Failed to add resource to the version management tool (LMS 00101).....	291
16.1.37	Failed to checkout the resource.(LMS 00103).....	292
16.1.38	Failed to retrieve the revision history.(LMS 00104).....	292
16.1.39	Failed to retrieve the revision from version management.(LMS 00105).....	292
16.1.40	Failed to retrieve the latest revision (LMS 00106).....	292
16.1.41	Failed to retrieve the workspace revision.(LMS 00107).....	292
16.1.42	Failed to retrieve the Version Management System. Refer to the stack trace.(LMS 00108).....	293
16.1.43	Failed to get the repository version (LMS 00109).....	293
16.1.44	Error in clearing enabled audit events. Refer to the stack trace.(LMS 00022).....	293
16.2	Visual difference error messages.....	293
16.2.1	Login to SAP BusinessObjects Visual Difference Server failed. (VDS 00001).....	294
16.2.2	Log off from the BusinessObjects Visual Difference failed. (VDS 00002).....	294
16.2.3	Error in retrieving the list of CMS. (VDS 00003).....	294
16.2.4	Login to CMS (source or destination) failed. (VDS 00004).....	294
16.2.5	Log off from CMS (source or destination) failed. (VDS 00005).....	294
16.2.6	Error in scheduling the job (VDS 00006).....	295

16.2.7	A general exception occurred in Visual Difference Server. Refer to the stack trace for more information. (VDS 00007).....	295
16.2.8	Compare action failed.(VDS 00008).....	295
16.2.9	Failed to initialize the file " {0} ". (VDS 00009).....	295
16.2.10	Failed to set the list of objects in the file " {0} ". (VDS 00010).....	296
16.2.11	Failed to create an infoobject with prog id = {0}. (VDS 00012).....	296
16.2.12	Unable to retrieve the InfoObject with cuid = {0}. (VDS 00013).....	296
16.2.13	Failed to create an infoobject with si_id = {0}.(VDS 00014).....	296
16.2.14	Failed to set the property {0} with the value {1}.(VDS 00015).....	296
16.2.15	Failed to retrieve the value of the property {0}.(VDS 00016).....	297
16.2.16	Error in retrieving Audit Handler. Please refer to the stack trace.(VDS 00017).....	297
16.2.17	Error in adding audit events. Please refer to the stack trace.(VDS 00018).....	297
16.2.18	Error in adding audit event detail. Please refer to the stack trace.(VDS 00019).....	297
16.2.19	Error in committing audit event. Please refer to the stack trace.(VDS 00020).....	298
16.2.20	Error in setting enabled events. Please refer to the stack trace.(VDS 00021).....	298
16.2.21	Error in getting supported audit events. Please refer to the stack trace.(VDS 00022).....	298
16.2.22	Error in getting enabled audit events. Please refer to the stack trace.(VDS 00023).....	298
16.2.23	Error in validating audit event type. Please refer to the stack trace (VDS 00024).....	299
16.2.24	Error in retrieving event objects. Please refer to the stack trace.(VDS 00025).....	299
16.2.25	Error in clearing enabled audit events. Please refer to the stack trace.(VDS 00026).....	299
16.2.26	Error in generating the logon token. Please refer to the stack trace. (VDS 00027).....	299
16.2.27	Failed to login to the source CMS as the administrator has denied access to the user. (VDS 00028).....	300
16.2.28	Failed to login to the destination CMS as the administrator has denied access to the user. (VDS 00029).....	300
16.2.29	VisualDiff CMS is either null or not logged in.(VDC 00001).....	300
16.2.30	User name is either null or empty. (VDC 00002).....	300
16.2.31	Password is either null or empty. (VDC 00003).....	300
16.2.32	Authentication is either null or empty. (VDC 00004).....	301
16.2.33	Folder Name Already Exists.(VDC 00005).....	301
16.2.34	CMS is either null or not logged in. CMS could be either source or destination.(VDC 00007).....	301
16.2.35	Source CMS is either null or not logged in. (VDC 00008).....	301
16.2.36	Destination CMS is either null or not logged in.(VDC 00009).....	302
16.2.37	Error in parsing the Date as per the specified format.(VDC 00010).....	302
<b>Chapter 17</b>	<b>List of Values Error Messages.....</b>	<b>303</b>
17.1	List of Values (LOV) Error Messages.....	303
17.1.1	Too many selected values. (LOV0001).....	303
17.1.2	You have not been authorized to use this universe. (LOV0002).....	303
17.2	List of Values (VAR) Error Messages.....	304
17.2.1	Syntax error (VAR0001).....	304

<b>Chapter 18</b>	<b>Live Office (LO) Errors.....</b>	<b>305</b>
18.1	LO 01000 - LO 01999.....	305
18.1.1	The application is not ready. Please try again later. (LO 01001).....	305
18.1.2	An error occurred when refreshing. (LO 01003).....	305
18.1.3	Failed to upgrade this document. (LO 01004).....	306
18.1.4	To prevent data loss, Microsoft Excel cannot shift cells with content off of the worksheet. (LO 01005).....	306
18.2	LO 02000 - LO 02999.....	306
18.2.1	Create session fail. Please check the web service connection. (LO 02001).....	307
18.2.2	An error occurred when connecting to the web service. (LO 02002).....	307
18.2.3	An error occurred when connecting to the web service. (LO 02003).....	307
18.2.4	An error occurred when connecting to the web service. (LO 02004).....	307
18.2.5	An error occurred when connecting to the web service. (LO 02005).....	308
18.2.6	An error occurred when opening the file. (LO 02006).....	308
18.2.7	An error occurred when the file is saving. (LO 02007).....	308
18.2.8	An error occurred when finding the Crystal Report properties. (LO 02008).....	309
18.2.9	The server is not available. Please check the network connection and server status. (LO 02009).....	309
18.2.10	An error occurred while opening the report. The report does not exist; you have insufficient rights to open the report; or you cannot make a connection to the BusinessObjects Web Service. (LO 02010).....	309
18.2.11	An error occurred while saving the report. The report does not exist, or you cannot make a connection to the BusinessObjects Web Service. (LO 02011).....	310
18.2.12	An error occurred while refreshing the report. (LO 02012).....	310
18.2.13	An error occurred when rowset data was inserted. (LO 02013).....	310
18.2.14	An error occurred when the report part was inserted. (LO 02014).....	311
18.2.15	An error occurred when the page segment was inserted. (LO 02015).....	311
18.2.16	An error occurred when the crosstab was inserted. (LO 02016).....	311
18.2.17	An error occurred in the Microsoft Office document. (LO 02017).....	312
18.2.18	An error occurred in a query in BusinessObjects Business Intelligence platform. (LO 02018).....	312
18.2.19	An error occurred when connecting to the web service. (LO 02019).....	312
18.2.20	An error occurred when connecting to the web service. (LO 02020).....	312
18.2.21	Data source was not found. (LO 02021).....	313
18.2.22	Data source was not found. (LO 02022).....	313
18.2.23	Data source was not found. (LO 02023).....	313
18.2.24	Report's latest instance was not found. (LO 02024).....	313
18.2.25	An error occurred when the Report Part Viewer was initialized. (LO 02025).....	314
18.2.26	An error occurred when an object was selected in the Report Part Viewer. (LO 02026).....	314
18.2.27	Please select a report part. (LO 02027).....	314
18.2.28	An error occurred when the Repository Explorer was initialized. (LO 02028).....	314
18.2.29	An error occurred from viewer control. (LO 02029).....	315

18.2.30	An error occurred from parameter control. (LO 02030).....	315
18.2.31	An error occurred from the prompt dialog. (LO 02031).....	315
18.2.32	An error occurred from specify query panel. (LO 02032).....	316
18.2.33	An error occurred when browsing the field's values. (LO 02035).....	316
18.2.34	Live Office Object Properties dialog cannot be shown because there is no object in the current document. (LO 02038).....	316
18.2.35	The Web Intelligence document's query specification is invalid. (LO 02039).....	316
18.2.36	An error occurred while logging on. (LO 02040).....	317
18.2.37	Live Office is not installed properly. The definition of {0} is missing in AssemblyInfo.xml. (LO 02041).....	317
18.2.38	Live Office is not installed properly. An error occurred when reflecting the default constructor of {0}. (LO 02042).....	317
18.2.39	Live Office is not installed properly. An error occurred when loading class {0}. (LO 02043).....	318
18.2.40	An error occurred when the Insert Wizard is initialized. Please check the web service connection. (LO 02044).....	318
18.2.41	Failed to update parameter. (LO 02045).....	318
18.2.42	The entered parameter does not match the expected parameter type. (LO 02046).....	318
18.2.43	An instance corresponding to the Live Office object's report type cannot be found. (LO 02047).....	319
18.3	LO 26000 - LO 26999.....	319
18.3.1	Live Office encountered an error. (LO 26000).....	319
18.3.2	You do not have a valid license to use SAP BusinessObjects Live Office. Contact your SAP BusinessObjects Business Intelligence platform system administrator. (LO 26003).....	319
18.3.3	You may have connected to the wrong version of SAP BusinessObjects Web Services or the Web Services deployment is corrupt. (LO 26002).....	320
18.3.4	SAP BusinessObjects Live Office Web Service encountered an error. (LO 26004).....	320
18.3.5	Failed to parse XML. (LO 26005).....	320
18.3.6	Client XML version is newer than server XML version (LO 26006).....	320
18.3.7	The connection to BusinessObjects Business Intelligence platform was lost. Try to log on again. (LO 26007).....	321
18.3.8	The current refresh option requires saved data that does not exist. (LO 26008).....	321
18.3.9	The web server is out of memory. Contact your system administrator. (LO 26009).....	321
18.3.10	The search service encountered a problem. The search operation is corrupt. (LO 26010).....	321
18.3.11	Live Office has encountered a problem and cannot complete the requested action. (LO 26300).....	322
18.3.12	The current refresh option requires a report instance that does not exist. (LO 26301).....	322
18.3.13	Report connection "{0}-{1}" does not exist. (LO 26302).....	322
18.3.14	Cannot connect to the Interactive Analysis Report Engine Web service (LO 26303).....	322
18.3.15	Cannot connect to the Interactive Analysis Report Engine Web service (LO 26304).....	323
18.3.16	Failed to load persisted view. (LO 26307).....	323
18.3.17	Report part type has been changed from {0} to {1}. (LO 26310).....	323
18.3.18	Could not get the Query data (LO 26312).....	323

18.3.19	Could not get the Interactive Analysis report part output data or the data is invalid (LO 26313).....	324
18.3.20	You do not have sufficient rights to refresh data from the specified report. (LO 26314).....	324
18.3.21	Failed to get the document information. (LO 26315).....	324
18.3.22	Failed to get Live Office object. Online picture is not supported. (LO 26318).....	324
18.3.23	You do not have sufficient rights to fetch data from the specified report. (LO 26604).....	325
18.3.24	The Live Office view is corrupt. (LO 26605).....	325
18.3.25	Refresh failure. View Refresh Options does not exist. (LO 26606).....	325
18.3.26	You cannot access the Crystal Reports Server. Please check the Crystal Reports Server connection. (LO 26607).....	325
18.3.27	Cannot find the SAP BusinessObjects Business Intelligence platform object. (LO 26608).....	326
18.3.28	Report connection does not exist. (LO 26610).....	326
18.3.29	Failed to parse the parameter value "{0}" to "{1}" in the "{2}" locale. (LO 26611).....	326
18.3.30	Failed to get Crystal report. (LO 26612).....	326
18.3.31	The version of your Live Office Client does not match the version of the SAP BusinessObjects Web Service. (LO 26613).....	327
18.3.32	You cannot access the Crystal Reports Server. Please check the Crystal Reports Server connection. (LO 26614).....	327
18.3.33	Failed to render view. Report CUID, {0}, cannot be found. (LO 26615).....	327
18.3.34	Cell already existed. (LO 26616).....	327
18.3.35	The value entered does not match the expected filter type. (LO 26617).....	328
18.3.36	Failed to open report. (LO 26619).....	328
18.3.37	Failed to load persisted view. (LO 26620).....	328
18.3.38	This type of Report Object is not supported. (LO 26621).....	328
18.3.39	Failed to refresh the specified report part. Please make sure the specified data context exists: {0}. (LO 26626).....	329
18.3.40	Missing Part(s): (LO 26627).....	329
18.3.41	The current version does not support the SAP KeyDate feature. (LO 26630).....	329
18.3.42	Crystal Reports Java format is not supported. (LO 26631).....	329
<b>Chapter 19</b>	<b>Metadata Bridges and Universe Builder (MDB) Error Messages.....</b>	<b>331</b>
19.1	This universe cannot be parsed.\nYou may need to review the universe design. (MDB 00001).....	331
<b>Chapter 20</b>	<b>SAP BusinessObjects Mobile (MOB) Error Messages.....</b>	<b>333</b>
20.1	Mobile Server error messages.....	333
20.1.1	Invalid credentials: {0}. Ensure that your login information is correct. (MOB 00001).....	333
20.1.2	{0} authentication could not log you on. Ensure that your login information is correct. (MOB 00002).....	334
20.1.3	Failed to open {0} document. (MOB 00005).....	334
20.1.4	The document does not exist on the server. (MOB 00006).....	334

20.1.5	An internal server error occurred while creating the command. Contact your administrator. (MOB 00009).....	334
20.1.6	Failed to create a session from the information received from the client. (MOB 00010).....	335
20.1.7	Prompts not found for the document. (MOB 00011).....	335
20.1.8	An internal server error occurred while getting the information from Central Management Server. (MOB 00012).....	335
20.1.9	An internal server error occurred while processing the client request. (MOB 00014).....	335
20.1.10	An internal server error occurred while opening document. Could not find class {0} at server. (MOB 00015).....	336
20.1.11	An internal error occurred. Could not find the - {0} service. (MOB 00018).....	336
20.1.12	An internal error occurred while creating {0} service. (MOB 00019).....	336
20.1.13	An internal server error occurred while processing the client request. (MOB 00020).....	336
20.1.14	An internal server error occurred while processing the client request. (MOB 00021).....	337
20.1.15	An internal server error occurred while processing the client request. (MOB 00022).....	337
20.1.16	An internal server error occurred while processing the client request. (MOB 00023).....	337
20.1.17	You are not authorized to subscribe to document alerts. (MOB 00024).....	337
20.1.18	You are not authorized to save documents to the local store of a device. You can subscribe to alert without selecting the 'Save Local Copy' option. (MOB 00026).....	338
20.1.19	You are not authorized to save documents to the local store of a device. (MOB 00027).....	338
20.1.20	An internal server error occurred while performing a search. (MOB 00028).....	338
20.1.21	An internal server error occurred while processing the client request. (MOB 00029).....	338
20.1.22	Session has expired. Try logging in again. (MOB 00030).....	339
20.1.23	Session has expired. Try logging in again. (MOB 00031).....	339
20.1.24	Message push failed while confirming the received session data. (MOB 00050).....	339
20.1.25	An internal server error occurred while processing the client request. (MOB 00060).....	339
20.1.26	An internal server error occurred while processing the client request. (MOB 00080).....	340
20.1.27	An internal server error occurred while creating an instance for the class {0}. (MOB 00110).....	340
20.1.28	An internal server error occurred while processing the client request. (MOB 00130).....	340
20.1.29	An internal server error occurred. File {0} is not found or the file is corrupted at server. (MOB 00300).....	340
20.1.30	Session has expired. Re-login to open the document. (MOB 02003).....	341
20.1.31	Prompt execution failed due to an invalid range of parameters. (MOB 02017).....	341
20.1.32	Cannot execute the requested action due to an invalid character in the URL {0}. (MOB 02090).....	341
20.1.33	Invalid prompt value. Enter the date in a proper format. (MOB 02100).....	341
20.1.34	Cannot execute the requested action due to an invalid syntax of <href> tag. (MOB 02120).....	342
20.2	Mobile Client error messages.....	342
20.2.1	Cannot find the requested folder. (MOB 10004).....	342
20.2.2	Unable to perform the requested action. (MOB 10005).....	342
20.2.3	Unable to open the local document. (MOB 10006).....	342
20.2.4	You have abruptly canceled the operation which was in progress. (MOB 10007).....	343
20.2.5	Invalid login credentials. Try logging with correct credentials. (MOB 10008).....	343

20.2.6	An error occurred during login. (MOB 10009).....	343
20.2.7	Unable to find the report. (MOB 10010).....	343
20.2.8	Failed to renew the data connection. (MOB 10011).....	343
20.2.9	Unable to find the email account on device. (MOB 10012).....	344
20.2.10	Device platform does not support the requested action. (MOB 10013).....	344
20.2.11	Unable to initiate phone call. (MOB 10030).....	344
20.2.12	Unable to refresh the report due to an internal error. (MOB 10031).....	344
20.2.13	Failed to exit the application due to an internal error. (MOB 10032).....	345
20.2.14	Failed to lookup {0} document in the folder. (MOB 10033).....	345
20.2.15	Failed to lookup a folder in the requested folder. (MOB 10034).....	345
20.2.16	Failed to perform the requested action. (MOB 10035).....	345
20.2.17	You are not authorized to send documents as an email. (MOB 10037).....	345
20.2.18	An internal error occurred. Unable to send notifications. (MOB 10039).....	346
20.2.19	You are not authorized to log on to SAP BusinessObjects Mobile application. (MOB 10040).....	346
20.2.20	Client does not support the Screen : {0} (MOB 10042).....	346
20.2.21	The requested navigation direction is not supported. (MOB 10043).....	346
20.2.22	Unable to retrieve the document instance information. (MOB 10044).....	347
20.2.23	An internal error occurred while remote invocation of {0} class. (MOB 10045).....	347
20.2.24	An internal error occurred while opening the report. (MOB 10046).....	347
20.2.25	An error occurred while opening the report. (MOB 10047).....	347
20.2.26	Unable to open the folder. (MOB 10048).....	347
20.2.27	The action URL embedded in the document is not in the expected format. (MOB 10050).....	348
20.2.28	Failed to perform the requested action. (MOB 10071).....	348
20.2.29	Unauthorized operation (MOB 10081).....	348
20.2.30	An internal error occurred while reading the data from server. (MOB 10090).....	348
20.2.31	Cannot recover local store due to a network error. (MOB 10100).....	349
20.2.32	The requested page of the report is not found on the server. (MOB 10110).....	349
20.2.33	An internal error occurred. Failed to initiate the application. (MOB 10120).....	349
20.2.34	An error occurred while managing UI controls on the screen. (MOB 10130).....	349
20.2.35	Invalid credentials (MOB 10140).....	349
20.2.36	An internal error occurred. (MOB 10150).....	350
20.2.37	An error occurred during data synchronization. (MOB 10160).....	350
20.2.38	Login failed. Try to re-login. (MOB 10170).....	350
20.2.39	Cannot delete the document, as the synchronization process is in progress. (MOB 10180).....	350
20.2.40	An internal error occurred while opening the report. (MOB 10190).....	351
20.2.41	Failed to send the SMS due to an internal error. (MOB 10200).....	351
20.2.42	The requested action is not supported. (MOB 10210).....	351
20.2.43	Failed to start the application. (MOB 10220).....	351
20.2.44	Login failed. Unable to connect to the Mobile server. (MOB 10230).....	351
20.2.45	Unable to retrieve information from the server as you are in the offline mode. (MOB 10300).....	352
20.2.46	Unable to connect to the Mobile server. (MOB 10400).....	352

20.2.47	An error occurred while managing the UI controls on the screen. (MOB 10500).....	352
20.2.48	Input is not selected. Request is cancelled. (MOB 10600).....	352
20.2.49	An internal error occurred while performing the requested action. (MOB 10700).....	353
20.2.50	Session has expired. Try logging in again. (MOB 10800).....	353
20.2.51	The requested operation is not supported. (MOB 10900).....	353
<b>Chapter 21</b>	<b>Query technique errors.....</b>	<b>355</b>
21.1	Unexpected enumerated type {0}. (QTJ 00501).....	355
21.2	Nested @aggregate_aware functions are not supported (QTJ 00510).....	355
21.3	Circular references: Check the @Select and @Where calls (QTJ 00511).....	355
21.4	Bad @Select reference. Check the definition of the @Select declaration (QTJ 00512).....	356
21.5	Bad @Where reference. Check the definition of the @Where declaration (QTJ 00513).....	356
21.6	Bad @Prompt reference. Check the validity of the @Prompt declaration. Try using the @Prompt editor (QTJ 00514).....	356
21.7	Bad hierarchy reference (QTJ 00515).....	356
<b>Chapter 22</b>	<b>Query as a Web Service (QWS) Error Messages.....</b>	<b>357</b>
22.1	Unable to locate help file:\n{0} (QWS 00001).....	357
22.2	Server name and certificate name does not match (QWS 00002).....	357
22.3	HTTPS Certificate Issuer is not trusted (QWS 00003).....	357
22.4	The Web Service URL you provided hasn't been updated. Please contact your administrator or see the Query as a Web Service documentation. (QWS 00004).....	358
22.5	Invalid query specification of XML contents (QWS 00005).....	358
22.6	Unrecognized data type in result object: {0} (QWS 00006).....	358
22.7	You must be logged on to the server (QWS 00007).....	358
22.8	The proxy to the report engine web service is not available. The attempted calls to the web service have not been successful. (QWS 00008).....	359
22.9	Problem during prompt selection (QWS 00009).....	359
22.10	Problem during context selection (QWS 00010).....	359
22.11	Impossible to load the list of data sources (QWS 00011).....	359
22.12	You are not authorized to design or edit a query.\r\nPlease contact your administrator. (QWS 02718).....	360
<b>Chapter 23</b>	<b>Explorer (PS) Error Messages.....</b>	<b>361</b>
23.1	PS 10001 - PS 15010.....	361
23.1.1	The system cannot log you on. (PS 10001).....	361
23.1.2	The system cannot log you on due to an invalid token. (PS 10002).....	361
23.1.3	The system cannot not log you on due to missing logon credentials. (PS 10003).....	362
23.1.4	The Explorer web application was not able to retrieve an Explorer service from the received web client request. (PS 10004).....	362
23.1.5	Your user profile does not allow you to perform that request. (PS 10005).....	362

23.1.6	Explorer was not able to retrieve a service. (PS 10006).....	362
23.1.7	Explorer was not able to initialize the service locator. (PS 10007).....	363
23.1.8	Explorer was not able to retrieve its configuration. (PS 10008).....	363
23.1.9	An error occurred during logon. (PS 15002).....	363
23.1.10	The string property '{0}' is missing in the SSO configuration file. (PS 15003).....	363
23.1.11	The boolean property '{0}' is missing in the SSO configuration file. (PS 15004).....	363
23.1.12	The list property '{0}' is missing in the SSO configuration file. (PS 15005).....	364
23.1.13	No credential can be found to log you on. (PS 15006).....	364
23.2	PS 20000 - PS 20015.....	364
23.2.1	The data source file was not found. (PS 20001).....	364
23.2.2	An error occurred while reading the Universe. (PS 20002).....	364
23.2.3	There was an error while retrieving the universes from the CMS (Central Management Server). (PS 20003).....	365
23.2.4	The Information Space was not found. (PS 20004).....	365
23.2.5	It is not possible to read the information space properties. (PS 20005).....	365
23.2.6	It is not possible to retrieve the Information Spaces and display them in the Home tab. (PS 20006).....	365
23.2.7	It is not possible to start indexing. (PS 20007).....	366
23.2.8	It is not possible to acquire a lock on the requested resource. (PS 20008).....	366
23.2.9	It is not possible to release the lock on the requested resource. (PS 20009).....	366
23.2.10	A server error occurred during logoff. (PS 20010).....	366
23.2.11	An error occurred on the server while scheduling an indexing task. (PS 20011).....	367
23.2.12	An error occurred on the server while retrieving the user profile. (PS 20012).....	367
23.2.13	A server error occurred while canceling an indexing task. (PS 20013).....	367
23.3	PS 30000 - PS 30020.....	367
23.3.1	The Information Space Name must not be empty. (PS 30001).....	367
23.3.2	An Information Space with the same Name already exists. (PS 30002).....	368
23.3.3	Unable to access the repository. (PS 30003).....	368
23.3.4	It is not possible to create an information space without a dimension or a measure. (PS 30004).....	368
23.3.5	Password confirmation of the Information Space scheduling failed. (PS 30005).....	368
23.3.6	While testing the objects, the query returns more than one record set. (PS 30006).....	369
23.3.7	While testing the objects the query has generated a Web Intelligence Report Engine exception. (PS 30007).....	369
23.3.8	A problem occurred while retrieving the public and favorite CMS (Central Management Server) folders. (PS 30008).....	369
23.3.9	A problem occurred while retrieving the Information Space list. (PS 30009).....	369
23.3.10	A problem occurred while retrieving the Information Space scheduling details. (PS 30010).....	370
23.3.11	You do not have sufficient rights to save an information space under the specified folder. (PS 30011).....	370
23.3.12	It is not possible to use the following objects, prompts are not supported. (PS 30012).....	370
23.3.13	A context must be selected before continuing. (PS 30013).....	370

23.3.14	You do not have sufficient rights to delete an information space in the specified folder. (PS 30015).....	371
23.3.15	You do not have sufficient rights to delete this information space. (PS 30016).....	371
23.3.16	It is not possible to use this spreadsheet. (PS 30017).....	371
23.3.17	It is not possible to use this spreadsheet as it has no dimensions. (PS 30019).....	371
23.4	PS 40000 - PS 40010.....	372
23.4.1	The search failed. (PS 40001).....	372
23.4.2	It is not possible to load the latest version of the search index. (PS 40002).....	372
23.4.3	Unable to execute the search, there are too many matching results. (PS 40003).....	372
23.5	PS 50000 - PS 50310.....	372
23.5.1	It is not possible to retrieve more values. (PS 50001).....	373
23.5.2	It is not possible to generate the chart. (PS 50002).....	373
23.5.3	It is not possible to retrieve the measures list. (PS 50003).....	373
23.5.4	It is not possible to retrieve the facets within the Explore tab. (PS 50004).....	373
23.5.5	It is not possible to retrieve the data table values. (PS 50005).....	373
23.5.6	It is not possible to begin exploration of the information space. (PS 50006).....	374
23.5.7	It is not possible to load the latest version of the Information Space navigation index. (PS 50007).....	374
23.5.8	It is not possible to stop exploration of the Information Space. (PS 50008).....	374
23.5.9	Unable to execute the search, there are too many matching results. (PS 50009).....	374
23.5.10	Unable to execute the search, there are too many matching results. (PS 50010).....	375
23.5.11	Unable to start exploring that Information Space since it does not contain any data. (PS 50011).....	375
23.5.12	Server error occurred while trying to perform an export request. (PS 50100).....	375
23.5.13	Server error occurred while trying to retrieve an export result. (PS 50101).....	375
23.5.14	Server error occurred while trying to cancel an export task: no task identifier provided in request. (PS 50102).....	376
23.5.15	The export format is not recognized by the server. (PS 50103).....	376
23.5.16	The destination in the export request is not recognized by the server. (PS 50104).....	376
23.5.17	The export format and the destination specified are not compatible. (PS 50105).....	376
23.5.18	A server error occurred while interacting with the data provider. (PS 50106).....	377
23.5.19	Some data received by the export engine is either illegal or not supported, or the request does not follow expected syntax. (PS 50107).....	377
23.5.20	A server error occurred while interacting with the data provider. (PS 50108).....	377
23.5.21	The current data set is too large for this export. (PS 50109).....	377
23.5.22	Server error occurred while processing the prompt input. (PS 50200).....	378
23.5.23	Server error occurred while analyzing the prompt. (PS 50201).....	378
23.5.24	Server error occurred while submitting the prompt inputs. (PS 50202).....	378
23.5.25	Some prompt inputs are missing. (PS 50203).....	378
23.5.26	A prompt input is invalid. (PS 50204).....	378
23.5.27	Server error occurred while saving the prompt inputs. (PS 50205).....	379
23.5.28	The selected objects are not compatible. (PS 50206).....	379

23.5.29	Failed to load the Information Space. (PS 50300).....	379
23.5.30	Failed to load the Information Space index. (PS 50301).....	379
23.5.31	Failed to initialize the data provider session. (PS 50302).....	380
23.5.32	The Information Space is based on a data source that does not exist. (PS 50303).....	380
23.5.33	The Information Space doesn't contain any facets. (PS 50304).....	380
23.5.34	The Information Space doesn't contain any data. (PS 50305).....	380
23.5.35	Failed to apply the object level security. (PS 50306).....	381
23.5.36	Failed to apply the personalization settings. (PS 50307).....	381
23.5.37	A request to the underlying data access layer failed. (PS 50308).....	381
23.6	PS 60000 - PS 60310.....	381
23.6.1	The method called is not supported for this endpoint. (PS 60001).....	381
23.6.2	The method called requires a token. (PS 60002).....	382
23.6.3	The web application encountered an error while parsing the response.. (PS 60003).....	382
23.6.4	The endpoint called does not exist. (PS 60004).....	382
23.6.5	The request has caused a parsing issue. (PS 60101).....	382
23.6.6	There are missing parameters within the request. (PS 60102).....	383
23.6.7	The request is incorrectly formed. (PS 60103).....	383
23.6.8	Error while creating or updating the information space datachunk. (PS 60201).....	383
23.6.9	Error during Openspace. The indexing of the Information Space failed. (PS 60301).....	383
<b>Chapter 24</b>	<b>Report Conversion Tool (RCT) Error Messages.....</b>	<b>385</b>
24.1	Unknown error (RCT 00001).....	385
24.2	user canceled the conversion (RCT 00011).....	385
24.3	An error occurred while trying to start the conversion server. (RCT 00013).....	385
24.4	Publish failed (RCT 00014).....	386
24.5	The Source server is not found or the server may be down. (RCT 00016).....	386
24.6	The Destination server is not found or the server may be down. (RCT 00017).....	386
24.7	Source User name is invalid. (RCT 00018).....	386
24.8	Destination User name is invalid. (RCT 00019).....	387
24.9	Source Password is invalid. (RCT 00020).....	387
24.10	Destination Password is invalid. (RCT 00021).....	387
24.11	Incorrect login or password or port at Source. (RCT 00022).....	387
24.12	Incorrect login or password or port at Destination. (RCT 00023).....	387
24.13	Invalid Source (RCT 00024).....	388
24.14	Invalid Destination (RCT 00025).....	388
24.15	Choose a connection to continue with audit or deselect the checkbox. (RCT 00026).....	388
24.16	Unable to open file from (RCT 00027).....	388
24.17	File not found. Verify the file name. (RCT 00028).....	389
24.18	Invalid file name. (RCT 00029).....	389
24.19	Invalid roc file. Please select a valid roc file. (RCT 00030).....	389
24.20	Invalid file. (File corrupted?) Please select a valid roc file. (RCT 00031).....	389

24.21	Invalid File name. (RCT 00032).....	390
<b>Chapter 25</b>	<b>RESTful Web Services (RWS) Error Messages .....</b>	<b>391</b>
25.1	RWS 00002 - RWS 00010.....	391
25.1.1	General server error. (RWS 00002).....	391
25.1.2	Client input error. (RWS 00003).....	391
25.1.3	Forbidden (RWS 00004).....	392
25.1.4	Not Found (RWS 00005).....	392
25.1.5	Unable to create service. See server logs for details. (RWS 00006).....	392
25.1.6	Unknown error occurred while invoking service. See server logs for details. (RWS 00007).....	392
25.1.7	The HTTP header does not contain the X-SAP-LogonToken attribute. (RWS 00008).....	393
25.1.8	Resource not found: {0} (RWS 00009).....	393
25.1.9	Resource not supported for the requested object. (RWS 00010).....	393
25.2	RWS 000011 - RWS 000026.....	393
25.2.1	Invalid session token timeout value: {0}. (RWS 000011).....	393
25.2.2	Info object with ID {0} not found. (RWS 000012).....	394
25.2.3	Duplicate Object (RWS 000013).....	394
25.2.4	No relationship named {0}. (RWS 000015).....	394
25.2.5	The server session is not available from the PJS service bean. (RWS 000016).....	394
25.2.6	Encode failure. (RWS 000017).....	395
25.2.7	{0} is NULL. (RWS 000018).....	395
25.2.8	Illegal Argument: {0} (RWS 000019).....	395
25.2.9	Cannot serialize value of type {0}. (RWS 000020).....	395
25.2.10	Unterminated string. (RWS 000021).....	396
25.2.11	Malformed date: {0}. (RWS 000022).....	396
25.2.12	Malformed time: {0}. (RWS 000023).....	396
25.2.13	Malformed datetime: {0}. (RWS 000024).....	396
25.2.14	Cannot deserialize value of type {0}. (RWS 000025).....	397
25.2.15	Cannot get the attribute name. The name is either null or empty. (RWS 000026).....	397
25.3	RWS 000031 - RWS 000051.....	397
25.3.1	Model error. (RWS 000031).....	397
25.3.2	No setter. (RWS 000032).....	398
25.3.3	Getter must not have parameters: {0}. (RWS 000033).....	398
25.3.4	Setter must have exactly one parameter: {0}. (RWS 000034).....	398
25.3.5	Setter {0} is not of the same type as getter {1}. (RWS 000035).....	398
25.3.6	source: {0} + destination: {1}. (RWS 000036).....	399
25.3.7	Reference equality is not implemented. (RWS 000037).....	399
25.3.8	This use in hash-based collections is not implemented. (RWS 000038).....	399
25.3.9	Class {0} is not a model class. (RWS 000039).....	399
25.3.10	property '{0}' cannot bind to two fields: {1}, and {2}. (RWS 000040).....	400
25.3.11	Attribute '{0}' cannot bind to two get (or set) methods: {1}, and {2}. (RWS 000041).....	400

25.3.12	Model contains at least 1 write-only attribute. name: {0}, method: {1}. (RWS 000042).....	400
25.3.13	No accessible constructor without parameters for class {0}. (RWS 000043).....	400
25.3.14	{0} object is null for composition property {1}. (RWS 000044).....	401
25.3.15	Couldn't inject property '{0}' to field {1} of type {2}. (RWS 000045).....	401
25.3.16	Property name already exists: {0} (RWS 000046).....	401
25.3.17	GUID must not contain the path separator '/' (RWS 000047).....	401
25.3.18	No type for class {0} (RWS 000048).....	402
25.3.19	Empty filter. (RWS 000049).....	402
25.3.20	Filter may not use '{0}' in conjunction with any other filter strings. (RWS 000050).....	402
25.3.21	A duplicate {0} instance was created. (RWS 000051).....	403
25.4	RWS 00052 - RWS 00075.....	403
25.4.1	Bad request. (RWS 00052).....	403
25.4.2	Unauthorized (RWS 00053).....	403
25.4.3	Payment required. (RWS 00054).....	403
25.4.4	Forbidden (RWS 00055).....	404
25.4.5	Not found. (RWS 00056).....	404
25.4.6	Method not allowed (RWS 00057).....	404
25.4.7	Not acceptable, (RWS 00058).....	404
25.4.8	Proxy authentication required. (RWS 00059).....	405
25.4.9	Request timeout. (RWS 00060).....	405
25.4.10	Conflict (RWS 00061).....	405
25.4.11	Gone (RWS 00062).....	405
25.4.12	Length required. (RWS 00063).....	406
25.4.13	Length required. (RWS 00063).....	406
25.4.14	Precondition failed. (RWS 00064).....	406
25.4.15	Request entity too large. (RWS 00065).....	406
25.4.16	Request-URI too long. (RWS 00066).....	407
25.4.17	Unsupported media type. (RWS 00067).....	407
25.4.18	Requested range not satisfiable. (RWS 00068).....	407
25.4.19	Expectation failed. (RWS 00069).....	407
25.4.20	Internal server error. (RWS 00070).....	408
25.4.21	Not implemented. (RWS 00071).....	408
25.4.22	Bad gateway. (RWS 00072).....	408
25.4.23	Service unavailable. (RWS 00073).....	408
25.4.24	Gateway timeout. (RWS 00074).....	409
25.4.25	HTTP version not supported. (RWS 00075).....	409
25.5	RWS 000076 - RWS 000079.....	409
25.5.1	Logon may not proceed because a session is already associated with this request. (RWS 000076).....	409
25.5.2	The authentication scheme you have chosen is currently not supported. (RWS 000077).....	410
25.5.3	The credentials could not be decoded. (RWS 000078).....	410

25.5.4	Please validate your input. (RWS 000079).....	410
<b>Chapter 26</b>	<b>Translation tool error messages (TMT and UTM).....</b>	<b>411</b>
26.1	Translation management tool (TMT) Errors.....	411
26.1.1	Object type is not translatable (TMT10000).....	411
26.1.2	No translation plugin is defined for the type "{0}" (TMT10010).....	411
26.1.3	Cannot load the translation plugin for the type "{0}" (TMT10020).....	412
26.1.4	"{0}" is a read-only object (TMT10030).....	412
26.1.5	Unexpected I/O exception (TMT10040).....	412
26.1.6	You do not have rights to translate "{0}" (TMT10050).....	412
26.1.7	Invalid User Rights (TMT 20050).....	412
26.1.8	You are not authorized to use this document. \n\nThe document belongs to another CMS. You cannot open it unless you are connected to the same CMS from which it was imported. (TMT 20070).....	413
26.2	Translation management tool (UTM) Errors .....	413
26.2.1	Invalid PropertyInfo: {0}\n\nThe label 'PropertyInfo' should not be null (UTM 20001).....	413
26.2.2	Invalid Locale: Locale is null (UTM 20010).....	413
26.2.3	Invalid Root: Root entity is null (UTM 20020).....	414
26.2.4	Invalid Document: Document is null (UTM 20030).....	414
26.2.5	Invalid EntityInfo: EntityInfo is null (UTM 20040).....	414
26.2.6	Invalid User Rights (UTM 20050).....	414
26.2.7	Invalid Document version:\n\nThis document might have been generated by an old version of Universe Designer.\n\nMigrate the universe by opening and saving it using XI 3.0 or XI 3.1 Designer. (UTM 20060).....	415
26.2.8	You are not authorized to use this document. \n\nThe document belongs to another CMS. You cannot open it unless you are connected to the same CMS from which it was imported. (UTM 20070).....	415
<b>Chapter 27</b>	<b>Universe Error Messages.....</b>	<b>417</b>
27.1	Universe Management (UNM) Error Messages.....	417
27.1.1	May be inconsistent. (UNM0001).....	417
27.1.2	Bad number format (UNM0002).....	418
27.1.3	Missing quote "'...' (UNM0003).....	418
27.1.4	Missing double quote "'...' (UNM0004).....	418
27.1.5	Missing closing bracket {...} (UNM0005).....	418
27.1.6	Missing opening parenthesis after function name (UNM0006).....	418
27.1.7	Missing closing parenthesis (UNM0007).....	419
27.1.8	Missing parameters (UNM0008).....	419
27.1.9	Wrong number of parameters (UNM0009).....	419
27.1.10	Bad character (UNM0010).....	419
27.1.11	Bad indent (UNM0011).....	420

27.1.12	Incompatible operand (UNM0012).....	420
27.1.13	Looping in variable definition (UNM0013).....	420
27.1.14	Returns type incompatible with the user object type. (UNM0014).....	420
27.1.15	Syntax error (UNM0015).....	421
27.1.16	Cannot create two user objects with the same name. (UNM0016).....	421
27.2	Universe (UNV) Error Messages.....	421
27.2.1	The server is not responding. (UNV0017).....	421
27.2.2	The server is not responding (UNV0018).....	422
27.2.3	This alias name is used for a table. (UNV0031).....	422
27.2.4	Associated table does not exist. (UNV0032).....	422
27.2.5	This object already exists. (UNV0035).....	422
27.2.6	Strategy connection not found. (UNV0049).....	423
<b>Chapter 28</b>	<b>Upgrade management tool (UMT) Error Messages.....</b>	<b>425</b>
28.1	UMT 00001.....	425
28.1.1	The new language you have selected will not take effect until you have restarted upgrade management tool. (UMT 00001).....	425
28.2	UMT 00301-00304.....	425
28.2.1	As part of the upgrade process for this object, another object, titled "{0}", of kind "{1}", has been created. (UMT 00301).....	426
28.2.2	This object is created as part of the upgrade process for another object titled "{0}", of kind "{1}". (UMT 00302).....	426
28.2.3	This object will not be committed during the upgrade. This behavior is by design, and is not an error. (UMT 00303).....	426
28.2.4	As part of the upgrade process for this object, another object, titled "{0}", of kind "{1}", has been excluded from being committed. This is not an error. (UMT 00304).....	426
28.3	UMT 10001-10006.....	427
28.3.1	You must be an administrator in order to change parameters. (UMT 10001).....	427
28.3.2	A warning occurred. No further details are available. (UMT 10002).....	427
28.3.3	File "{0}" not found. Please verify that the correct file name was given. (UMT 10003).....	427
28.3.4	This object is excluded from being committed. This is part of the upgrade process, and is not an error. (UMT 10004).....	427
28.3.5	This object is excluded from being committed as part of the upgrade process for another object titled "{0}", of kind "{1}". This is not an error. (UMT 10005).....	428
28.3.6	For users and groups mapped in via third-party authentication, the name (not the CUID) is used to detect whether the user or group already exists at the destination. (UMT 10006).....	428
28.4	UMT 10101-10105.....	428
28.4.1	You have logged on to the source CMS as a user that is not a system administrator. You will not be able to export objects which you have no access to. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10101).....	428
28.4.2	You have logged on to the destination CMS as a user that is not a system administrator. Certain objects may fail to commit due to security rights. (UMT 10102).....	429

28.4.3	You have logged on to both the source and the destination CMSes as users that are not system administrators. You will not be able to export or commit objects which you have no access to. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10103).....	429
28.4.4	You have logged on to the source XI Release 2 CMS as a user that is not the system administrator. You will not be able to export objects which you have no access to. Also, users' passwords will not be exported. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10104).....	429
28.4.5	You have logged on to both the source and the destination CMSes as users that are not system administrators. You will not be able to export or commit objects which you have no access to. Also, users' passwords will not be exported. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10105).....	430
28.5	UMT 20001-20016.....	430
28.5.1	Object ID not recognized: {0} (UMT 20001).....	430
28.5.2	An error has occurred. No further details are available. (UMT 20002).....	430
28.5.3	Failed to apply upgrade management tool application plugin changes. The error is: {0} (UMT 20003).....	431
28.5.4	An unexpected error has occurred. (UMT 20004).....	431
28.5.5	An unexpected error of type "{0}" has occurred. (UMT 20005).....	431
28.5.6	Unable to retrieve the object with CUID "{0}" from object manager. (UMT 20006).....	431
28.5.7	Unable to retrieve the CUID of "{0}". The error is: {1} (UMT 20007).....	432
28.5.8	Insufficient right to retrieve the upgrade management tool application object. Please log on with a user who has View right on the upgrade management tool application object. (UMT 20008).....	432
28.5.9	Internal inconsistencies detected among upgrade management tool collaterals. Object: "{0}", property: "{1}", unexpected value: "{2}". (UMT 20009).....	432
28.5.10	Internal inconsistencies detected among plugins associated with upgrade management tool. The prompt name "{0}" is used by at least plugins "{1}" and "{2}". (UMT 20010).....	432
28.5.11	Internal inconsistencies detected among plugins associated with upgrade management tool. The prompt name "{0}" from plugin "{1}" contains one or more invalid characters. (UMT 20011).....	433
28.5.12	Version check failed. The source system or source BIAR file must be of an older version. The destination system must be of the current version. (UMT 20012).....	433
28.5.13	Version check failed. Source system must be of the current version. (UMT 20013).....	433
28.5.14	Version check failed. The source system's version must be XI Release 2 or later. (UMT 20014).....	433
28.5.15	Failed to open Help in browser. (UMT 20015).....	434
28.5.16	Upgrade management tool is currently not configured to work with WinAD. Please refer to the Upgrade Guide on how to properly set up WinAD authentication. (UMT 20016).....	434
28.6	UMT 20106-20112.....	434
28.6.1	To perform Complete Upgrade, you have to log on to the source CMS as a system administrator. (UMT 20106).....	434
28.6.2	To perform a Complete Upgrade, you have to log onto the destination CMS as a system administrator. (UMT 20107).....	435
28.6.3	To perform Complete Upgrade, you must log on to the source XI Release 2 CMS as the system administrator. (UMT 20108).....	435

28.6.4	No source input File Repository Servers are available. Please check your source system, and ensure the FRS servers are running. (UMT 20109).....	435
28.6.5	No source output File Repository Servers are available. Please check your source system, and ensure the FRS servers are running. (UMT 20110).....	435
28.6.6	No destination input File Repository Servers are available. Please check your destination system, and ensure the FRS servers are running. (UMT 20111).....	436
28.6.7	No destination output File Repository Servers are available. Please check your destination system, and ensure the FRS servers are running. (UMT 20112).....	436
28.7	UMT 20201-20215.....	436
28.7.1	Invalid upgrade mode detected. Refer to the documentation for a list of acceptable modes. (UMT 20201).....	436
28.7.2	Source system name cannot be empty. (UMT 20202).....	436
28.7.3	Source system user name cannot be empty. (UMT 20203).....	437
28.7.4	Source system authentication cannot be empty. (UMT 20204).....	437
28.7.5	Destination CMS name cannot be empty. (UMT 20205).....	437
28.7.6	Destination user name cannot be empty. (UMT 20206).....	437
28.7.7	Destination authentication type cannot be empty. (UMT 20207).....	438
28.7.8	BIAR file path cannot be empty. (UMT 20208).....	438
28.7.9	Cannot find the directory specified in the BIAR file path. Please verify the path. (UMT 20209).....	438
28.7.10	The BIAR file path is invalid. Please verify the path. (UMT 20210).....	438
28.7.11	Cannot find the specified BIAR file. Please check the file path. (UMT 20211).....	438
28.7.12	Log file path cannot be empty. (UMT 20212).....	439
28.7.13	The log file path is invalid. Please verify the path. (UMT 20213).....	439
28.7.14	The prompt "{0}" is invalid. Please refer to the documentation for a list of acceptable prompts. (UMT 20214).....	439
28.7.15	Cannot find the directory specified in log file path. Please verify the path. (UMT 20215).....	439
<b>Chapter 29</b>	<b>Web Intelligence Error Messages.....</b>	<b>441</b>
29.1	Web Intelligence (WIJ) Error Messages.....	441
29.1.1	You need to use the Formula Editor to create a formula. (Error: WIJ 10000) .....	441
29.1.2	You cannot create a variable that has the same name as an existing document object. Give the new variable a different name. (Error: WIJ 10001).....	442
29.1.3	You cannot position this report component in relation to a block, cell, or section that is positioned relative to this report component. Select a different block, cell or section in the dropdown list or unselect the Relative To option. (WIJ 10500).....	442
29.1.4	Web Intelligence requires the Java Runtime Environment (JRE) 1.4.2_01. The currently installed JRE is {0}. Contact your administrator to upgrade to 1.4.2_01 or select the [default VM] entry in the [Java Plug-in Control Panel], if you already have the required version installed. (WIJ 11111).....	442
29.1.5	An error occurred while the document was being decoded. Try to open the document in the BI Launch Pad, or contact your administrator for further information. ( WIJ 20000).....	443
29.1.6	An unexpected problem occurred when during document refresh and open. The data source has been modified or deleted, or a prompt on the document has no value selected. (WIJ 20001).....	443

29.1.7	Unexpected error. If you cannot reconnect to the server, close your session and start again. (WIJ 20002).....	443
29.1.8	Unable to get the first page of the current report. \nCheck the validity of your report. (ERR WIJ 20003).....	444
29.1.9	The current query contains unresolvable objects. The query will be updated (WIJ 20004).....	444
29.1.10	The current request has returned corrupted data. Contact your administrator for further information ( WIJ 20005).....	444
29.1.11	Unable to contact the application server. Contact your administrator for further information (WIJ 20010).....	445
29.1.12	The {0,number} MB report element you want to copy is too large to be exported to an external application. \nThe maximum allowed size is {1,number} MB. (Error: WIJ 30004).....	445
29.1.13	Your user profile does not give you access to a document domain to save corporate documents. Save this document as a personal document or contact your administrator (ERR WIJ 40000)..	445
29.1.14	The query in this document is empty. Check that the Result Objects pane on the query tab includes objects before running the query (ERR WIJ 30000).....	445
29.1.15	At least one query in this document is empty. Check that the Result Objects pane on each query tab includes objects before running the queries (ERR WIJ 30001).....	446
29.1.16	Out of memory. Reduce the browser window size or re-launch the report panel. (WIJ 30003)..	446
29.1.17	Your user profile does not allow you to save personal or corporate documents. Contact your administrator for further details. (WIJ 40001).....	446
29.1.18	Your version of Web Intelligence Rich Client is not up-to-date to connect to this system (ERR WIJ 50003). You must upgrade your Web Intelligence Rich Client by clicking <a href="{0}">here</a>.....	446
29.1.19	The information sent to the server contains invalid character(s). Use the Undo button to cancel the latest changes to the document and then retry. (Error: WIJ 55555).....	447
29.1.20	The session timed out. The document {document_name}.wid has been autosaved in the Favorites\~InteractiveAnalysis folder. Click Restore to retrieve it. (WIJ 60001).....	447
29.1.21	The session timed out, but the document could not be autosaved because the following security rights are not assigned (WIJ 60002): {list_of_rights}.....	447
29.1.22	The document cannot be retrieved due to a server problem (WIJ 77777).....	448
29.1.23	The Central Management System is not functioning. Contact your administrator for further information. (WIJ 77779).....	448
29.1.24	Your session timed out. Please close the Java interface and log on again. (WIJ 77778).....	448
29.2	Web Intelligence Desktop (WIO) Error Messages.....	448
29.2.1	Web Intelligence Desktop cannot log in. (WIO 00001) .....	449
29.2.2	Cannot open the hyperlink (WIO 00002).....	449
29.2.3	There is no more memory available. (WIS 30280) (WIO 30280).....	449
29.2.4	Cannot continue because memory is low. Please close documents to free memory. (WIO 30284).....	450
29.3	Web Intelligence Server (WIS) Error Messages.....	450
29.3.1	The query in this document is empty. (WIS 30000) .....	450
29.3.2	At least one query in the document is empty. (WIS 30001) .....	450
29.3.3	Your security profile does not include permission to edit queries. (WIS 30251) .....	451
29.3.4	Your security profile does not include permission to edit documents. (WIS 30252) .....	451

29.3.5	Your security profile does not include permission to refresh documents. (WIS 30253) .....	451
29.3.6	Your security profile does not include permission to refresh lists of values. (WIS 30254) .....	451
29.3.7	Your security profile does not include permission to use lists of values. (WIS 30255) .....	452
29.3.8	Your security profile does not include permission to view the script generated by the query. (WIS 30256) .....	452
29.3.9	Your security profile does not include permission to use the formula language. (WIS 30257) .....	452
29.3.10	Your security profile does not include permission to perform drill analysis. (WIS 30258) .....	452
29.3.11	Your security profile does not include permission to extend the scope of analysis. (WIS 30259) .....	453
29.3.12	An internal error occurred while calling the {api_name} API. (WIS 30270) .....	453
29.3.13	The document is too large to be processed by the server. (WIS 30271) .....	453
29.3.14	The document is too large to be processed by the server. (WIS 30272) .....	453
29.3.15	The query or report could not be generated.(WIS 30351) .....	454
29.3.16	A query with this name already exists. (WIS 30371) .....	454
29.3.17	The Web Intelligence server memory is full. Log off and try to connect later. If the problem persists, contact your administrator. (Error: ERR_WIS_30280) (WIS 30280).....	454
29.3.18	The Web Intelligence server is busy. Save any pending change and try again later. If the problem persists, contact your administrator. (Error: ERR_WIS_30284) (WIS 30284).....	455
29.3.19	The Web Intelligence server is running out of memory, your document has been closed. If the problem persists, contact your administrator. (Error: ERR_WIS_30285) (WIS 30285).....	455
29.3.20	You cannot edit this document because the query property option "Allow other users to edit the query" was not enabled when the document was created. (WIS 30381) .....	455
29.3.21	An internal error has been generated by the WIQT. (WIS 30551) .....	455
29.3.22	Your WIQT session has reached timeout. Log out and log in again to the BI launch pad. (WIS 30553) .....	456
29.3.23	No more WIQT servers are available. The maximum number of concurrent users is already logged in. (WIS 30554) .....	456
29.3.24	Your security profile does not include permission to save documents as corporate documents or to send documents using the BI launch pad. (WIS 30555) .....	456
29.3.25	A corporate document with this name already exists. Your security profile does not include permission to delete corporate documents created by other users. (WIS 30556) .....	457
29.3.26	There is no document with this name in the repository. Specify a different document name. (WIS 30557) .....	457
29.3.27	Cannot perform the intended action on this document. (WIS 30650) .....	457
29.3.28	The server failed to load the XML document. (WIS 30751) .....	458
29.3.29	The XML file for this document cannot be opened. Contact your administrator. (WIS 30752) .....	458
29.3.30	An error occurred while parsing the XML document. Contact your administrator. (WIS 30753) .....	458
29.3.31	The Web Intelligence 2.x document could not be migrated. (WIS 30761) .....	459
29.3.32	This document cannot be migrated. The query and report of the original Web Intelligence 2.x document are not synchronized. Try to refresh and save the original document; then attempt migration again. (WIS 30762) .....	459

29.3.33	The Web Intelligence 2.x document could not be migrated, because the WIQT module returned an error. Contact your administrator. (WIS 30763) .....	459
29.3.34	Your user profile does not provide you with access to a document domain to save corporate documents. Save this document as a personal document or contact your administrator. (WIS 40000) .....	460
29.4	Web Intelligence Desktop HTML Interface (WIH) Error Messages.....	460
29.4.1	The document could not be saved. (WIH 00014).....	460
29.4.2	The session timed out. The document {document_name}.wid has been autosaved in the Favorites\~WebIntelligence folder. Click Restore to retrieve it. (WIH 00015).....	461
29.4.3	The session timed out, but the document could not be autosaved because the following security rights are not assigned (WIH 00016): {list_of_rights}.....	461
29.5	ReportEngine Web Intelligence (RWI) Error Messages .....	461
29.5.1	RWI 00000 - RWI 00314.....	462
29.5.2	RWI 00315 - RWI 00605.....	467
29.5.3	RWI 00606 - RWI 00850.....	472
29.6	Custom Data Source (CDS) Framework Error Messages.....	476
29.6.1	Custom Data Source User Interface Framework error messages.....	476
29.6.2	Web Services Custom Data Source Plugin error messages.....	479
29.6.3	Custom Data Source Framework error messages.....	482
<b>Chapter 30</b>	<b>HTTP errors.....</b>	<b>489</b>
30.1	Troubleshooting HTTP 404 errors.....	489
30.2	Resolving HTTP 500 errors.....	489
<b>Chapter 31</b>	<b>Dashboards error messages.....</b>	<b>491</b>
31.1	DSL initialization failed. (XLS 000001).....	491
31.2	Could not find DSL services; Check your SAP BusinessObjects installation. (XLS 000002).....	491
31.3	Could not connect to SAP BusinessObjects server; Check your network connection. (XLS 000003).....	491
31.4	Failed to (de-)serialize data. (XLS 000004).....	491
31.5	Failed to serialize exception: {0}. (XLS 000005).....	492
31.6	Datasource ({0} - {1}) not found. (XLS 000006).....	492
31.7	Could not load Dashboards DSL library. (XLS 000007).....	492
31.8	Could not load session. (XLS 000008).....	492
31.9	Request processing failed. (XLS 000009).....	493
31.10	Cannot find {0} infoobject: {1}. Please verify that it exists and that you have rights on it. (XLS 000010).....	493
31.11	Cannot find data connection information for universe: {0} (XLS 000011).....	493
31.12	Unknown server error. Please try again later. (XLS 000012).....	493
31.13	Invalid Dashboards Server configuration property: {0}. (XLS 000013).....	493
31.14	Cannot find or load Dashboards Server configuration file. (XLS 000014).....	494

31.15	Your query generated multiple SQL statements, which is not supported. Please modify your query. (XLS 000015).....	494
31.16	Combined Query is not supported. (XLS 000016).....	494
31.17	The cache file path is invalid. (XLS 000017).....	494
31.18	Failed to initialize Dashboards Processing Server. (XLS 000018).....	495
31.19	Current user does not have right: {0} on object: {1} (XLS 000019).....	495
31.20	Could not connect to the server. Log on and try again. (XLW 000001).....	495
31.21	Could not communicate with the server. Try again. If the problem persists, contact your system administrator or technical support. (XLW 000002).....	495
<b>Chapter 32</b>	<b>Platform Search Error Messages.....</b>	<b>497</b>
32.1	New document extraction version has not been implemented. Contact your system administrator.(PSS 00002).....	497
32.2	Extraction failed due to unknown reasons for {0}. Contact your system administrator. (PSS 00003).....	497
32.3	While extracting the object with SI_ID {0}, an Out of Memory Error occurred. Please check the document size.(PSS 00004).....	498
32.4	Indexing failed because more than one index engine has been enabled (PSS 01001).....	498
32.5	Indexing failed. All index engines may be disabled (PSS 01002).....	498
32.6	Index is not ready. Please try again later (PSS 01004).....	498
32.7	The string is too generic. Provide a more specific string.(PSS 02001).....	499
32.8	Search string is empty. Enter a valid search string (PSS 02003).....	499
32.9	Search string is invalid. Please refer to the documentation for information about supported search syntax (PSS 02004).....	499
32.10	Server is busy. Please try again later (PSS 02005).....	499
32.11	Summary extraction failed for {0}.(PSS 03002) .....	500
32.12	Content extraction failed for {0}.(PSS 03004) .....	500
32.13	Unable to extract the object with SI_ID {0} because the document may be a PPT with empty comments, password protected, or may have content that is not extractable.(PSS 03007) ..	500
32.14	Unable to extract the object with SI_ID {0} because the PDF may have content that is not extractable.(PSS 03008) .....	501
32.15	Unable to extract the object with SI_ID {0} because the document may have content that is not extractable, or may be too large.(PSS 03009) .....	501
32.16	RASFactory service failed to return. (PSS 04001).....	501
32.17	Unsupported InfoObject {0} has been passed on to Crystal Reports extraction.(PSS 04003).....	501
32.18	Failed to close Crystal report {0}.(PSS 04005) .....	502
32.19	RAS has failed to open the document {0}.(PSS 04006).....	502
32.20	Failed to create context for universe with an exception: {0}.(PSS 05001).....	502
32.21	Failed to retrieve DataSourceElement value. Ensure DataSourceName is created and the connection is available.(PSS 05002) .....	502
32.22	Unable to create Business Layer for universe {0}. This may be due to context failure or unavailable core services.(PSS 05003) .....	503

32.23	Interactive analysis processing server may be down. Unable to create document instance.(PSS 06002).....	503
32.24	The new document extraction version is not implemented. Contact your system administrator.(PSS 06004) .....	503
32.25	Failed to close interactive analysis document {0}.(PSS 06005) .....	503
32.26	Interactive analysis processing server has failed to open the document {0}.(PSS 06006).....	504
32.27	Interactive analysis document contains incorrect universe connection information.(PSS 06007).....	504
32.28	Explorer Search Server may be down. Unable to compile results.(PSS 07001).....	504
32.29	Internal error occurred while retrieving Information Spaces.(PSS 07002).....	504
<b>Chapter 33</b>	<b>Monitoring Error Messages.....</b>	<b>505</b>
33.1	An error occurred while running the probe (MON00001) .....	505
33.2	An error occurred while listing the probes (MON00002).....	505
33.3	An error occurred while reading the probe result from file with id: {0} (MON00003).....	505
33.4	An error occurred while retrieving the URLs for Properties/Schedule/History Action (MON00004).....	506
33.5	An error occurred while paginating the probes list (MON00006) .....	506
33.6	{0} is not a valid {1} value (MON00007).....	506
33.7	An exception occurred while executing the request (MON00008).....	506
33.8	An error occurred while retrieving the trend data from the database (MON00009).....	507
33.9	An error occurred while listing the watches (MON00010).....	507
33.10	An error occurred while retrieving the details for the watch {0} (MON00011).....	507
33.11	An error occurred while retrieving the status of the watch {0}. (MON00012).....	507
33.12	An error occurred while creating the watch {0} (MON00013).....	508
33.13	An error occurred while deleting the watch {0} (MON00014).....	508
33.14	An error occurred while making a copy of the watch {0} (MON00015).....	508
33.15	An error occurred while editing the watch {0} (MON00016).....	508
33.16	An error occurred while paginating the watches list (MON00017).....	509
33.17	An error occurred while marking the watch {0} as Favorite (MON00018).....	509
33.18	An error occurred while retrieving recent alerts (MON00019).....	509
33.19	An error occurred while retrieving alerts for the watch {0} (MON00020).....	509
33.20	An error occurred while deleting an alert (MON00021).....	510
33.21	An error occurred while retrieving the total number of alert pages (MON00022).....	510
33.22	An error occurred while retrieving watches with alerts count (MON00023).....	510
33.23	An error occurred while setting alert confirmed property (MON00024).....	510
33.24	An error occurred while setting alert marked as read (MON00025).....	511
33.25	Server not running (MON00026).....	511
33.26	Unknown Error (MON00027).....	511
33.27	An error occurred while retrieving the KPIs (MON00028).....	511
33.28	An error occurred while refreshing the managed entities (MON00029).....	511

33.29	An error occurred while enabling watch (MON00030).....	512
33.30	Timeout value cannot be zero or negative (MON00031) .....	512
33.31	Incorrect timeout value (MON00032) .....	512
33.32	Input Parameter Type "{0}" not recognized (MON00033).....	512
33.33	Incorrect input parameter : {0} (MON00034) .....	513
33.34	Error in getting the Probe InfoObject (MON00035) .....	513
33.35	Probe InfoObject was not found (MON00036) .....	513
33.36	The following argument(s) are missing {0} (MON00037) .....	513
33.37	An error occurred while disabling or enabling the watch {0} (MON00039).....	513
33.38	Monitoring service may not have started yet or might have failed to start. Check the service status (MON00041).....	514
33.39	An exception has occurred while executing the probe (MON00042).....	514
33.40	An exception occurred while formatting the response (MON00044).....	514
33.41	An error occurred while listing the Users (MON00045).....	514
33.42	An error occurred while retrieving the KPI details. (MON00046).....	515
33.43	An error occurred while retrieving synchronized live data (MON00047).....	515
33.44	An error occurred while retrieving the watch state (MON00048).....	515
33.45	An error occurred while retrieving the probe run result report (MON00049) .....	515
33.46	An error occurred while saving the probe (MON00050).....	515
33.47	An error occurred while displaying the properties of the Probe (MON00051) .....	516
33.48	An error occurred while saving the application properties (MON00052).....	516
33.49	An error occurred while displaying the properties of the application (MON00053).....	516
33.50	An error occurred while running the database backup task (MON00054).....	516
33.51	An error occurred while retrieving the details of the Derived metric (MON00055).....	517
33.52	An error occurred while editing the Derived metric (MON00056).....	517
33.53	An error occurred while disabling watch (MON00057).....	517
<b>Appendix A</b>	<b>More Information.....</b>	<b>519</b>
<b>Index</b>		<b>521</b>



## Administration & Security Error Messages

Administration error messages include the following ranges and categories:

- Administration (ADM) Errors
- Administration Wizard (ADW) Error Messages
- BI Platform Servers (FWB) Error Messages
- BIP Framework Middleware (FWM) Error Messages
- Security (USR) Errors

### 1.1 Administration (ADM) Errors

Administration error messages include the following:

Range	Category
ADM0012 - ADM 00208	Administration errors

### 1.2 Administration Wizard (ADW) Error Messages

Administration Wizard error messages include the following:

Range	Category
ADW0002 - ADW0025	Administration Wizard errors

## 1.3 BIP Framework Middleware (FWM) Error Messages

BIP Framework Middleware (FWM) includes the following error message categories:

Range	Category
FWM 00001 - FWM 00009	BIP Framework Middleware (FWM)
FWM 01001 - FWM 01014	BIP Framework Middleware (FWM)
FWM 02001 - FWM 02124	BIP Framework Middleware (FWM)
FWM 04002 - FWM 04038	BIP Framework Middleware (FWM)
FWM 08001 - FWM 08006	BIP Framework Middleware (FWM)
FWM 10001 - FWM 10007	BIP Framework Middleware (FWM)
FWM 12001 - FWM 12013	BIP Framework Middleware (FWM)
FWM 14001 - FWM 14009	BIP Framework Middleware (FWM)
FWM 16001 - FWM 16005	BIP Framework Middleware (FWM)
FWM 17001 - FWM 17003	BIP Framework Middleware (FWM)

### 1.3.1 FWM 00001 - FWM 00009

#### Transport error: Communication failure. (FWM 00001)

##### Cause

The client could not communicate with the server, because the server may be offline, because there is a network communication problem, or because a client request may have timed out.

##### Action

Ensure that the server is online, that there is network communication, and increase the amount of time before requests time out.

**Transport error: Insufficient resources. (FWM 00002)**

**Cause**

The client and server cannot communicate with each other.

**Action**

Ensure both the client and server use SSL or do not use SSL.

**Kerberos target name %1 is unknown. Please contact your system administrator to make sure it's set up properly. (FWM 00003)**

**Cause**

The target account or the Service Principal Name (SPN) is not recognized.

**Action**

Ensure that the target account and target SPN exist.

**Failed to contact the Active Directory server. (FWM 00004)**

**Cause**

The Active Directory Server is unreachable.

**Action**

Find the server name in the logs, and ensure that the server is accessible.

**The Active Directory Authentication plugin could not authenticate at this time. Please try again. If the problem persists, please contact your technical support department. (FWM 00005)**

**Cause**

The Active Directory plugin uses an outdated alias format.

**Action**

Update the Active Directory plugin in the Central Management Console, on the "AD plugin" page.

**Active Directory Authentication failed to log you on. Please contact your system administrator to make sure you are a member of a valid**

mapped group and try again. If you are not a member of the default domain, enter your user name as `UserName@DNS_DomainName`, and then try again. (FWM 00006)

**Cause**

A logon context cannot be created.

**Action**

Ensure that your configuration file entry is valid, and that you have the permissions necessary to create a logon context.

Invalid username or password. If your account is under any root other than %1, you must enter your DN. (FWB 00007) (FWM 00007)

**Cause**

Your username could not be authenticated.

**Action**

Enter a valid username and password.

**Note:**

If your account is on another system, you must enter your distinguished name (DN).

LDAP Authentication has not been configured to use single sign on. Please contact your system administrator. (FWM 00008)

**Cause**

You have not configured Single Sign-On.

**Action**

Configure Single Sign-On.

LDAP Authentication with an empty password is not supported when single sign on is not enabled. (FWM 00009)

**Cause**

You have not entered a password.

**Action**

Enter a valid password.

### **1.3.2 FWM 01001 - FWM 01014**

**A problem occurred while talking to the server {0} (FWM 01001)**

**Cause**

A problem occurred while communicating with the server.

**Action**

See the cause of the problem for more information.

**Unable to reconnect to the CMS {0}. The session has been logged off or has expired. (FWM 01002)**

**Cause**

You have logged off or your session has expired.

**Action**

Log on again.

**Server {0} not found or server may be down (FWM 01003)**

**Cause**

The server cannot be found. It may be offline.

**Action**

Check the port settings of the Central Management Server, and then start and enable the server.

**Unable to open a socket to talk to CMS {0} (FWM 01005)**

**Cause**

Unable to open a socket to communicate with the Central Management Server.

**Action**

Ensure that the Central Management Server is running.

**Unable to connect to service {0} from server {1} via CMS {2} (FWM 01006)**

**Cause**

Unable to connect to the service through the Central Management Server.

**Action**

Log on to the Central Management Console and ensure that the service is running on the appropriate server.

**Unable to list services from server {0} via CMS {1} (FWM 01007)**

**Cause**

Unable to list the services running on the specified server via the specified Central Management Server.

**Action**

Log on to the Central Management Console and ensure that the services are running on the appropriate servers.

**Unable to find servers in CMS {0} and cluster {1} with kind {2} and extra criteria {3}. All such servers could be down or disabled by the administrator. (FWM 01008)**

**Cause**

Unable to find the required servers. They may be offline or disabled.

**Action**

Ensure that all required servers are running and enabled.

**Communication error occurred when trying to connect to server {0} (FWM 01009)**

**Cause**

The indicated communication error occurred while connecting to the server.

**Action**

See the cause of the error for more information.

**The server group {0} not found in CMS {1} (FWM 01010)**

**Cause**

The indicated server group was not found on the Central Management Server.

**Action**

Create the indicated server group.

**Service {0} not found on server {1} (FWM 01011)**

**Cause**

The indicated service cannot be found on the indicated server.

**Action**

Log on to the Central Management Console and ensure that the indicated service is running on the indicated server.

**SSL mode is being requested but the following argument(s) are not present: {0} (FWM 01012)**

**Cause**

The request for SSL mode is missing some arguments.

**Action**

Ensure that all SSL arguments are present in the request.

**SSL mode is being requested. Failure occurred trying to open or read data from the file named {0}. The error message is {1}. (FWM 01013)**

**Cause**

The indicated file could not be opened or read.

**Action**

Ensure that the SSL files exist and that they can be read.

Unable to find servers in CMS {0} and cluster {1} with kind {2} and service {3}. All such servers could be down or disabled by the administrator. (FWM 01014)

**Cause**

Servers with required services cannot be found. They may be offline or disabled by an administrator.

**Action**

Ensure that all required servers are online and enabled, and that their required services are running.

### 1.3.3 FWM 02001 - FWM 02124

{0} (FWM 02001)

**Cause**

The indicated exception occurred.

**Action**

For more information, see the cause of the indicated exception.

There was a problem retrieving the service {0} from the server {1} (FWM 02002)

**Cause**

The service could not be accessed on the server.

**Action**

Ensure that the service is running and enabled on the server.

The {0} plug-in does not exist in the CMS (FWM 02017)

**Cause**

The required plugin is not installed on the Central Management Server.

**Action**

Ensure that the plugin is installed.

**The {0} plug-in could not be initialized (FWM 02018)**

**Cause**

The required plugin could not be initialized.

**Action**

Ensure that you have permissions to create new InfoObjects of this type.

**The object with ID {0} does not exist in the CMS or you do not have the right to access it (FWM 02020)**

**Cause**

The required object does not exist in the Central Management Server (CMS), or you do not have necessary access rights.

**Action**

Ensure that the object exists in the CMS and that you have the necessary access rights.

**There was an error involving the system property \"{0}\". The value of this property at the time of the error was: {1}. This value does not appear to be valid. (FWM 02031)**

**Cause**

The value of the required system property is invalid.

**Action**

Provide a valid system property value.

**There was an error reading the shared secret from the trusted principal configuration file. (FWM 02045)**

**Cause**

The shared secret could not be read from the trusted principal configuration file.

**Action**

Ensure that the trusted principal configuration file is present and that it can be read.

**The object with ID {0} , Title "{1}", Kind "{2}" has changed since last query (FWM 02050)**

**Cause**

The required InfoObject has changed since the last query.

**Action**

Query the InfoObject again.

**The service with ID {0} cannot be removed. It is currently used by a server. (FWM 02056)**

**Cause**

You cannot remove the required services, because a server is currently using it.

**Action**

Ensure that the service does not have an associated server.

**The service container with ID {0} cannot be removed. It is currently used by a server. (FWM 02057)**

**Cause**

You cannot remove the required service container, because a server is currently using it.

**Action**

Ensure that the service container does not have an associated server.

**Failed to audit the event(s) (FWM 02072)**

**Cause**

The required events could not be audited.

**Action**

Ensure that the Program Job Server is running and enabled.

**Event Type {0} is disabled (FWM 02073)**

**Cause**

The required event type is disabled.

**Action**

Enable the event types that you want to audit.

**The preferred viewer locale has not been set for this user: {1} ({0}) (FWM 02077)**

**Cause**

This user does not have a preferred viewing locale.

**Action**

Set the preferred viewing locale for this user.

**The locale has not been set for this user: {1} ({0}) (FWM 02078)**

**Cause**

This user does not have a default locale.

**Action**

Set the default locale for this user.

**Service {0} has been disabled (FWM 02079)**

**Cause**

The required service is disabled.

**Action**

Ensure that the service is enabled.

**Invalid logon token: {0}. (FWM 02080)**

**Cause**

You have used an invalid logon token.

**Action**

Provide a valid logon ticket.

**The file properties are structured incorrectly. (FWM 02082)**

**Cause**

The structure of the file properties is invalid.

**Action**

Ensure that the API is used correctly.

**Audit service is disabled. (FWM 02083)**

**Cause**

The Audit service is disabled.

**Action**

Ensure that Central Management Server and the Audit service are running and enabled.

**Audit event source object CUID must be set before calling other auditing API. (FWM 02084)**

**Cause**

The application object CUID is not set.

**Action**

Ensure that application object CUID is set through `IClientSideAuditing.setApplicationObjCUID(StringappObjCUID)` before calling auditing on the application.

**Event Type {0} is not supported by application {1} (FWM 02085)**

**Cause**

The required event type is unsupported.

**Action**

You can only audit supported event types.

**Duration must be a number >=0; ObjectCUID, SessionCUID and UserCUID can not be an empty string. (FWM 02086)**

**Cause**

Some of the event object parameters are invalid.

**Action**

Provide valid event object parameters.

**Invalid locale. The locale is undefined, set to the user default locale, or not supported. (FWM 02087)**

**Cause**

The default locale of this use account is invalid.

**Action**

Ensure the user provides a valid locale.

**The CMS system database is not available. The error cannot be rectified by the end user. Please report this error to your system or database administrator. (FWM 02088)**

**Cause**

The Central Management Server database is unavailable.

**Action**

Contact your system administrator.

**Search Service is not initialized properly. (FWM 02091)**

**Cause**

The Search Service has not initialized properly.

**Action**

Restart the Adaptive Processing Server.

**Adaptive Processing Server is shutting down. (FWM 02092)**

**Cause**

The Adaptive Processing Server is shutting down.

**Action**

Restart the Adaptive Processing Server.

**Invalid query string {0}, Query Parser failed to parse the string. (FWM 02093)**

**Cause**

The parser cannot parse the query string.

**Action**

Revise the query string.

**Current search service is already indexing, please try again later. (FWM 02094)**

**Cause**

The Search Service can process one indexing request at a time.

**Action**

Wait for one indexing request to finish before you attempt another.

**Query string is empty. (FWM 02099)**

**Cause**

The query string is empty.

**Action**

Provide content for the query string.

**Unable to parse the following query: {0} (FWM 02103)**

**Cause**

The Central Management Server (CMS) query string cannot be parsed.

**Action**

Provide a valid CMS query string.

**Unable to parse the following following text: {0} (FWM 02104)**

**Cause**

The Central Management Server (CMS) query string cannot be parsed.

**Action**

Provide a valid CMS query string.

**Event type id {0} is not valid, or your query did not contain SI\_AUDIT\_EVENTS. (FWM 02105)**

**Cause**

The event type id is invalid.

**Action**

Ensure that your event object id is valid, and that your query includes `SI_AUDIT_EVENTS`

**Event detail id {0} is not valid, or your query did not contain SI\_AUDIT\_EVENT\_DETAILS. (FWM 02106)**

**Cause**

The event type id is invalid.

**Action**

Ensure that your event object id is valid, and that your query includes `SI_AUDIT_EVENTS`

**File {0} cannot be read. (FWM 02107)**

**Cause**

The file cannot be read.

**Action**

Ensure that the file can be read.

**File {0} size is beyond {1} bytes limit; too large to handle. (FWM 02108)**

**Cause**

The file size exceeds the suggested value.

**Action**

Lower the size of your file, or select a smaller file.

**Fail to read entire file for {0}. (FWM 02109)**

**Cause**

The file could not be read completely.

**Action**

Ensure that your file is not corrupted.

**Only keys that are in the process of being rekeyed can be suspended. (FWM 02110)**

**Cause**

You have tried to suspend a key that is not being re-keyed.

**Action**

You can only suspend a key during the re-keying process.

**Only deactivated keys can be rekeyed. (FWM 02111)**

**Cause**

You can re-key only a deactivated cluster key.

**Action**

Ensure that a key is deactivated before you re-key it.

**The cluster key is not active. (FWM 02112)**

**Cause**

The current key is inactive.

**Action**

Activate the current key.

**The audit level is not set to custom. (FWM 02113)**

**Cause**

You cannot enable or disable audit events when the current audit level is not custom.

**Action**

Ensure that the current audit level is custom.

**You can not enable or disable audit details that cannot be specified (FWM 02114)**

**Cause**

You cannot toggle unspecified audit details.

**Action**

Ensure that the audit details that you want to toggle have been specified.

**Unable to create encryption/decryption key. (FWM 02115)**

**Cause**

A file encryption key or a salt could not be generated.

**Action**

Ensure that the required encryption libraries are installed.

**Each collection must contain the same number of items. Collection {0} is not the same size as collection {1}. (FWM 02118)**

**Cause**

You have attempted to download or upload a set of files without using the correct number of cipher keys.

**Action**

You must ensure that the number of cipher keys is equal to the number of files that you want to download or upload.

**Failed to establish confidential channel. (FWM 02119)**

**Cause**

A Confidential Channel could not be established.

**Action**

Perform the action again.

**Only suspended keys can be resumed. (FWM 02120)**

**Cause**

You have attempted to resume an active key.

**Action**

Ensure that a key is suspended before you resume it.

**A cluster key cannot be marked as compromised when it is active. (FWM 02121)**

**Cause**

You have attempted to mark an active key as compromised.

**Action**

Ensure that a key is inactive before marking it as compromised.

**The {0} plugin does not support publishing. (FWM 02122)**

**Cause**

The selected plugin does not support publishing.

**Action**

Select a plugin type that supports publishing.

**Event detail value cannot be null. (FWM 02123)**

**Cause**

The event detail has no content.

**Action**

Ensure that your event detail has content.

**Confidential channel has been disabled. (FWM 02124)**

**Cause**

This task cannot be performed because the Confidential Channel has been disabled.

**Action**

To enable the confidential channel, set `businessobjects.enterprise.cc` to `true` or remove the property from the Java system properties.

## **1.3.4 FWM 04002 - FWM 04038**

**CE SDK Runtime Exception occurred : '{0}' (FWM 04002)**

**Cause**

The indicated SDK exception has occurred.

**Action**

For more information, see the cause of the indicated exception.

**Import folder CUID '{0}' does not exist on this CMS. (FWM 04003)**

**Cause**

A CUID could not be resolved in the BIAR file, or a CUID is missing from the destination Central Management Server.

**Action**

Ensure that your BIAR file is valid.

**Enterprise session invalid. (FWM 04004)**

**Cause**

You have logged out of your SAP BusinessObjects Business Intelligence platform session, or it has expired.

**Action**

Log on again.

**Export to file path invalid. (FWM 04005)**

**Cause**

The file path to which you have tried to export is invalid.

**Action**

Provide a valid file path.

**Import file '{0}' does not exist. (FWM 04007)**

**Cause**

A file cannot be uploaded to the File Repository Server because it is missing from the BIAR file.

**Action**

Ensure that your BIAR file is valid.

**Import cannot be completed because '{0}' is not an InfoObject. (FWM 04008)**

**Cause**

The specified object in the BIAR file is not an InfoObject.

**Action**

Ensure that your BIAR file is valid.

**Import file parsing exception occurred : '{0}' (FWM 04009)**

**Cause**

The `businessobjects.xml` file in your BIAR file is invalid.

**Action**

Ensure that your BIAR file is valid.

**Invalid element in XML file : '{0}' (FWM 04010)**

**Cause**

There is an invalid element within the `businessobjects.xml` file in your BIAR file.

**Action**

Ensure that your BIAR file is valid.

**XSD file parsing exception occurred : '{0}' (FWM 04011)**

**Cause**

An error occurred while parsing the `.xsd` file.

**Action**

For information on `.xsd` files installed by SAP BusinessObjects Business Intelligence platform, refer to the Service Marketplace.

**No schema definition (XSD) is available for '{0}' (FWM 04012)**

**Cause**

The .xsd file is missing.

**Action**

Ensure that all necessary .xsd files are installed.

**Item '{1}' does not exist in enumeration '{0}'. (FWM 04016)**

**Cause**

Your BIAR file contains an invalid enumeration item.

**Action**

Ensure that your BIAR file is valid.

**Invalid XSD passed in, see log file. (FWM 04022)**

**Cause**

An invalid .xsd file has been passed in.

**Action**

For information on .xsd files installed by SAP BusinessObjects Business Intelligence platform, refer to the Service Marketplace.

**Cannot import an InfoObject with a missing CUID. (FWM 04026)**

**Cause**

An InfoObject cannot be imported because it is missing a CUID.

**Action**

Ensure that your BIAR file is valid.

**Cannot import infoobject CUID '{0}' with missing parent CUID. (FWM 04027)**

**Cause**

An InfoObject cannot be imported because it is missing a parent CUID.

**Action**

Ensure that your BIAR file is valid.

**Duplicate namespace prefix '{0}' is defined for namespaces '{1}' and '{2}'. (FWM 04029)**

**Cause**

A duplicate namespace prefix has been defined.

**Action**

If you have your own .xsd file, ensure that it does not have a namespace prefix identical to an installed .xsd file.

**The kind '{0}' does not exist in the CMS. (FWM 04030)**

**Cause**

The specified InfoObject type does not exist on the Central Management Server.

**Action**

Ensure that the InfoObject type is installed properly.

**Unrecognized format for plug-in namespace URI '{0}'. Details: '{1}' (FWM 04031)**

**Cause**

The format for the plugin namespace URI was not recognized.

**Action**

Ensure that your BIAR file is valid.

**The type '{0}' could not be found. (FWM 04032)**

**Cause**

An InfoObject type is missing.

**Action**

Ensure that the .xsd file for this type of InfoObject is installed.

**Required dependencies not found on source system : '{0}' (FWM 04036)**

**Cause**

An object ID referenced by an exported object cannot be resolved to a CUID.

**Action**

Disable dependency enforcement during export or ensure that all IDs reference valid objects on the source system that can be viewed by the user who exports the documents.

**Invalid property array '{0}' on object with CUID '{1}' (FWM 04038)**

**Cause**

An InfoObject you have tried to export has a property array with an unexpected structure.

**Action**

Check the properties of the InfoObject and ensure that it has a valid array structure.

### **1.3.5 FWM 08001 - FWM 08006**

**Setting for Property-value pair ({0}, {1}) contradicts ({2}, {3}).  
Resolve the contradiction. (FWM 08001)**

**Cause**

The settings of two property-value pairs contradict each other.

**Action**

Provide correct settings for the two property-value pairs.

**The object with ID {0} does not exist in the system (FWM 08002)**

**Cause**

The referenced object does not exist in the system.

**Action**

Ensure that you have used the correct ID and that a corresponding object with the same ID exists in the system.

**The value {1} of property {0} does not fall within the expected {2} and {3} range (FWM 08003)**

**Cause**

The value of the indicated property is out of range.

**Action**

Ensure that the value set falls within the correct range.

**{0} is not a valid value defined in interface {1} (FWM 08004)**

**Cause**

The indicated parameter value is invalid.

**Action**

Provide a valid parameter value.

**Principal must be removed from the object to inherit the rights from parent (FWM 08005)**

**Cause**

The principal has not been removed from the object.

**Action**

Remove the principal from the object, before parent rights can be inherited.

### **1.3.6 FWM 10001 - FWM 10007**

**An exception occurred that prevents the reading or writing of an object to or from storage. (FWM 10002)**

**Cause**

An exception in the storage layer prevents the processing of an object.

**Action**

For more information, see the cause of the indicated exception.

**An exception occurred in the BIAR engine. (FWM 10004)**

**Cause**

An exception has occurred in the BIAR engine.

**Action**

For more information, see the cause of the indicated exception.

**A {0} occurred; original exception message {1} (FWM 10005)**

**Cause**

An exception has occurred.

**Action**

Please see the cause of the indicated exception for more information.

**An error occurred while parsing a query: '{0}' (FWM 10006)**

**Cause**

A query could not be parsed.

**Action**

For more information, see the cause of the indicated exception, and ensure that the syntax of your query is correct.

**{0} exception(s) occurred. (FWM 10007)**

**Cause**

An exception has occurred.

**Action**

For more information, see the cause of each indicated exception.

### **1.3.7 FWM 12001 - FWM 12013**

**A {0} occurred; original exception message {1} (FWM 12001)**

**Cause**

An exception has occurred.

**Action**

For more information, see the cause of the indicated exception.

**Import or Export action can't be determined. (FWM 12002)**

**Cause**

The type of action could not be determined.

**Action**

Provide an Import or Export action.

**XML validation during import is no longer supported. (FWM 12007)**

**Cause**

The XML validation that you have requested during import is unsupported.

**Action**

Set `validateXML` to `false`.

**The following query is not recognized by the BIAR engine: '{0}' (FWM 12011)**

**Cause**

The BIAR engine cannot parse the query.

**Action**

Ensure that your query is properly formatted.

**Invalid BIAR file. If you want to import a file older than version {0} please use the upgrade management tool. (FWM 12012)**

**Cause**

You cannot import BIAR files from old deployment versions.

**Action**

Upgrade your deployment to a supported version, and then use the upgrade management tool to import the BIAR file.

**Unable to open BIAR file, password is invalid. (FWM 12013)**

**Cause**

You have entered an incorrect password.

**Action**

Ensure that **Caps Lock** is off, and re-enter your password.

**BIAR file format is not recognized. Please re-export BIAR file with a compatible format. (FWM 12014)**

**Cause**

You have attempted to open a BIAR file. The contents of the file cannot be recognized.

**Action**

Recreate the BIAR file.

## 1.3.8 FWM 14001 - FWM 14009

### No objects in replication list. (FWM 14001)

#### Cause

The replication list for this job does not contain any objects that the account has permission to replicate.

#### Action

Ensure that the replication list is populated with objects, and that the user specified by the remote system connection has the `Replicate` permission on the objects on the list.

### There is no replication list with CUID "{0}" at the origin site. (FWM 14002)

#### Cause

The replication job has requested a replication list using an invalid CUID.

#### Action

Ensure that the requested replication list exists in the system.

### Filter settings exclude everything from replication. (FWM 14003)

#### Cause

The settings of the replication filter exclude all objects.

#### Action

Ensure that the replication job settings are correct.

### Invalid refresh mode value: {0} (FWM 14004)

#### Cause

The current refresh mode value is invalid.

#### Note:

`CeApplicationRefreshMode.REFRESH_TO_MASTER` is not valid for one-way replication.

**Action**

Ensure that your replication job settings are correct. See `CeApplicationRefreshMode` for applicable values.

**Invalid conflict resolution mode value: {0} (FWM 14005)**

**Cause**

The current conflict resolution mode value is invalid.

**Note:**

`CeConflictResolutionMode.SLAVE_WINS` is not valid in one-way replication.

**Action**

Ensure that your replication job settings are correct. See `CeApplicationRefreshMode` for applicable values.

**Cannot run refresh replication without refresh objects. (FWM 14006)**

**Cause**

The replication job was run in refresh mode, but notobjects were specified.

**Action**

Ensure that the replication job settings specify objects to be refreshed, or switch to normal replication mode.

**Remote system connection refers to local system. (FWM 14007)**

**Cause**

The origin and destination of the replication job are identical.

**Action**

Ensure that the remote cluster settings refer to a different SAP BusinessObjects Business Intelligence platform deployment.

### **Invalid combination of refresh mode ({0}) and conflict resolution mode ({1}) (FWM 14008)**

#### **Cause**

You cannot combine refresh mode and conflict resolution mode. `CeConflictResolutionMode.MASTER_WINS` cannot be used with `CeApplicationRefreshMode.REFRESH_TO_MASTER`, and `CeConflictResolutionMode.SLAVE_WINS` cannot be used with `CeApplicationRefreshMode.REFRESH_FROM_MASTER`.

#### **Action**

Ensure that the replication job settings are correct, and see `CeConflictResolutionMode` and `CeApplicationRefreshMode` for applicable values.

### **Another replication job is replicating content from the same origin site. This job will be attempted again later. (FWM 14009)**

#### **Cause**

You have attempted to run a replication job while another replication job has been running.

#### **Action**

The new replication job will attempt to run again.

## **1.3.9 FWM 16001 - FWM 16005**

### **Not logged on to a CMS, unable to continue. (FWM 16001)**

#### **Cause**

You have not logged onto the Central Management Server (CMS).

#### **Action**

Before you run any commands, log onto a CMS.

**The command '{0}' is missing the following required parameter: {1} (FWM 16002)**

**Cause**

This runtime command is missing a required parameter.

**Action**

For information about acceptable parameters, see the command's description.

**The command '{0}' does not recognize '{1}' as a valid parameter. (FWM 16003)**

**Cause**

This runtime command contains an invalid or unrecognized parameter.

**Action**

For information about acceptable parameters, see the command's description.

**The command '{0}' is not recognized as a valid command. (FWM 16004)**

**Cause**

This runtime command is invalid.

**Action**

For information on valid runtime commands, consult the documentation.

**Failed to write to file '{0}'. (FWM 16005)**

**Cause**

Content could not be written into the specified file.

**Action**

Ensure that the correct write permissions have been specified.

### **1.3.10 FWM 17001 - FWM 17003**

**Option {0} requires a value. (FWM 17001)****Cause**

This option requires a value. The value is missing.

**Action**

Ensure that the command-line syntax is correct, and retry the operation.

**Option {0} doesn't allow a value. (FWM 17002)****Cause**

This option does not allow values. However, it contains a value.

**Action**

Ensure that the command-line syntax is correct, and retry the operation.

**Unknown option '{0}'. (FWM 17003)****Cause**

This option is invalid.

**Action**

Ensure that the command-line syntax is correct, and retry the operation.

## 1.4 BI Platform Servers (FWB) Error Messages

BI Platform Servers includes the following error message categories:

Range	Category
FWB 00004 - FWB 200002	BI Platform Servers (FWB)

## **1.4.1 FWB 00001 - FWB 00999**

**The request is not for the current CMS, it is for %1. (FWB 00001)**

**Cause**

A request was sent to an unexpected Central Management Server (CMS).

**Action**

Ensure that you send your requests to the correct CMS.

**The %1 security plugin is not enabled. Contact your system administrator for details. (FWB 00002)**

**Cause**

A requested security plugin is disabled or missing.

**Action**

Ensure that the requested security plugin file exists, and that it is enabled.

**Not a valid logon token. (FWB 00003)**

**Cause**

The logon token has expired, the authentication information is missing, or the user is invalid.

**Action**

Regenerate the token with the necessary authentication information for a valid user, and log on again.

**Security server failed to decrypt the Kerberos ticket sent by the client. Contact your system administrator to make sure Kerberos authentication is configured properly. (FWB 00004)**

**Cause**

The server could not decrypt some of the client's Kerberos authentication data.

**Action**

Ensure that a valid SPN is mapped to the service account.

**A logon token was used from a client other than one specified in the token, or there was an error determining the IP address of the client. (FWB 00005)**

**Cause**

The logon token contains information about a different client, or the IP address of the client could not be determined.

**Action**

Ensure that your token is from the correct client, and that the client's IP address is accessible, or generate a new token.

**Plugin Manager error: Unable to locate the requested plugin %1 on the server. (FWB 00006)**

**Cause**

A requested plugin is missing.

**Action**

Ensure that the requested plugin exists and that it is properly installed.

**User "%1" not found. (FWB 00007)**

**Cause**

The user is missing, or the alias of the user is missing.

**Action**

Ensure that the user exists and has a valid alias.

**Enterprise authentication could not log you on. Please make sure your logon information is correct. (FWB 00008)**

**Cause**

You could not log on because your username could not be found, or because your password is invalid.

**Action**

Ensure that your username and password are correct.

**This feature has been disabled. (FWB 00009)**

**Cause**

The requested feature is disabled.

**Action**

Enable the requested feature.

**User must have at least one alias. (FWB 00010)**

**Cause**

The user account does not have any aliases.

**Action**

Ensure that the user account has at least one alias.

**Session ID is not valid. (FWB 00011)**

**Cause**

Your session has expired.

**Action**

Log on again.

**The user account has been disabled. (FWB 00012)**

**Cause**

The user account may have been manually disabled, the alias of the user account may have been disabled, the password may have expired, or the user may have attempted to log on unsuccessfully too many times.

**Action**

Enable the user account, and ensure that the user's password and aliases are valid.

**You do not have enough Named User Licenses to make this user a named user. You have %1 Named User Licenses. (FWB 00013)**

**Cause**

The maximum number of named users allowed by the current license keys has been reached.

**Action**

Wait for other users to log off, or upgrade the license keys.

**All of your system's %1 Concurrent Access Licenses are in use at this time or your system's license key has expired. Try again later or contact your administrator to obtain additional licenses. (FWB 00014)**

**Cause**

The maximum number of concurrent users allowed by the current license keys has been reached.

**Action**

Wait for other users to log off, or upgrade the license keys.

**This operation is not permitted with your current set of license keys. Upgrade your license keys to enable this operation. (FWB 00015)**

**Cause**

The current license keys do not allow this operation (for example, using third-party authentication, or modifying server groups or events).

**Action**

Upgrade your license keys.

**Your license key is invalid or has expired. If you received a temporary license key by purchasing another SAP BusinessObjects product, you must register SAP BusinessObjects BI platform to receive your permanent license key. (FWB 00016)**

**Cause**

The current license key is invalid or has expired.

**Action**

Enter a valid license key.

**An exception was thrown from the plugin %1. This plugin will be disabled. Please contact your administrator. (FWB 00017)**

**Cause**

A third-party plugin encountered an error. It has been disabled.

**Action**

Remove, upgrade, and test the third-party plugin before you enable it.

**The authentication provider (%1) associated with this logon session does not support inter-process Single Sign-On. Contact your system administrator for details. (FWB 00018)**

**Cause**

The authentication provider for this session does not support Single Sign-On.

**Action**

Use a different authentication provider, or configure your current provider to work with Single Sign-On.

**The authentication provider (%1) associated with this logon session does not have inter-process Single Sign-On enabled. Contact your system administrator for details. (FWB 00019)**

**Cause**

The authentication provider for this session does not have Single Sign-On enabled.

**Action**

Enable Single Sign-On for this authentication provider.

**Single Sign-On failed. Contact your system administrator for details. (FWB 00020)**

**Cause**

The Single Sign-On authentication information may be invalid, or an internal error may have occurred on the authentication provider.

**Action**

Ensure that the Single Sign-On authentication information is valid, and that Single Sign-On is working correctly on the authentication provider.

**Single Sign-On failed because the associated session can not be verified. Try to log on to BusinessObjects Business Intelligence platform again. (FWB 00021)**

**Cause**

The session token may be invalid or may have expired, the authentication information may be missing, the original session may have expired, or the user account may be invalid.

**Action**

Re-generate the token with the necessary authentication information for a valid user, and attempt to log on again.

**The Trusted Authentication shared secret has expired. (FWB 00022)**

**Cause**

The trusted authentication shared secret has expired.

**Action**

Update the trusted authentication shared secret.

**The client clock skew is too big. (FWB 00023)**

**Cause**

The trusted authentication request has timed out, or the time difference between the client and server is too large (because of time zone differences).

**Action**

Ensure that the trusted authentication requests are not timing out, and synchronize the time on the client and server machines.

**SAP BusinessObjects BI platform CMS: CMS system database "%1" is not available. The error cannot be rectified by the end user. Please report**

**this error to your system administrator or database administrator.  
(FWB 00024)**

**Cause**

The Central Management Server (CMS) has no available database connections.

**Action**

Ensure that the database is running, available, and accepting connections from the CMS. Increase the number of database connections.

**Not a valid query. (FWB 00025)**

**Cause**

The query string is invalid.

**Action**

Ensure that the syntax of the query string is correct.

**Duplicate object name in the same folder. (FWB 00026)**

**Cause**

You have tried to create an object with a name that already exists.

**Action**

Give your object a unique name.

**CMS system database is overloaded, please try again. If the problem persists, please contact the system administrator(FWB 00027)**

**Cause**

Your request times out while waiting for database resources.

**Action**

The deployment is overloaded. Increase the number of database connections.

**The secLdap plugin failed to connect to the specified hosts. (FWB 00028)**

**Cause**

A connection could not be established to the LDAP server.

**Action**

Ensure that the LDAP server is online, and that it is accepting connections.

**Logon failed. Please make sure you are a member of a valid mapped group. (FWB 00029)**

**Cause**

The user does not belong to any third-party group mapped in SAP BusinessObjects Business Intelligence platform.

**Action**

Ensure that the user belongs to at least one mapped group.

**Directory server is unwilling to perform the requested operation. Additional info: %1 (FWB 00030)**

**Cause**

Directory server cannot perform the requested operation.

**Action**

Ensure that the user account is enabled.

**Destination disabled. [%1]: [%2]. Please note the name of the job server used for your request and contact your system administrator to make sure the specified destination is enabled. (FWB 00031)**

**Cause**

The job results could not be delivered because a destination plug-in specified by the job was disabled on the server that processed the job.

**Action**

Note the name of the job server that processed the job, find it in the Central Management Console server list, and use the **Destination** action to add and configure the required destination.

**Invalid confidential channel. (FWB 00032)**

**Cause**

Confidential Channel is not established.

**Action**

Either use a newer version of SAP BusinessObjects Business Intelligence platform that can establish a Confidential Channel, or disable FIPS mode.

**Indexed property %1 cannot be encrypted. (FWB 00033)**

**Cause**

Properties that are indexed in the Central Management Server database cannot be encrypted.

**Action**

Do not enable the encrypted flag for indexed properties.

**Non-FIPS-compliant client cannot connect because FIPS mode is turned on. (FWB 00034)**

**Cause**

A non-FIPS-compliant client cannot connect because FIPS mode is enabled.

**Action**

Install a newer version of SAP BusinessObjects Business Intelligence platform that can establish a Confidential Channel, or disable FIPS mode.

**Cannot move cryptographic key from state %1 to state %2 (FWB 00035)**

**Cause**

Some key state changes are disallowed. A de-activated key can only move to the rekeying state, and once in that state can only be moved to the suspended state.

**Action**

You can change `SI_KEY_STATE` only to permissible values.

**Missing critical system object. Name: %1, CUID: %2. (FWB 00036)**

**Cause**

The installation is corrupt and the Central Management server cannot initialize because of a critical file missing from the deployment.

**Action**

Re-install SAP BusinessObjects Business Intelligence platform.

**Missing critical system object type. Kind: %1. (FWB 00037)**

**Cause**

The installation is corrupt and the Central Management server cannot initialize because of a critical file missing from the deployment.

**Action**

Re-install SAP BusinessObjects Business Intelligence platform.

**Deployment file directory %1 does not exist or contains no files. (FWB 00038)**

**Cause**

The directory that contains the deployment's files is empty or could not be located.

**Action**

Ensure that the directory contains deployment files, or re-install the deployment.

**Deployment file directory %1 does not exist or contains no key code files. (FWB 00039)**

**Cause**

The directory containing the deployment files cannot be located or has no keycode initialization files

**Action**

Ensure that the directory contains keycode initialization deployment files. You may have to reinstall the deployment to resolve this issue.

**Cannot commit object(s). Object "%1" (ID: %2) is locked by session "%3" (ID: %4). (FWB 00040)**

**Cause**

An attempt was made to modify an object that was locked by another session.

**Action**

Retry the operation at a later date. If the issue persists, eliminate the session identified in the error message.

**Cannot commit object(s). Object "%1" (ID: %2) is cascade-locked by session "%3" (ID: %4). (FWB 00041)**

**Cause**

An attempt was made to modify an object that was locked by another session because an ancestor object was cascade-locked.

**Action**

Retry the operation at a later time. If the issue persists, end the session identified in the error message.

**Cannot delete object(s). Object "%1" (ID: %2) is cascade-locked by session "%3" (ID: %4). (FWB 00043)**

**Cause**

An attempt was made to delete an object that was locked by another session because an ancestor object was cascade-locked.

**Action**

Retry the operation at a later time. If the issue persists, end the session identified in the error message.

**Cannot lock object(s). Object "%1" (ID: %2) is locked by session "%3" (ID: %4). (FWB 00044)**

**Cause**

You have attempted to lock an object that was already locked by another session.

**Action**

Retry the operation at a later time. If the error occurs again, end the session identified in the error message.

**Cannot lock object(s). Object "%1" (ID: %2) is cascade-locked by session "%3" (ID: %4). (FWB 00045)**

**Cause**

An attempt was made to lock an object that was already locked by another session because an ancestor object was cascade-locked.

**Action**

Retry the operation at a later time. If the issue persists, end the session identified in the error message.

**Cannot commit object(s). When committing object "%1" (ID: %2) with version %3, a conflict occurs with current version %4 over property "%5". Failed to merge changes. (FWB 00046)**

**Cause**

A first-writer-wins commit failed due to an attempt to modify a property that another commit had modified concurrently.

**Action**

Retrieve the object again and re-attempt the operation.

**Cannot commit relationship attribute changes. When committing relationship %1 between parent %2 and child %3 with version %4, a conflict occurs with current version %5 over property "%6". Failed to merge changes. (FWB 00047)**

**Cause**

A first-writer-wins commit failed due to an attempt to merge attributed relationship properties that another commit had modified concurrently.

**Action**

Retrieve the object again and re-attempt the operation.

**Cannot commit relationship attribute changes. When committing relationship %1 between parent %2 and child %3 with version %4, a conflict occurs with current version %5. (FWB 00048)**

**Cause**

A first-writer-wins commit failed due to an attempt to replace an attributed relationship that another commit had modified concurrently.

**Action**

Retrieve the object again and re-attempt the operation.

**Cannot delete object(s) modified between query and commit. When deleting object "%1" (ID: %2) with version %3, a conflict occurs with current version %4. (FWB 00049)**

**Cause**

A first-writer-wins commit failed due to an attempt to delete an object that another commit had modified concurrently.

**Action**

Retrieve the object again and re-attempt the operation.

**Cannot commit object(s). Since the object "%2" (Id - %3) was queried for, another user has changed the relationship "%1". (FWB 00050)**

**Cause**

A first-writer-wins commit failed due to an attempt to perform an explicit-list relationship update of relationship edges that another commit had modified concurrently.

**Action**

Retrieve the object again and re-attempt the operation.

**Cannot commit object(s). The object "%1" (Id - %2) with version %3 is too old relative to current version %4 for a successful merge. Objects must be within %5 versions. (FWB 00051)**

**Cause**

A first-writer-wins commit failed due to the committed object being too old, compared to the version contained in the database.

**Action**

Retrieve the object again and re-attempt the operation.

**Some properties were not merged. Committing object "%1" (Id - %2) with version %3 conflicts with current version %4. The following properties were not merged "%5". (FWB 00052)**

**Cause**

A commit could not merge all changes successfully. Conflicts existed with changes made by another commit concurrently.

**Action**

Verify whether the result of the failed merge is acceptable.

**All CMSs in the same cluster have the same FIPS and SSL mode settings (FWB 00053)**

**Cause**

A non-FIPS-compliant Central Management Server (CMS) has attempted to join a FIPS-compliant cluster, or a CMS with SSL disabled has attempted to join an SSL-enabled cluster.

**Action**

Enable FIPS mode or SSL on for all Server Intelligence Agent nodes that use the Central Configuration Manager.

**Object ID number %1 has an invalid kind of %2. (FWB 00054)**

**Cause**

You have attempted to create or update an object where the specified `SI_KIND` does not exist.

**Action**

Specify the name of an existing object for the respective `KIND`.

**Object ID number %1 has an invalid prog ID %2. (FWB 00055)**

**Cause**

You have attempted to create or update an object where the specified `SI_PROGID` does not exist.

**Action**

Specify the name of an existing object for the `PROGID`.

**You do not have enough Role-Based User Licenses to add this user. You have %1 Role-Based User Licenses. (FWB 00056)**

**Cause**

The user limit under a role-based license has been reached.

**Action**

Delete users from the system, or upgrade your license key.

**You do not have enough Named User Licenses to log on to the system. You have %1 Named User Licenses. (FWB 00057)**

**Cause**

Named users cannot log on to the deployment because there are not enough named user licenses available.

**Action**

Upgrade your license key.

**No authentication credentials were provided to the FRS. (FWB 00058)**

**Cause**

You have not provided credentials to the File Repository Server (FRS). You are using an outdated FRS client, but you have also specified `-disablelegacyclients` at the FRS command line.

**Action**

Use the most recent version of the FRS, or do not specify `-disablelegacyclients`.

**The authentication credentials provided to the FRS were rejected by the CMS. (FWB 00059)**

**Cause**

The logon token that identifies your user is invalid or has expired, authentication information could be missing, or the user account may no longer be valid.

**Action**

Regenerate the logon token with the necessary authentication information for a valid user, and retry the operation.

**The authentication credentials do not permit the operation. (FWB 00061)**

**Cause**

Your user account does not have sufficient credentials to perform the file operation.

**Action**

Ensure that your user account has sufficient credentials and rights to the object.

**The FRS credentials were rejected by the CMS. (FWB 00062)**

**Cause**

The Central Management Server (CMS) has rejected the credentials of the File Repository Server (FRS).

**Action**

Restart your CMS and FRS.

**User not found (%1) (FWB 00063)**

**Cause**

The user was not found, or the user is missing an alias.

**Action**

Ensure that the user exists and has a valid alias.

**To copy data from a previous version, use the Upgrade management tool. For more information, see the Upgrade Guide. (FWB 00064)**

**Cause**

The source and destination data sources must be of the same version.

**Action**

To copy data from a previous version, use the upgrade management tool.

**Operation requires all CMS(s) in the cluster to be stopped. Please stop CMS %1 (id: %2). (FWB 00065)**

**Cause**

Operation requires all Central Management Servers in the cluster to be stopped.

**Action**

Stop all of the CMS in the cluster.

**System ID is empty. (FWB 00066)**

**Cause**

The system ID is not configured.

**Action**

Configure the system ID.

**Keystore is empty. (FWB 00067)**

**Cause**

The keystore is not configured.

**Action**

Configure the keystore.

**Alias is empty. (FWB 00068)**

**Cause**

The alias is not configured.

**Action**

Configure the alias.

**Default object with CUID (%1) has invalid or missing parent ID/CUID. (FWB 00069)**

**Cause**

The Deployment File object contains a Default Object that has an invalid or missing reference to a parent object.

**Action**

Check the Default Object specification to ensure that `SI_PARENTID` or `SI_PARENT_CUID` refers to a valid object.

**Default object with CUID (%1) has invalid or missing type information. Check value of SI\_KIND. (FWB 00070)**

**Cause**

The Deployment File object contains a Default Object that has invalid or missing type information.

**Action**

Check the Default Object specification to ensure that it has an `SI_KIND` and that the `KIND` exists in the system.

**Default object with CUID (%1) cannot be processed because it is invalid. Check assert log for details. (FWB 00071)**

**Cause**

The Deployment File object contains an invalid Default Object.

**Action**

For more information on Default Object failure, see the Central Management Server assert log.

**Attempt to set up sub-directory for namespaced default object files failed. Name: %1. Error: %2. (FWB 00072)**

**Cause**

During initialization, the Central Management Server could not create a new directory for Server Intelligence Default Objects.

**Action**

For more information, see the file system error message.

**Trusted authentication is disabled (FWB 00073)**

**Cause**

You have tried to use a feature that requires Trusted Authentication to be enabled.

**Action**

Use the Central Management Console to enable Trusted Authentication.

**Invalid data (FWB 00074)**

**Cause**

Invalid data has been sent to the Central Management Server.

**Action**

You must configure Trusted Authentication. For more information, see the *SAP BusinessObjects Business Intelligence platform Administrator Guide*.

**Default Object fragment from file %1 failed to be applied to object (Name: %2; CUID: %3). Check assert log for details. (FWB 00075)**

**Cause**

A Default Object fragment could not be applied to the default object.

**Action**

Check the Central Management Server assert log for more information about the failure of the Default Object fragment.

## 1.4.2 FWB 01000 - FWB 01999

**The InfoObject {0} could not be found among related InfoObjects. (FWB 01001)**

**Cause**

An InfoObject has referenced the ID of a missing InfoObject.

**Action**

Ensure that the relationships between server containers, services, servers, installations, and enterprise nodes are correct.

**Service {0} is not ready (FWB 01002)**

**Cause**

A service cannot handle a request because the service is configured incorrectly.

**Action**

Configure the service correctly, and restart the server (if needed).

**The resource for service {0} is temporarily unavailable. Please try later (FWB 01003)**

**Cause**

A service cannot process a request because the service has reached maximum resource capacity.

**Action**

Wait for other users to stop sending requests, make the request to another server, or increase the maximum capacity of the service.

**The CMS could not find a server object named {0}. The name used to start this server could be wrong (FWB 01004)**

**Cause**

An Adaptive Processing Server (APS) queried a Central Management Server (CMS) for its configuration, and the CMS responded that the server InfoObject that corresponds to this APS instance cannot be found in the repository.

**Action**

The server friendly name that is used to start the APS instance is incorrect. Enter a valid name that exists in the repository.

**The service {1} could not start because service {0} could not start (FWB 01005)**

**Cause**

A service could not start because one of the services it depends on could not start.

**Action**

Ensure that the processes the service depends on start properly.

**The service {0} failed to start (FWB 01006)**

**Cause**

A service could not start because one of the services it depends on could not start.

**Action**

Check the log file of the service, and then re-configure the service.

### **1.4.3 FWB 02000 - FWB 02999**

**A ClassNotFoundException error occurred. (Exception message: {0}) (FWB 02001)****Cause**

The program could not load a class through the specified string name because the definition of the class is missing.

**Action**

Ensure that all required .jar files are included in the classpath.

**A NoClassDefFoundError occurred; exception message: {0} (FWB 02002)****Cause**

The Java Virtual Machine or a ClassLoader instance has loaded a missing class definition.

**Action**

Ensure that all required .jar files are included in the classpath.

## 1.5 Security (USR) Errors

Security error messages include the following:

Range	Category
USR0006	Security

**You are not authorized to use Designer. (USR0006)****Cause**

You tried to start Universe Designer, but you do not have the necessary rights.

**Action**

An administrator can grant you the necessary rights.



## Analysis edition for OLAP Errors

Analysis error messages include the following:

Range	Category
AOC 00000 - AOC 09999	Analysis edition for OLAP errors

### 2.1 AOC 00000 - 09999

**There was a problem replacing the original workspace. Try again or use Save As. (AOC00001)**

**Cause**

The original workspace could not be found. It may have been deleted.

**Action**

Use **Save As** to save your workspace.

**An unknown error has occurred while saving the workspace. The workspace could not be saved. (AOC00002)**

**Cause**

An unknown error has occurred. Analysis has confirmed that the user has rights to save the workspace, that the workspace exists, and that the BI platform session is valid.

**Action**

Try using **Save As** to save the workspace, and ensure that all entry fields are populated.

**Your request could not be completed because your session was disconnected. Log on again to retry. (AOC00003)**

**Cause**

Analysis could not establish a valid BI platform session. These are some possible causes:

- The session has expired.
- The network is experiencing problems.
- The BI platform server is offline.

**Action**

Log on again. If the problem was caused by a session timeout, your workspace will have been saved to your Favorites folder.

**Analysis edition for OLAP could not open the workspace. The workspace is corrupt. Please contact your administrator. (AOC00005)**

**Cause**

The workspace has been manually edited, or is corrupt.

**Action**

Ask your administrator to restore a backup of the workspace.

**Analysis edition for OLAP could not find the requested workspace. It may have been deleted. (AOC00006)**

**Cause**

The requested workspace may have been deleted, or the user may not have access rights to view it.

**Action**

Ask the administrator to restore a backup of the workspace, or change the user's access rights.

**An error occurred while restoring the workspace. Please contact your administrator. (AOC00007)**

**Cause**

The workspace has been manually edited, or is corrupt.

**Action**

Ask the administrator to restore a backup of the workspace.

**Analysis edition for OLAP could not save the workspace. The name is missing. Please enter a valid name and try again. (AOC00008)**

**Cause**

The user tried to save a workspace without entering a name.

**Action**

Enter a valid workspace name.

**Analysis edition for OLAP could not save the workspace. The workspace folder is missing. Select a valid folder and try again. (AOC00009)**

**Cause**

The user tried to save a workspace without choosing a folder.

**Action**

Choose a folder to store the workspace in.

**You do not have permission to save to this folder. Contact your administrator if you need this permission enabled. (AOC00011)**

**Cause**

The user tried to save a workspace to a folder that the user does not have access to.

**Action**

Ask the administrator for write access to this folder.

**An error occurred while trying to retrieve connections from the Enterprise server. Contact an administrator to verify that the server is running. (AOC00012)**

**Cause**

The BI platform server could not be found.

**Action**

Ask the administrator to verify that the BI platform server is running.

**An error occurred while trying to retrieve connections. Not all connections were available. If the problem persists, contact your administrator. (AOC00013)**

**Cause**

Analysis was unable to find some or all of the requested connections. Connections may have been deleted.

**Action**

Ask the administrator to restore the connections or to map the requested connections to other connections using the Central Management Console.

**You do not have permission to perform the requested action. If you require assistance, please contact your system administrator. (AOC00018)**

**Cause**

The user tried to perform an action for which the user does not have permission.

**Action**

Ask the administrator for the appropriate permission.

**Either no connections have been defined in the Central Management Console, or you have not been granted rights to view any existing connections. Please contact your administrator for more information. (AOC00020)**

**Cause**

Connections have not been defined in the Central Management Console, so there is nothing to select.

**Action**

An administrator needs to define connections to the OLAP data sources. The administrator should log on to the Central Management Console and define connections by clicking the **OLAP Connections** link.

**Analysis edition for OLAP was unable to complete the last action. Please try again. If the problem persists, contact your administrator. (AOC00021)**

**Cause**

The metadata explorer was unable to parse the XML passed to it from Services.

**Action**

This error indicates a serious problem, possibly with versions of libraries mismatching. An administrator needs to check the `mdas.log` file and contact customer support.

**Analysis edition for OLAP was unable to remove "{0}". The analysis has lost its connection. (AOC00022)**

**Cause**

The analysis has lost its connection to the OLAP server.

**Action**

The workspace will need to be closed and reopened to reestablish the connection.

**An error has occurred while fetching the report parameters. Try the operation again. If the problem persists, please contact your administrator. (AOC00023)**

**Cause**

Analysis could not find the BI Platform server or the Interactive Analysis Report Engine Server.

**Action**

Ask the administrator to verify that these servers are available.

**The requested operation was not completed successfully because the MDAS service cannot be reached. Try the operation again. If the problem persists, please contact your administrator. (AOC00040)**

**Cause**

An error has occurred in the communication between the MDS client and MDAS service. For example, the MDAS service may be down or unreachable, or may have been restarted.

**Action**

Ensure that the MDAS service is running and can be reached by going to the Servers page in the Central Management Console. If the MDAS service was restarted, the Analysis session state is lost and cannot be saved.

**The MDAS service encountered an error. (AOC00041)**

**Cause**

An error occurred on the MDAS service while processing a request from the Analysis client. A possible reason is a problem with the OLAP server, or a network problem.

**Action**

Try again. If the problem persists, contact your administrator.

**Analysis edition for OLAP was unable to open a connection. (AOC00044)**

**Cause**

A connection could not be opened. A common reason is an authentication error.

**Action**

Ensure that the connection authentication credentials are correct. If the credentials are saved with the connection, your administrator may need to update them.

**The requested operation could not be completed because it puts the query into an invalid state. (AOC00045)**

**Cause**

An error occurred on the MDAS service while processing a request from the Analysis client. A possible reason is an attempt to place all hierarchies onto the same axis.

**Action**

Ensure that the action does not place the analysis into an invalid state and try again. If the problem persists, contact your administrator.

**The requested operation could not be completed due to a hierarchy conflict. (AOC00046)**

**Cause**

An error occurred on the MDAS service while processing a request from the Analysis client. A possible reason is an attempt to place two mutually exclusive hierarchies onto the same axis.

**Action**

Ensure that the action does not cause a conflict and try again. If the problem persists, contact your administrator.

**The requested operation could not be completed because the query is too large. (AOC00047)**

**Cause**

An error occurred on the MDAS service while processing a request from the Analysis client. A possible reason is an attempt to create a query with too many data cells.

**Action**

Ensure that the query size does not exceed the OLAP server limit. If the problem persists, contact your administrator.



## BIP Servers (FWR) Error Messages

BIP Servers (FWR) includes the following error message categories:

Range	Category
FWR 00000 - 00999	BIP Servers (FWR)
FWR 100001 - 100002	BIP Servers (FWR)

### 3.1 FWR 000001-000007

`_a_An internal error occurred. Please contact your system administrator. (FWR 000001)_z_`

**Cause**

An internal error has occurred.

**Action**

Contact your system administrator.

`_a_The property {0} is missing a value. (FWR 000002)_z_`

**Cause**

The value of the specified property is missing.

**Action**

Contact your system administrator.

`_a_The property {0} has an invalid value of {1}. (FWR 000003)_z_`

**Cause**

The value of the specified property is invalid.

**Action**

Contact your system administrator.

`_a_The argument {0} has an invalid value of {1}. (FWR 000004)_z_`

**Cause**

The specified argument has an invalid value.

**Action**

Contact your system administrator.

`_a_An error occurred while deserializing an object. (FWR 000005)_z_`

**Cause**

An object could not be deserialized.

**Action**

Contact your system administrator.

`_a_An error occurred while serializing property {0}. (FWR 000006)_z_`

**Cause**

A property could not be serialized.

**Action**

Contact your system administrator.

`_a_The value for {0} must be in the range from {1} to {2}. (FWR 000007)_z_`

**Cause**

A configuration property value is out of range.

**Action**

Contact your system administrator.

### **3.2 FWR 100001-100002**

**Internal error. Please contact your system administrator. (FWR 100001)**

**Cause**

An internal error has occurred.

**Action**

Contact your system administrator.

**Out of memory error. Please contact your system administrator. (FWR 100002)**

**Cause**

The system has run out of memory.

**Action**

Contact your system administrator.



## Check Integrity Messages (CIM)

Check Integrity Messages (CIM) error messages include the following:

Range	Category
CIM01100 - CIM01117	Tables, columns and expressions
CIM01200 - CIM01200	Connections, joins and links
CIM01300 - CIM01307	Universes, business objects, and expressions
CIM01400 - CIM01421	Expressions checks
CIM01501 - CIM01502	Context checks
CIM01601 - CIM01616	Prompts and lists of values
CIM01700 - CIM01705	Query definitions

**Table {0} is missing a primary key. (CIM 01100)**

**Cause**

The table is missing a primary key.

**Action**

Update the table using the automatic keys detection.

**Table {0} is not linked to any other table. (CIM 01101)**

**Cause**

The table is not linked to another table.

**Action**

In the data foundation, insert a join between the table and another one or remove the table if it is not required.

**The Table {0} referenced in the Data Foundation {1} does not exist in the connection. (CIM 01102)**

**Cause**

The table does not exist in the data source.

**Action**

Add the table to the data source, or check that the table name has not changed.

**A new column {0} has been detected in table {1} from the connection. (CIM 01103)**

**Cause**

A new column has been detected in table in the data source.

**Action**

Run a Refresh Structure in the data foundation.

**The column {0} in the table {1} does not exist in the connection. (CIM 01104)**

**Cause**

The table in the data source does not match the table in the data foundation.

**Action**

Run a Refresh Structure in the data foundation.

**The column {0} in table {1} has an undetermined data type. (CIM 01105)**

**Cause**

The column data type is undetermined.

**Action**

Run a Refresh Structure in the data foundation.

**The column {0} referenced in the table {1} does not have the same data type as in the connection. (CIM 01106)**

**Cause**

The data type of a column in the data source is different from the data type in the data foundation.

**Action**

Run a Refresh Structure in the data foundation.

**The calculated column {0} referenced in the table {1} contains invalid SQL. (CIM 01107)**

**Cause**

The parsing of the SQL expression for the calculated column failed.

**Action**

In the data foundation, edit and validate the expression for the calculated column.

**The connection for the checked table {0} in the data foundation {1} is not valid. (CIM 01108)**

**Cause**

The parameters of the connection are not valid.

**Action**

Check that the connection referenced in the data foundation is valid. Update the parameters if necessary.

**The connection for the derived table {0} in the data foundation {1} is not valid. (CIM 01109)**

**Cause**

The parameters of the connection are not valid.

**Action**

Check that the connection referenced in the data foundation is valid. Update the parameters if necessary.

**The derived table {0} in the data foundation {1} has an empty expression. (CIM 01110)**

**Cause**

The derived table expression is empty.

**Action**

In the data foundation, edit and validate the derived table.

**The derived table {0} in the data foundation {1} has an invalid SQL expression. (CIM 01111)**

**Cause**

The SQL expression for the derived table is invalid.

**Action**

In the data foundation, edit and validate the derived table.

**The connection for the alias table {0} in the data foundation {1} is not valid. (CIM 01112)**

**Cause**

The parameters of the connection are not valid.

**Action**

Check that the connection referenced in the data foundation is valid. Update the parameters if necessary.

**The alias table {0} in the data foundation {1} does not reference any table. (CIM 01113)**

**Cause**

The alias table does not reference any table.

**Action**

In the data foundation, re-insert the alias table based on an existing table.

**The table {0} referenced by the alias table {1} does not exist in the data foundation {2}. (CIM 01114)**

**Cause**

The table referenced by the alias table no longer exists in the data foundation.

**Action**

In the data foundation, delete the alias table. You can then re-insert the alias table based on an existing table.

**The connection for the calculated column {0} in the table {1} is not valid. (CIM 01115)**

**Cause**

The parameters of the connection are not valid.

**Action**

Check that the connection referenced in the data foundation is valid. Update the parameters if necessary.

**The expression for the calculated column {0} in the table {1} is empty. (CIM 01116)**

**Cause**

The calculated column expression is empty.

**Action**

In the data foundation, edit and validate the expression for the calculated column.

**The expression for the calculated column {0} in the table {1} is invalid. (CIM 01117)**

**Cause**

The expression for the calculated column is not valid and was not correctly parsed.

**Action**

In the data foundation, edit and validate the expression for the calculated column.

**The connection {0} is invalid: {1}. (CIM 01200)**

**Cause**

Cannot access the data source referenced in the connection.

**Action**

Check that the connection referenced in the data foundation is valid. Update the parameters if necessary.

**The Join {0} of the data foundation {1} has no valid link on tables. (CIM 01300)**

**Cause**

The join definition is invalid.

**Action**

In the data foundation, edit the join and make sure all referenced tables and columns are valid.

**The table {0} involved in the join was not found in the data foundation {1}. (CIM 01301)**

**Cause**

The join definition is invalid.

**Action**

In the data foundation, edit the join and make sure all referenced tables and columns are valid.

**The column {0} involved in the join was not found in the data foundation {1}. (CIM 01302)**

**Cause**

The join definition is invalid.

**Action**

In the data foundation, edit the join and make sure all referenced tables and columns are valid.

**The connection for the join {0} in the data foundation {1} is not valid. (CIM 01303)**

**Cause**

The parameters of the connection are not valid.

**Action**

Check that the connection referenced in the data foundation is valid. Update the parameters if necessary.

**The cardinality of the join {0} of the data foundation {1} is undetermined. (CIM 01304)**

**Cause**

The join cardinality is undetermined.

**Action**

In the data foundation, edit the join and detect the cardinality or set it manually.

**The Join {0} in the data foundation {1} has a different cardinality than the detected cardinality. (CIM 01305)**

**Cause**

The join cardinality is different than the detected cardinality.

**Action**

In the data foundation, edit the join and detect the cardinality.

**The expression for the checked join {0} in the data foundation {1} is empty. (CIM 01306)**

**Cause**

The join expression is empty.

**Action**

In the data foundation, edit the join and validate the join expression.

**The expression of the checked join {0} in the data foundation {1} is not correctly parsed. (CIM 01307)**

**Cause**

The expression of a join is not valid and was not correctly parsed.

**Action**

In the data foundation, edit the join and validate the join expression.

**The business object '{0}' is not owned by a universe. (CIM 01400)**

**Cause**

The business object is not owned by a universe.

**Action**

Affect the business object to a universe.

**The binding of the business object '{0}' is not valid. (CIM 01401)**

**Cause**

The business object is based on a missing or invalid source object.

**Action**

In the business layer, edit the object and check the SQL or MDX expression.

**It was impossible to execute the business object '{0}'. Check the object properties. (CIM 01403)**

**Cause**

The business object is based on a missing or invalid source object.

**Action**

In the business layer, edit the object and check the SQL or MDX expression.

**The business object '{0}' is invalid. (CIM 01405)**

**Cause**

The business object has no name or the name is invalid.

**Action**

In the business layer, edit the business object name.

**The solve order value must be a number (CIM 01406)**

**Cause**

The measure has an invalid solve order value.

**Action**

In the business layer, edit the measure and enter a numeric value for the solve order.

**The name of this measure is already used in the business layer. (CIM 01407)**

**Cause**

The name is already used by a measure defined in the business layer.

**Action**

In the business layer, edit the measure and change the name.

**The MDX expression does not reference the dimension [MEASURES]. (CIM 01409)**

**Cause**

The MDX expression for the measure does not reference the dimension [MEASURES].

**Action**

In the business layer, edit the measure and validate the MDX expression.

**A hierarchy must be specified. (CIM 01410)**

**Cause**

No hierarchy is defined.

**Action**

In the business layer, edit the object and assign a hierarchy.

**This name is already used by a calculated member within the same hierarchy. (CIM 01411)**

**Cause**

The calculated member name is already used by another calculated member within the same hierarchy.

**Action**

In the business layer, edit the calculated member and change the name.

**The MDX expression does not reference the hierarchy assigned to the calculated member. (CIM 01412)**

**Cause**

Missing hierarchy in the MDX expression for the calculated member.

**Action**

In the business layer, edit the calculated member and assign a hierarchy.

**A hierarchy must be specified (CIM 01413)**

**Cause**

Missing hierarchy in the MDX expression for the named set.

**Action**

In the business layer, edit the named set and assign a hierarchy.

**The name is already used by another named set (CIM 01414)**

**Cause**

The name is already used by a named set defined in the business layer.

**Action**

In the business layer, edit the named set and change the name.

**The MDX expression contains the "crossjoin" operator. The named set may show unexpected behavior at query time. (CIM 01415)**

**Cause**

The MDX expression for the named set contains the crossjoin operator.

**Action**

In the business layer, edit the named set and validate the MDX expression.

**The MDX expression does not reference the hierarchy assigned to the named set. (CIM 01416)**

**Cause**

Missing hierarchy in the definition for the named set.

**Action**

In the business layer, edit the named set and assign a hierarchy.

**The language value must be a number. (CIM 01417)**

**Cause**

The language value for the measure or calculated member is invalid.

**Action**

In the business layer, edit the MDX expression for the measure or calculated member and enter a numeric value for the language.

**The @Variable expression is incorrect. (CIM 01418)**

**Cause**

The @Variable expression is invalid.

**Action**

In the business layer, edit the object and validate the @Variable expression.

**The @Select expression is incorrect. (CIM 01419)**

**Cause**

The @Select expression is invalid.

**Action**

In the business layer, edit the object and validate the @Select expression.

**The name is already used by a measure predefined on the OLAP server (Search the string [Measures].[{0}] in the OLAP catalog). (CIM 01420)**

**Cause**

The name of the measure is already used by a measure defined in the OLAP data source.

**Action**

Search for the string [Measures].[{0}] in the OLAP catalog. In the business layer, edit the measure and change the name.

**The name is already used by a named set predefined on the OLAP server (CIM 01421)**

**Cause**

The name of the named set is already used by a named set defined in the OLAP data source.

**Action**

In the business layer, edit the named set and change the name.

**The checked context "{0}" in data foundation "{1}" contains loops. (CIM 01501)**

**Cause**

Loops in the join path found when checking the context.

**Action**

In the data foundation, resolve the loops using the loop visualization tool in the Aliases and Contexts pane.

**The checked context "{0}" in data foundation "{1}" contains an excluded join that generates a Cartesian product. (CIM 01502)**

**Cause**

An excluded join in the context generates a Cartesian product.

**Action**

In the data foundation, edit the context and review the excluded joins.

**The list of values "{0}" must have at least one column in the data table (CIM 01601)**

**Cause**

The list of values does not reference any columns in the table.

**Action**

Edit the list of values (in the data foundation or business layer), and make sure that at least one column is referenced.

**In the list of values "{0}", the Filter Before Use option must be set to False. (CIM 01602)**

**Cause**

The Force Users to Filter Values Before Use option is invalid for the list of values.

**Action**

In the business layer, edit the list of values and set the Force Users to Filter Values Before Use option to False.

**In the list of values "{0}", the Automatic Refresh option must be set to True. (CIM 01603)**

**Cause**

The Automatic Refresh option is set incorrectly.

**Action**

Edit the list of values (in the business layer or data foundation), and set the option Automatic Refresh to True.

**In the list of values "{0}", the Allow users to search values in the database option must be set to False. (CIM 01604)**

**Cause**

The Allow Users to Search Values in the Database option is set incorrectly.

**Action**

In the business layer, edit the list of values and set the Allow Users to Search Values in the Database option to False.

**In the list of values "{0}", the Query execution timeout option must be disabled. (CIM 01605)**

**Cause**

The Query Execution Timeout option is invalid for the list of values.

**Action**

Edit the list of values (in the business layer or data foundation), and unselect the Query Execution Timeout option.

**In the list of values "{0}", the Max Rows option must be disabled. (CIM 01606)**

**Cause**

The Max Number of Rows option is not valid for the list of values.

**Action**

Edit the list of values (in the business layer or data foundation), and unselect the Max Number of Rows option.

**Check that the SQL expression is not empty. (CIM 01607)**

**Cause**

There was an error in the SQL expression for the list of values.

**Action**

Edit the list of values (in the data foundation or business layer) and enter and validate an SQL expression.

**Check that the list of values connection is available. (CIM 01608)**

**Cause**

The connection referenced by the list of values is not available.

**Action**

Check that the connection referenced by the data foundation or business layer is available.

**Check that the list of values data structure is available. (CIM 01609)**

**Cause**

The data structure referenced by the list of values was not found.

**Action**

Edit the list of values (in the data foundation or business layer) and check the validity of the referenced data source.

**In the list of values "{0}", the Allow users to search values in the database option must be set to False (CIM 01610)**

**Cause**

The Allow Users to Search Values in the Database option is set incorrectly.

**Action**

In the business layer, edit the list of values and set the Allow Users to Search Values in the Database option to False.

**Prompt must have a name. (CIM 01611)**

**Cause**

The parameter does not have a name.

**Action**

Review the parameters in the data foundation and business layer to make sure they have names.

**Prompt {0} has a data type which is not well set (i.e. String, Number, or Date). (CIM 01612)**

**Cause**

The data type of the parameter is set incorrectly.

**Action**

Edit the parameter (in the data foundation or business layer) and set the data type to be consistent with the source data type.

**Prompt "{0}" must have a Question (CIM 01613)**

**Cause**

The parameter does not have an associated prompt text.

**Action**

Edit the parameter (in the data foundation or business layer) and enter a prompt text.

**If Use Key Values From List is selected, the Select Only From List option must also be selected (CIM 01614)**

**Cause**

The Select Only from List option is not selected for the list of values.

**Action**

Edit the parameter (in the data foundation or business layer) and select the Select Only from List option for the associated list of values.

**The default values are empty. (CIM 01615)**

**Cause**

There are no default values defined for the parameter.

**Action**

Edit the parameter (in the data foundation or business layer) and enter default values for the prompt.

**The list of values is empty. (CIM 01616)**

**Cause**

The list of values is empty.

**Action**

Edit the parameter (in the data foundation or business layer) and check the associated list of values, or enter default values.

**"{0}" has an empty query definition. (CIM 01700)**

**Cause**

The query has no definition.

**Action**

Edit the query and check the validity.

**"{0}" query definition cannot be parsed. (CIM 01701)**

**Cause**

Query definition cannot be parsed.

**Action**

Edit the query and validate the query expression.

**Query "{0}" has no query. (CIM 01702)**

**Cause**

The query has no definition.

**Action**

Edit the query and check the validity.

**Query "{0}" references a missing object ({1}) from the universe. (CIM 01703)**

**Cause**

The query references an object that is no longer in the universe.

**Action**

Edit the query to reference a different object, or refresh the universe to obtain the missing object.

**Query "{0}" has no result objects. (CIM 01704)**

**Cause**

The query has no result objects.

**Action**

Edit the query and check that objects are returned.

**Query "{0}" has combined queries with an inconsistent result object count. (CIM 01705)**

**Cause**

The query has combined queries with an inconsistent result object count.

**Action**

Edit the query and validate the combined query expression.

**"{0}" could not be found (CIM 01800)**

**Cause**

The resource references an object that was not found.

**Action**

Check the validity of the resource. Check for objects that have been moved, deleted, or renamed.

**"{0}" has broken dependencies (CIM 01801)**

**Cause**

The resource is referencing a missing object.

**Action**

Check the resources dependencies. Check for objects that have been moved, deleted, or renamed. Recreate the object or correct the link.

## Undocumented issue (CIM 02000)

### **Cause**

Unknown

### **Action**

This error message is used for general failures.



## Crystal Reports Server (CRS) error messages

Crystal Reports Server (CRS) error messages include the following:

Range	Category
CRS 200001 - CRS 200005	Crystal Reports Server errors
CRS 300001 - CRS 300024	Crystal Reports Server errors

### 5.1 CRS 200001 - CRS 200005

**Internal error. Please contact your system administrator. (CRS 200001)**

**Cause**

An internal error has occurred.

**Action**

Please contact your system administrator.

**Out of memory error. Please contact your system administrator. (CRS 200002)**

**Cause**

The system ran out of memory.

**Action**

Please contact your system administrator.

**Request failed because the user does not have the right to do the following: {0}. (CRS 200003)**

**Cause**

Insufficient user rights.

**Action**

Please contact your system administrator.

**Unsupported run-time modification detected. Can not add user specific content at run-time. (CRS 200004)**

**Cause**

Unsupported run-time modification.

**Action**

Please contact your system administrator.

**Drill down not possible. (CRS 200004) (CRS 200005)**

**Cause**

Drill down is not possible.

**Action**

Please try selecting a different drill down location.

## **5.2 CRS 300001 - CRS 300024**

**Internal error. Please contact your system administrator. (CRS 300001)**

**Cause**

An internal error has occurred.

**Action**

Please contact your system administrator.

**{0} (CRS 300002)**

**Cause**

Code generation error.

**Action**

Please contact your system administrator.

**{0} (CRS 300003)**

**Cause**

A report exception has been thrown.

**Action**

Please contact your system administrator.

**Error writing exported report to disk. (CRS 300004)**

**Cause**

Error writing exported report to disk.

**Action**

Please contact your system administrator.

**Error communicating with BOE: {0} (CRS 300005)**

**Cause**

Error communicating with BOE.

**Action**

Please contact your system administrator.

**Scope batch job processing failed. (CRS 300006)**

**Cause**

Scope batch job processing failed.

**Action**

Please contact your system administrator.

**Global delivery rule alert processing failed. (CRS 300007)**

**Cause**

Global delivery rule alert processing failed.

**Action**

Please contact your system administrator.

**Unable to deliver document to destination. (CRS 300008)**

**Cause**

Unable to deliver document to destination.

**Action**

Please contact your system administrator.

**Unable to find personalization target field: {0} in report. (CRS 300009)**

**Cause**

Unable to find personalization target field.

**Action**

Please contact your system administrator.

**Cannot map BOE profile value to non-string parameter field: {0} (CRS 300010)**

**Cause**

Cannot map BOE profile value to a non-string parameter field.

**Action**

Make sure the BOE profile value is mapped to a string parameter field.

**Cannot map a profile expression to a parameter field: {0} (CRS 300011)**

**Cause**

Cannot map a profile expression to a parameter field.

**Action**

Please contact your system administrator.

**Parameter field(s): {0} are not optional. Cannot set no value. (CRS 300012)**

**Cause**

Some parameter fields are not optional.

**Action**

Non-optional parameters must contain values.

**Parameter field(s): {0} do not allow multiple values. (CRS 300013)**

**Cause**

Some parameter fields have too many values.

**Action**

Reduce the number of values in the parameter.

**Parameter field(s): {0} are in use and require a value. (CRS 300014)**

**Cause**

Some parameter fields do not have values.

**Action**

Supply values to the parameters.

**Parameter field(s): {0} do not allow null values. (CRS 300015)**

**Cause**

Some parameter fields do not allow null values.

**Action**

Please contact your system administrator.

**The publication source document does not have saved data, but saved data is required. (CRS 300016)**

**Cause**

The publication source document does not have saved data.

**Action**

Make sure the source document has saved data.

**Unable to convert profile value type to report field type for field: {0} (CRS 300017)**

**Cause**

Type conversion failure.

**Action**

Please contact your system administrator.

**Personalizing data parameter(s): {0} can result in poor performance by potentially causing 1 database refresh per recipient. (CRS 300018)**

**Cause**

Personalizing data parameter causes a data refresh.

**Action**

Avoid personalizing data parameters in order to improve performance.

**Cannot personalize boolean group parameter(s): {0}. Personalizing a parameter in a boolean group is not supported. (CRS 300019)**

**Cause**

Cannot personalize boolean group parameters.

**Action**

Personalizing a parameter in a boolean group is not supported.

**User does not have right to print document. (CRS 300020)**

**Cause**

User does not have the right to print this document.

**Action**

Please contact your system administrator.

**User does not have right to download document and only has rights to schedule to the default enterprise location and inbox destinations. (CRS 300021)**

**Cause**

User does not have the right to download this document.

**Action**

Please contact your system administrator.

**Failed to schedule a multilingual report. (CRS 300022)**

**Cause**

Failed to schedule a multilingual report.

**Action**

Please contact your system administrator.

**Failed to trigger alert within the report. (CRS 300023)**

**Cause**

Failed to trigger alert.

**Action**

Please contact your system administrator.

**Could not run publication because the document is based on a semantic layer with user-specific security, and publication is not using per-recipient bursting mode. (CRS 300024)**

**Cause**

Crystal Report is based on a semantic layer with user-specific security, and the publication is not using per-recipient bursting mode.

**Action**

Switch to using per-recipient bursting mode.

## Check Security Mapping (CSM) error messages

Check Security Mapping error message categories include the following:

CSM Errors	Category
CSM 00001 - CSM 00012	Data Security Profile errors: Table and row restrictions, table mapping, and connection overrides.
CSM 00101 - CSM 00112	Business Security Profile errors.

**The checked Data Security Profile "{0}" contains an invalid data foundation. Check that the data foundation exists or contains at least one table. (CSM 00001)**

### Cause

The referenced data foundation is not valid.

### Action

Check the validity of the data foundation. The data foundation should contain at least one table. Run a check integrity on the data foundation.

**A row restriction in the checked Data Security Profile "{0}" contains a restricted table not defined in the data foundation. Correct the definition of the row restriction. (CSM 00002)**

### Cause

The table defined in the row restriction is not present in the data foundation.

### Action

Edit the Data Security Profile row restriction and change the referenced table.

**A row restriction in the checked Data Security Profile "{0}" contains an undefined restricted table. Define a new restricted table. (CSM 00003)**

**Cause**

The restricted table defined in the row restriction is empty.

**Action**

Edit the Data Security Profile row restriction and change the referenced table.

**The table mapping in the checked Data Security Profile "{0}" contains an original table "{1}" not defined in the data foundation. Check the definition of the original table. (CSM 00004)**

**Cause**

The original table defined in the table replacement is not in the data foundation.

**Action**

Edit the Data Security Profile table replacement and correct the reference to the original table.

**The table mapping in the checked Data Security Profile "{0}" contains an undefined replacement table. Define a new valid replacement table for the original table "{1}". (CSM 00005)**

**Cause**

The table defined in the table replacement is not in the data foundation or data source.

**Action**

Edit the Data Security Profile table replacement and correct the reference to the replacement table.

**The table mapping in the checked Data Security Profile "{0}" contains a replacement table "{1}" which is an alias. Alias tables are not supported as replacement tables. (CSM 00006)**

**Cause**

The table defined as a replacement is an alias table in the data foundation. Alias tables cannot be used as replacement tables.

**Action**

Edit the Data Security Profile table replacement and define a standard table in the data foundation, or a database table as the replacement table.

**The table mapping in the checked Data Security Profile "{0}" contains a replacement table "{1}" which is a derived table. Derived tables are not supported as replacement tables. (CSM 00007)**

**Cause**

The table defined as a replacement is a derived table in the data foundation. Derived tables cannot be used as replacement tables.

**Action**

Edit the Data Security Profile table replacement and define a standard table in the data foundation, or a database table as the replacement table.

**The connection mapping in the checked Data Security Profile "{0}" contains an original connection not defined as the data source in the data foundation. Check the definition of the original connection. (CSM 00008)**

**Cause**

The original connection referenced in the connection replacement is not defined as a connection in the data foundation.

**Action**

Check the connections defined in the data foundation, then edit the Data Security Profile connection replacement, and change the original connection to a connection that is defined in the data foundation.

**The connection mapping in the checked Data Security Profile "{0}" contains an undefined original connection. Redefine the original connection. (CSM 00009)**

**Cause**

The original connection referenced in the connection replacement is invalid.

**Action**

Edit the Data Security Profile connection replacement, and change the original connection to a valid connection.

**The connection mapping in the checked Data Security Profile "{0}" contains an undefined replacement connection. Define a new valid replacement connection for the original connection "{1}". (CSM 00010)**

**Cause**

The replacement connection is invalid.

**Action**

Edit the Data Security Profile connection replacement and change the replacement connection to valid connection.

**The SQL WHERE clause for a row restriction in the Data Security Profile "{0}" is incomplete. Enter a valid SQL statement for the row restriction. (CSM 00011)**

**Cause**

The SQL expression for the row restriction is invalid.

**Action**

Edit the Data Security Profile row restriction and check the validity of the WHERE expression.

**The SQL WHERE clause in a row restriction condition in the Data Security Profile "{0}" is not valid. Enter a valid SQL statement. (CSM 00012)**

**Cause**

The SQL expression for the row restriction is invalid.

**Action**

Edit the Data Security Profile row restriction and check the validity of the WHERE expression.

**The Business Security Profile "{0}" contains an invalid universe reference. Redefine Business Security Profile "{0}" on a new universe. (CSM 00101)**

**Cause**

The universe is not valid.

**Action**

Check the validity of the universe referenced by the Business Security Profile.

**The Business Security Profile "{0}" refers to a denied object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Create Query panel. (CSM 00102)**

**Cause**

The business object denied in the Create Query settings is missing from the universe.

**Action**

Edit the Business Security Profile Create Query settings and delete or change the denied object.

**The Business Security Profile "{0}" refers a granted object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Display Data panel. (CSM 00103)**

**Cause**

The business object granted in the Display Data settings is missing from the universe.

**Action**

Edit the Business Security Profile Display Data settings and delete or change the granted object.

**The Business Security Profile "{0}" refers to a denied view that has been removed from the universe "{1}". Edit the Business Security Profile and remove the view from the Create Query panel. (CSM 00104)**

**Cause**

The business layer view denied in the Create Query settings is missing from the universe.

**Action**

Edit the Business Security Profile Create Query settings and delete or change the denied view.

**The Business Security Profile "{0}" refers a granted view that has been removed from the universe "{1}". Edit the Business Security Profile and remove the view from the Create Query panel. (CSM 00105)**

**Cause**

The business layer view granted in the Create Query settings is missing from the universe.

**Action**

Edit the Business Security Profile Create Query settings and delete or change the granted view.

**The Business Security Profile "{0}" refers to a denied object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Display Data settings. (CSM 00106)**

**Cause**

The business object denied in the Display Data settings is missing from the universe.

**Action**

Edit the Business Security Profile Display Data settings and delete or change the denied object.

**The Business Security Profile "{0}" refers to a granted object that has been removed from the universe "{1}". Edit the Business Security Profile and remove the object from the Display Data panel. (CSM 00107)**

**Cause**

The business object granted in the Display Data settings is missing from the universe.

**Action**

Edit the Business Security Profile Display Data settings and delete or change the granted object.

**The Business Security Profile "{0}" refers to a filter that has been removed from the universe "{1}". Edit the Business Security profile and remove the filter from the Filters panel. (CSM 00108)**

**Cause**

The filter defined in the Business Security Profile Filters setting is missing from the universe.

**Action**

Edit the Business Security Profile Filters setting and change the referenced filter.

**The Business Security Profile "{0}" contains a filter "{1}" with an invalid query definition. In the Business Security Profile, redefine the filter with a correct query definition. (CSM 00109)**

**Cause**

The filter defined in the Business Security Profile Filters setting is invalid.

**Action**

Edit the Business Security Profile Filters setting and validate the filter definition.

**The Business Security Profile "{0}" refers to a named set that has been removed from the universe "{1}". Edit the Business Security Profile and remove the named set from the Filters panel. (CSM 00110)**

**Cause**

The named set defined in the Business Security Profile Filters setting is missing from the universe.

**Action**

Edit the Business Security Profile Filters setting and reference a valid named set.

**The Business Security Profile "{0}" contains a named set "{1}" which has no hierarchy assignment. In the Business Security Profile, redefine a named set with the correct hierarchy. (CSM 00111)**

**Cause**

The named set defined in the Business Security Profile Filters setting has no hierarchy defined.

**Action**

Edit the Business Security Profile Filters setting and validate the named set definition.

**The Business Security Profile "{0}" contains a named set "{1}" with a hierarchy that has been removed from universe "{2}". In the Business Security Profile, redefine a named set with a correct hierarchy. (CSM 00112)**

**Cause**

The named set defined in the Business Security Profile Filters setting is defined on a missing hierarchy.

**Action**

Edit the Business Security Profile Filters setting and validate the named set definition.

## Data Access Error Messages

Data access error messages include the following categories:

- Database (DA) Error Messages
- Data Provider (DMA) Error Messages
- File (DPP) Error Messages
- Connection (DPQ) Error Messages
- Stored Procedures (DPS) Error Messages
- SQL (QPF) Error Messages
- Server (DWZ) Error Messages
- SQL Query (QP) Error Messages
- Data Provider (VBA) Error Messages

### 7.1 Database (DA) Error Messages

Database error messages include the following:

Range	Category
DA0005 - DA0010	Database errors

#### Connection or SQL sentence error. (DA0005)

##### Cause

Connection Server can generate a connection or SQL sentence error after the date format has been changed in the relevant `.sbo` file. This can occur if the format set in the `.sbo` file does not agree with that set in the database.

##### Action

Verify that the Oracle `NLS_DATE_FORMAT` parameter is set to the date format that you have set in the data access `.sbo` file. Check your Oracle documentation for more information. See the "Data Access Guide" for information on parameters defined in the `.sbo` files, and how to modify them.

**Cause**

Your Oracle data access drivers have been moved, deleted, renamed, or damaged.

**Action**

Re-install the Oracle data access driver.

**BLOB column cannot fetch more than one row. (DA0009)****Cause**

The request involves the retrieval of one or more Binary Large Objects (BLOBs). These objects extend beyond a single row. Your corporate database does not support the retrieval of objects that extend beyond a single row.

**Action**

Contact BusinessObjects Customer Support.

**Some of the objects from the universe are missing or ambiguous. You cannot run the query on this universe. (DA0010)****Cause**

This message is displayed whenever you try to run a query on a universe, where the query includes objects that are missing from the data source.

**Action**

Delete the missing objects from your query. To do this:

1. Select the error message's **Details** tab to determine the objects that are missing.
2. Use the **Data, View Data** option to remove the missing objects from the query.

## 7.2 Data Provider (DMA) Error Messages

Data Provider error messages include the following ranges and categories:

Range	Category
DMA0002 - DMA 0008	Data Provider

**Bad hierarchy name (DMA0002)****Cause**

This message appears when you try to name a hierarchy with the same name as an existing hierarchy.

**Action**

Use a unique name for the new hierarchy.

**Export failed! (DMA0005)****Cause**

This error message appears as the result of a failure after you have selected one of the following file export options:

- **Export to local file format** -- In the case of an attempted export to a dBase or Excel file, there has been a general export failure that was possibly caused by unavailable target files, a Microsoft DAO internal error (such as an absent ISAM driver), or not enough disk space.

In the case of an attempted export to a text file, there has been a general export failure that was possibly caused by unavailable target files or not enough free disk space.

- **Copy to DDE** -- In the case of an attempted export to DDE (the Windows Clipboard), there has been a general export failure that was most likely caused by insufficient memory.
- **Export to RDBMS** -- In the case of an attempted export through a BusinessObjects connection, there has been a general export failure possibly caused by an improper middleware configuration or connection, the database server being down, or the user not being authorized to modify an existing table in the database indicated by the connection. In the case of **Export to RDBMS**, this error message follows a message generated from the middleware that contains more specific information.

**Action**

You need to check the option you selected for export and then take the appropriate following steps:

If you checked,	Then
Export to local file format	make certain that the target files are available and that there is enough free disk space. If both of these conditions are met, look for Microsoft DAO internal errors such as no ISAM driver.
Copy to DDE	make certain there is enough free memory.

If you checked,	Then
Export to RDBMS	the preceding (middleware) error message should give you more specific information.

**Cause**

In BusinessObjects, you attempted to export data to Microsoft Excel. However, the data contains objects with names made up of special characters that have specific meanings in Microsoft Excel.

**Action**

When exporting the data do this:

1. Instead of clicking the option **Export to Local File Format**, click **Copy to DDE**.

This allows you to copy the data to the Microsoft Windows clipboard.

2. Launch Excel and paste (special) the data in the cells you wish.

The object names are displayed correctly.

An alternate solution is to use BusinessQuery if it is available at your site. It also accepts BusinessObjects data which it displays correctly.

**Editing this data provider requires an additional BusinessObjects component which has not been installed on your computer. Please contact your system administrator. (DMA0006)**

**Cause**

This error message appears when you attempt to edit a data provider for a BusinessObjects report and that data provider requires a component that has not been installed on your computer.

**Action**

You should contact the system administrator to help you identify the missing component and to install it.

**Example:**

You want to edit a data provider that uses an OLAP server and you do not have the specific OLAP Access Pack installed on your computer.

---

**The following data providers have not been successfully refreshed (DMA0007)****Cause**

Essbase products: If you use an table alias name that contains a parenthesis.

**Action**

A table alias name should not contain parenthesis. Contact your system administrator.

**Cause**

All other BusinessObjects products: You begin to refresh a document that prompts you to select values. The Enter or Select Values dialog box appears. Rather than select values, you select Cancel in the Enter or Select Values dialog box and stop the data provider from being refreshed.

**Action**

This is not an error. It is a message to tell you that the report cannot display new data because you stopped the data provider from being refreshed.

**A variable prevented the data provider from being refreshed. (DMA0008)****Cause**

This message appears in the following situation. You begin to refresh a document, but one of the variables contained in the data provider (@Variable, @Prompt, @Script) cannot be resolved. This prevents the data provider from being refreshed.

**Action**

You or the universe designer should examine and, if necessary, modify the variables in the query. You can do this in the Free-Hand SQL Editor or the universe designer can do it in Designer. For further information about the correct syntax for variables, refer to the *Universe Design Tool User's Guide*.

## 7.3 File (DPP) Error Messages

File error messages include the following ranges and categories:

Range	Category
DPP0001 - DPP0002	File error

**Cannot open file. (DPP0001)****Cause**

This error message appears after the failure to open any of the following files that you are using as a personal data file:

- dBase
- Excel
- text

The file is unavailable because it was possibly deleted, renamed, moved, or damaged. It is also possible that you are not authorized to use the file; for example, the file is in a folder with restricted access.

**Action**

You need to check the status of the file.

**You are not authorized to use this stored procedure. (DPP0002)****Cause**

You tried to open a document that was created using a stored procedure, after the stored procedure was deleted.

**Action**

You can only use the document if the stored procedure is recreated.

**7.4 Connection (DPQ) Error Messages**

Connection error messages include the following ranges and categories:

<b>Range</b>	<b>Category</b>
DPQ0001 - DPQ0006	Connection

## Connection is not defined. (DPQ0001)

### Cause

This error message appears when you try to run a query you have created in the Free-Hand SQL Editor. There is no connection defined between BusinessObjects and the database you want to access with your query. It is therefore impossible to access data for your report.

### Action

You need to create a database connection from the Free-Hand SQL Editor or the database administrator needs to define a new connection to the database with Designer or Supervisor.

You can create a new connection in the Add a connection dialog box, which you display by clicking the **Create a new connection** button in the Free-Hand SQL Editor.

## The server is not responding! (DPQ0003)

### Cause

This error message appears when you refresh a document. There are three possible causes:

- The middleware is not configured correctly.
- The connection parameters are invalid.
- The database server is down.

### Action

Click the Details button in the Task Connection dialog box. Make a note of the database or middleware error and contact the database administrator.

## Connection problem (DPQ0005)

### Cause

This error appears when you attempt to run a query that you have created in the Free-Hand SQL Editor. A connection is a set of parameters that provides access to a database. This message appears when the connection has not been correctly defined.

### Action

If you have defined the connection to the database from the Free-Hand SQL Editor, you need to edit it. To edit the connection, select the connection in the Connection list in the Free-Hand SQL Editor, and click the **Edit connection** button.

If you are using a connection that you did not define in the Free-Hand SQL Editor, the database administrator needs to edit the connection in Designer or Supervisor.

**Does not exist. (DPQ0006)****Cause**

This error occurs when you try to run a SQL script that you have created in the Free-hand SQL Editor. The SQL data provider cannot find information about the connection to a database that it is supposed to use and displays this error message.

**Action**

You need to look at the database connection to be used by the SQL script to make sure that it exists and that it is still valid.

If the database connection does not exist, you can define it in the Free-Hand SQL Editor.

If the database connection exists, is one that you defined in the Free-Hand SQL Editor, and needs to be modified, then you can edit it by selecting the connection from the Connection list in the Free-Hand SQL Editor and clicking the Edit Connection button.

If the database connection exists and you did not define it, then the database administrator needs to edit it in Designer.

**7.5 Stored Procedures (DPS) Error Messages**

Stored Procedures error messages include the following ranges and categories:

Range	Category
DPS0001 - DPS0002	Stored Procedures

**This stored procedure has been removed. (DPS0001)****Cause**

This error results when you try to use a stored procedure that has been deleted, or you do not have access rights to use it. A stored procedure can be:

- An SQL script that is stored on the RDBMS that returns data
- A procedure defined in a JavaBean that returns data

The system administrator can define connections to stored procedures and assign these connections to users.

**Action**

The connection definition requires updating or replacing.

**You are not allowed to use this stored procedure (DPS0002)****Cause**

This error message appears when you attempt to use a stored procedure as a data provider and the system administrator has not given you permission to use it. A stored procedure is an SQL script that is stored on the RDBMS that returns data.

**Action**

Contact the system administrator and request permission to use the stored procedure.

## 7.6 SQL (QPF) Error Messages

SQL error messages include the following ranges and categories:

Range	Category
QPF0001	SQL

**The only authorized SQL command is "Select" (QPF0001)****Cause**

This error occurs when the SQL has been modified (most likely, manually) and the Select command was replaced. The SQL Select command is required for report generation.

**Action**

You need to add the Select command to the SQL and regenerate it. You can perform these operations in the Query Panel or in the Free-Hand SQL Editor. BusinessObjects does not accept a comment as the first SQL command.

## 7.7 SQL Query (QP) Error Messages

SQL Query error messages include the following ranges and categories:

<b>Range</b>	<b>Category</b>
QP0001 - QP0027	SQL Query

### **Error during SQL generation. (QP0001)**

#### **Cause**

This error occurs during the execution of a query. The two possible causes are an error in the SQL or a problem in the connection with the database.

#### **Action**

You should verify the SQL. If the SQL appears to be correct, test the connection.

### **Internal memory error during SQL generation. (QP0002)**

#### **Cause**

This error occurs when there is no longer enough memory to generate the SQL.

#### **Action**

You should close other applications and then rerun the query.

### **Memory error during SQL generation. (QP0003)**

#### **Cause**

This error occurs when there is no longer enough memory to generate the SQL.

#### **Action**

You should close other applications and then rerun the query.

### **Incompatible combination of objects. (QP0004)**

#### **Cause**

This error is caused by any of the following problems in the definition of the universe:

- There are incompatible objects in the universe and the universe designer did not set the option that allows multiple SQL statements for each context.

- There are no contexts in the universe and the query has created a loop.
- The query objects exclude all possible SQL choices for an aggregate aware function.
- The universe contains an object which references more than one table on separate contexts.

**Action**

The universe designer needs to make appropriate modifications to the universe with Designer.

**Outer joins are incoherent. (QP0005)**

**Cause**

This error is caused by a universe definition problem. There is a bad combination of outer joins among tables in the database.

**Action**

The universe designer needs to make appropriate modifications to the universe with Designer.

**Cartesian product not allowed. (QP0006)**

**Cause**

A Cartesian product is the result of a query in which two or more tables are not linked by a join. If executed, the report shows results for each possible combination of each table row. The universe designer specified that Cartesian products would not be allowed when this universe was created.

**Action**

The universe designer needs to make appropriate modifications to the universe with Designer. The designer can allow Cartesian products or create the necessary links among tables in the database.

**The query does not reference a table. (QP0007)**

**Cause**

This error is caused by a universe definition problem. There is an object in the universe that cannot be used all alone. In addition, no SQL statement recognizes this object.

**Action**

The universe designer needs to make appropriate modifications to the universe with Designer. For further information, refer to the *Designer's Guide*.

**There is a reference to a table that has been deleted. (QP0008)****Cause**

This error occurs when you regenerate a SQL statement after having refreshed a database and the universe has been modified. The SQL statement cannot execute because it references a table that no longer exists in the universe.

**Action**

The universe designer needs to modify the universe with Designer so that all its objects are linked to tables in the universe.

**One of the objects in the query is not valid. (QP0009)****Cause**

This error occurs when one of the objects in a query no longer exists in the universe.

**Action**

The universe designer can return the object to the universe with Designer or you can remove the object from your query.

**One of the properties in the query is not valid. (QP0010)****Cause**

This error message appears when you run a query that includes predefined condition objects from the Query Panel. One of the condition objects in the query no longer exists in the universe. The query cannot execute and the error message appears.

**Action**

See the universe designer about the universe and the condition object. Using Designer, the universe designer can define objects that act as predefined conditions on a class. Either the universe designer needs to define the condition object or you need to create the query without the condition. For further information about defining condition objects refer to the *Designer's Guide*.

**The .PRM file cannot be found. (QP0011)****Cause**

Cannot find a .prm file. A .prm file contains all the parameters necessary for creating and managing universes as well as generating queries. This error indicates that the product has been incorrectly installed.

**Action**

Reinstall the product.

**The complex condition has created a Cartesian product. (QP0013)**

**Cause**

This error occurs when you insert a calculation as part of a complex condition. The calculation is using objects that reference unlinked tables. A Cartesian product is the result of a query in which two or more tables are not linked by a join. If executed, the report shows results for each possible combination of each table row.

**Action**

The universe designer can use Designer to link the tables referenced by the objects in your calculation. Or you can remove the condition from the query.

**Loop in complex condition. (QP0014)**

**Cause**

This error occurs when you insert a calculation as part of a complex condition. The calculation uses objects whose tables form a loop.

**Action**

The universe designer needs to use Designer to link the tables referenced by the objects in your query so that they do not form a loop. Or you can remove the condition from the query.

**This query is too complex. One of the subqueries contains incompatible objects. (QP0015)**

**Cause**

This error occurs when you have a complex query containing multiple subqueries and the objects in one subquery are incompatible with the objects in another subquery.

**Action**

You need to examine the subqueries of the complex query to assure that all objects in all subqueries are compatible.

**The server is not responding. (QP0016)****Cause**

This error message appears when you run a query from the Query Panel and no data is being returned from the server. There are three possible causes:

- The middleware is not configured correctly.
- The connection parameters are invalid.
- The database server is down.

**Action**

Click the Details button in the Task Connection dialog box. Make a note of the database or middleware error and contact the database administrator.

**Columns of the SELECT clause are different from the result objects. (QP0017)****Cause**

This error typically occurs after you modify the SQL by hand in the Free-Hand SQL Editor. There are either too many or not enough fields in the Select clause in comparison with the number of objects in the Query Panel.

**Action**

You need to edit the SQL so that there are the same number of fields in the Select clause as there are objects in the Query Panel.

**Syntax error in variable. (QP0018)****Cause**

This error occurs when one of the objects in the query contains an @Prompt or an @Variable that is incorrectly defined in the universe.

**Action**

The universe designer needs to redefine the @Prompt or @Variable in the universe with Designer.

**Syntax of @Prompt**

The syntax of the function is as follows:

```
@Prompt('message', ['type'], [lov], [MONO|MULTI], [FREE|CONSTRAIN])
```

where

- message is the text of a message within single quotes.

- type is one of the following: 'A' for alphanumeric, 'N' for number, or 'D' for date.
- lov can be either:
  - a list of values enclosed in brackets (each value must be within single quotes and separated by commas); or
  - the name of a class and object separated by a backslash and within single quotes.
- MONO means that the prompt accepts only one value. MULTI means that the prompt can accept several values.
- FREE refers to free input as opposed to CONSTRAIN, which means that the end user must choose a value suggested by the prompt.

**Note:**

The last four arguments are optional. However, if you omit an argument, you must still enter the commas as separators.

**Syntax of @Variable**

The syntax of the function is as follows:

```
@Variable('myname')
```

where myname can be one of the following:

- The text of an interactive object previously created with the @Prompt function; i.e. the first argument entered in the @Prompt function.
- A BusinessObjects system variable such as BOUSER. These variables represent respectively the user name and password forming the user identification. System variables also exist for the connection to the RDBMS.

For more information on the correct syntax for defining @Prompt or @Variable, refer to the *Designer's Guide*.

**You are not authorized to use the object. (QP0019)****Cause**

This error occurs when one user tries to open a document created by another user and that document contains an object for which the user does not have access rights.

**Action**

The supervisor or administrator can give the user access rights to the object.

**Aggregate aware resolution failed. (QP0020)****Cause**

This error occurs during SQL generation because a measure object that was defined using the `@Aggregate_Aware` function was incorrectly defined. It is necessary to define these measure objects to set up aggregate awareness. Aggregate awareness enhances the performance of SQL transactions. Because of the incorrect definition, the SQL cannot be generated.

**Action**

The universe designer needs to examine the measure objects defined with the `@Aggregate_Aware` function to make certain that their syntax is correct.

**Syntax of @Aggregate\_Aware**

The syntax of the `@Aggregate_Aware` function is as follows:

```
@Aggregate_Aware (sum(agg_table_1, ... sum(agg_table_n))
```

where `agg_table_1` is the table with the highest level of aggregation, and `agg_table_n` the table with the lowest level. You must enter the names of all aggregate tables as arguments. Also, be aware of the order in which you place the names of tables; the precedence is from left to right.

The designer should also make certain that there is a list of incompatible objects and/or incompatible predefined conditions for each aggregate table in the universe.

For further information on aggregate awareness and the `@Aggregate_Aware` function, refer to the *Designer's Guide*.

**Ambiguous condition on a measure. Remove it or cancel your scope of analysis. (QP0021)****Cause**

When you choose a deeper scope of analysis, you add objects from lower levels in the hierarchy to the query. SQL uses the Group By order to generate a synchronized subquery. The operators Equal to, Except, Greater than, Less than, Greater than or equal to, and Less than or equal to can generate a synchronized subquery. The operators Between, Matches pattern, and In list cannot generate a synchronized subquery. The SQL cannot be generated.

**Action**

You can modify the query or you can remove the scope of analysis.

**You cannot create a new tab before including at least one result object in this tab. (QP0022)**

**Cause**

This error message appears if you try to create a second query that you want to combine with a first query and you have removed all the result objects from the first query.

**Action**

You need to place at least one result object in the first query tab.

**You cannot combine subqueries. (QP0023)**

**Cause**

This error message appears if you try to combine a subquery of one query with a second query. This is not allowed.

**You cannot delete this query. You must delete the condition first. (QP0025)**

**Cause**

This message appears if you try to delete a query that has an attached subquery without first deleting the attached subquery.

**Action**

In order to delete the query, you must first delete the subquery.

**Some obsolete objects have been removed from the query. (QP0027)**

**Cause**

This error occurs during SQL generation because your query contains objects that the universe designer has removed from the query.

**Action**

You need to reconstruct the query without the deleted objects.



## Data Federation (DFA) Error Messages

Data federation error messages include the following:

Range	Category
DFA0003 - DFA80007	Data federation errors

### Cannot find the data federation driver. (DFA 0003)

**Cause**

Cannot find data federation driver.

**Action**

Installation problem. Re-install data federation administration tool.

### Problem getting metadata for catalogs. (DFA 00010)

**Cause**

Problem getting catalogs.

**Action**

Check the traces in the log file of the Adaptive Processing Server that is hosting the data federation service.

### Cannot retrieve driver properties for URL : '{0}' (DFA 0030)

**Cause**

Cannot retrieve driver properties for a url.

**Action**

Installation problem. Re-install data federation administration tool.

### **An internal error occurred. (DFA 20001)**

#### **Cause**

An unknown error occurred.

#### **Action**

```
//components/datafederator/trunk/PI/query_server/src/com/businessobjects/datafederator/server/params/re  
source/messages_parameters_dev.properties
```

### **Problem getting metadata for catalogs. (DFA 30001)**

#### **Cause**

Problem getting catalogs.

#### **Action**

Check the traces in the log file of the Adaptive Processing Server that is hosting the data federation service.

### **Cannot connect to the server that hosts the data federation service. (DFA 40001)**

#### **Cause**

Cannot connect to server that hosts the data federation service.

#### **Action**

Check if data federation service and networks are OK.

### **Cannot find the data federation driver. (DFA 40002)**

#### **Cause**

Cannot find data federation driver.

#### **Action**

Installation problem. Re-install data federation administration tool.

**Cannot retrieve driver properties for URL : '{0}' (DFA 40003)**

**Cause**

The installation may be corrupted.

**Action**

Installation problem. Re-install data federation administration tool.

**An error occurred when retrieving connection id. (DFA 40004)**

**Cause**

Cannot retrieve connection id.

**Action**

Check connection to the data federation service.

**An error occurred when explaining the query on the data federation query engine. (DFA 50001)**

**Cause**

Data federation service threw an error.

**Action**

Check if you can run the query. See data federation log file for details.

**The list of functions cannot be retrieved from the data federation service. (DFA 50002)**

**Cause**

Data federation service threw an error.

**Action**

Try reconnecting to data federation service. See data federation log file for details.

**An error occurred when executing the query on the data federation query engine. (DFA 50003)**

**Cause**

Data federation service threw an error.

**Action**

Check if your query is correct.

**An error occurred while executing an XPath query on the XML result returned by the data federation service. (DFA 50004)**

**Cause**

The data federation service returned an unreadable XML result.

**Action**

Check that versions of data federation administration tool and data federation service are compatible. See data federation log file for details.

**An error occurred while parsing the XML returned by the data federation service. (DFA 50005)**

**Cause**

The data federation service returned an incorrect XML result.

**Action**

See data federation log file for details.

**An error occurred while preparing a query. (DFA 50006)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

**Cannot get system properties. (DFA 60001)**

**Cause**

Problem getting connectors.

**Action**

Check the traces in the log file of the Adaptive Processing Server that is hosting the data federation service.

**An error occurred while cancelling a query. (DFA 50007)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

**Too many rows to display. Maximum allowed is '999'. (DFA 50008)**

**Cause**

You entered a number of queries history size that is too high.

**Action**

Set the system parameter "QUERY\_HISTORY\_SIZE" to less than 999.

**Cannot reset the configuration for connector '{0}'. (DFA 60002)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

**Cannot get the configuration for connector '{0}'. (DFA 60003)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

**Cannot update the configuration for connector '{0}'. (DFA 60004)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

**Cannot ping the connector '{0}'. (DFA 60005)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

**Cannot get the connector '{0}' capabilities. (DFA 60006)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

**Cannot retrieve statistics from the data federation service. (DFA 70001)**

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

### Cannot update statistics. (DFA 70002)

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

### Cannot get system parameters. (DFA 80002)

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

### Cannot get session parameters. (DFA 80003)

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

### Cannot get startup parameters. (DFA 80004)

**Cause**

Data federation service threw an error.

**Action**

Check connection to data federation service. See data federation log file for details.

### Cannot update the system parameter '{0}'. (DFA 80005)

**Cause**

Data federation service threw an error when updating system parameter.

**Action**

Check validity of your system parameter value. See data federation log file for details.

**Cannot update the session parameter '{0}'. (DFA 80006)**

**Cause**

Data federation service threw an error when updating session parameter.

**Action**

Check validity of your session parameter value. See data federation log file for details.

**Cannot restore default value of system parameters. (DFA 80007)**

**Cause**

Data federation service threw an error when restoring default value.

**Action**

Check connection to data federation service. See data federation log file for details.

## Document and Universe Exchange Error Messages

Document and universe exchange error messages include the following ranges and categories:

- Category (CAT) Error Messages
- Document Exchange (DX) Error Messages
- Universe Exchange (UX) Error Messages

### 9.1 Category (CAT) Error Messages

Category error messages include the following ranges and categories:

Range	Category
CAT0001	Category errors

**The category name contains invalid characters. Valid characters are: (CAT0001)**

#### **Cause**

You tried to name a new category using unauthorized characters.

#### **Action**

Re-enter the category name, using only valid characters. Valid characters include: a-z A-Z 0-9 \- \_ \$ , and Space (except at the beginning).

### 9.2 Document Exchange (DX) Error Messages

Document exchange error messages include the following ranges and categories:

Range	Category
DX0001 - DX 00050	Document Exchange errors

### Cannot generate temporary file. (DX0001)

#### Cause

You tried to send a document to the repository. However, BusinessObjects always temporarily saves files locally to disk before sending them to the repository. These temporary files are stored in the folder:

My Documents\BusinessObjects Documents\UserDocs

Either you do not have write-access to the disk, or the disk is full.

#### Action

Empty your Recycle Bin. If necessary, delete any redundant or unwanted files, and empty the Recycle Bin again. If you have read-only privileges on the root C:\ drive, the system or network administrator can grant you full access privileges on the drive.

### The file will not be secured on your workstation. (DX0002)

#### Cause

You tried to publish a document to corporate documents before saving it. In order to secure the local version of this document, you must first save it. Otherwise, any security restrictions placed on the document in the repository would not apply to the document on the file system until it is overwritten by the version in the repository.

#### Action

Save the local version of this document before publishing it.

### RSS file not accessible. (DX0003)

#### Cause

This error can occur when security domain tables are shifted to a different database. As a result, the Connection parameters of the universe are no longer valid

#### Action

A designer can restore the connection as follows:

1. Create a new connection (Tools > Connections) for the universe.

2. Assign the connection to the universe (File > Parameters).
3. Save the universe.
4. Reexport the universe to the repository (File > Export).

### **Wrong SQL used. (DX0004)**

#### **Cause**

BusinessObjects has encountered an exceptional error while attempting to access your corporate database.

#### **Action**

Contact BusinessObjects Customer Support.

### **Error during import. (DX0005)**

#### **Cause**

An error occurred while you were retrieving a document from the repository. The import was aborted for one of the following reasons:

- There was a network error.
- The server which hosts the document domain has failed.

#### **Action**

Verify the network connection by "pinging" the server hosting the repository. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

### **Error during import. (DX0007)**

#### **Cause**

An error occurred while you were retrieving a document from the repository. The import was aborted for one of the following reasons:

- There was a network error.
- The server which hosts the document domain has failed.

#### **Action**

Verify the network connection by "pinging" the server hosting the repository. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

**Unknown error during import of <document>. Import canceled. <document> cannot be imported. (DX0009)****Cause**

Documents are successfully exported to the repository and users can retrieve them, but as soon as you want to open these files, you see the above error message. This error occurs when the client computer does not have the same character settings as the database to read the information. In addition to the middleware settings, these character settings must be set in an environment variable.

**Action**

Modify the client computer to use the same character settings as the database.

On the client computer, set the variable DB2CODEPAGE with the same setting that exists in your database (ask the database administrator for the variable and its setting). The most common value is 850, but may vary when you have specific languages.

Make sure you change these settings on the client side, not the server. Where you add DB2CODEPAGE to the environment variables depends on your operating system:

- For Windows 2000: You can find the environment variables in My Computer > Properties > Advanced > Environment Variables.
- For Windows NT (3.51 and 4.0): You can find the environment variables in My Computer > Properties > Environment tab.

Then reexport the document to the repository and import the document. Information can then be read in the same way it was exported.

**Unable to close <document>. Import canceled. <document> cannot be imported. (DX0010)****Cause**

This message may be generated after you have opened a universe with an associated List of Values (LOV). An LOV is a file which contains the data values associated with an object.

Although the LOV file is still open, you have lost your connection to the document domain.

**Action**

If the document domain is hosted on a different server, try "pinging" the server on which it resides to make sure it is responding. If the network is running properly, the database administrator then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

If the document domain has been damaged, please contact the supervisor.

**Unable to create file associated with <document>. Import canceled. <document> cannot be imported. (DX0011)**

**Cause**

You tried to import a document from the repository, but you cannot write the file locally to disk. This may be due to:

- Windows access rights: the Windows administrator may not have granted you the necessary read/write authorization in the folder where you are trying to import the file.
- Insufficient disk space to import the file.

**Action**

Try the following:

- Ask the Windows administrator to grant you full access to the folders on the system where you are trying to import the file.
- Quit the application, free up some disk space, delete any unnecessary files and empty your Recycle Bin. Then try to import the file again.
- Change the default location in which you import the documents.

**Unable to delete previous file. Import canceled. <document> cannot be imported. (DX0012)**

**Cause**

This message may be generated when you try to reimport a document from the repository. Because a previous version of the document already exists on your system, you must delete the previous version before importing the new version. In this case, however, the previous version of the document cannot be deleted. This may be because:

- you do not have write-access to the file or folder.
- the file is currently open and being used by another application.

**Action**

Try the following:

- Shut down any other applications that are running, and try reimporting the document again.
- Ask the Windows administrator to grant you full access privileges to the file and/or folder.

**Unable to write to <document>. Import canceled. <document> cannot be imported. (DX0014)**

**Cause**

This message may be displayed when you try to import reports after migrating from one database to another or running a Safe Recovery to create a new key file.

**Action**

When you recreate the key file, only the connection to the security domain is rebuilt. The connections to the universe and document domains remain the same. You must therefore do one of the following:

- Edit the connections so that they point to the new database.
- Change your aliases to point to the new database.
- Create a new document and universe domain, and import the information into them. Once this is done, check that the new domains work correctly, then delete the old domains.

**The file cannot be deleted. (DX0017)**

**Cause**

This message may be displayed when you attempt to delete or import a document from the repository.

**Action**

The document file (.rep) is probably open. Close the document file and repeat the procedure.

**The file name is not compliant with the platform you are working on. Change the name. (DX0018)**

**Cause**

You tried to retrieve a document from the repository, but the file name is not compatible with the platform you are using.

**Action**

Change the name of the document so that it is compliant with your platform and then reexport it. Then try retrieving the document once again.

**You requested to export the secured file <document>. This action on the file is forbidden to you. The export was canceled for <document>. (DX0022)**

**Cause**

This message may be displayed when you attempt to send a document to the repository.

**Action**

If no restrictions are placed on your profile by the supervisor, check the c:\temp folder:

1. Delete the unused documents in the c:\temp folder (if possible, empty the content in the temp folder).
2. Reboot the machine.
3. Resend the document to the repository.

**Unknown error during export of <document>. Export stopped. <document> not exported. (DX0024)**

**Cause**

The table space in the repository is full. There is not enough room to store your document.

**Action**

Ask the database administrator to increase this table space.

**Cause**

The system hosting the repository has run out of free disk space.

**Action**

The network or system administrator needs to free up some disk space on this system.

**Database error during export of <document>. Export stopped. <document> not exported. (DX0025)**

**Cause**

The repository is full. There is not enough room to store your document.

**Action**

Ask the database administrator to increase this table space.

**Cause**

The system hosting the repository has run out of free disk space.

**Action**

The system or network administrator needs to free up disk space on this system.

**Cause**

The table size for obj\_x\_documents is too small.

**Action**

Ask the database administrator to increase the table size for obj\_x\_documents.

**Break during export of <document>: Export has stopped. <document> is not exported. (DX0026)**

**Cause**

During the export of a document to the repository, the process was interrupted due to a network failure, or a problem on the repository server.

**Action**

Verify the network connection by "pinging" the server hosting the repository. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

Try exporting the document once again.

**Cannot open file associated with <document>. <document> not exported. (DX0027)**

**Cause**

You tried to export a document to the repository, but the file cannot be opened. The file may be damaged.

**Action**

Try exporting other files. If this does not work, see the supervisor for more information on the repository you are using.

**Cannot load the dll. Check the Microsoft Exchange installation. (DX0037)**

**Cause**

A required .dll file has been deleted or damaged.

**Action**

Check your Microsoft Exchange installation. If the error persists, you may have to reinstall Microsoft Exchange.

**Cannot open file associated with <document>. (DX0040)**

**Cause**

You are trying to send a document by mail, but the file that you are trying to send cannot be opened. This may be because:

- The file has been corrupted.
- The file may be located on a machine that is down or has lost its connection to the network.
- If the file is located on a shared disk, it may already be in use by another application or user.

**Action**

Check that the file you want to send is accessible, and check that you can open it yourself before trying to send it.

**Cannot send the message. (DX0041)**

**Cause**

You are trying to send a document by mail (MAPI), but BusinessObjects cannot launch your mailing application.

**Action**

Your mailing application cannot be started, probably due to a missing .dll file or an incomplete configuration. Try reinstalling the application.

**Unable to get the document's properties! (DX0044)**

**Cause**

Although documents are stored in the document domain, their properties are stored in the security domain. When you import or export documents, both the document and the document properties must be transferred. This message may be generated when the connection to the machine hosting the security domain is no longer working, or the machine itself is down.

**Action**

If the security domain is hosted on a different server, try "pinging" the server to make sure it is responding. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

### Database error (DX0045)

#### **Cause**

This error may be generated when you try to import, export, or refresh a document. The problem is with your data warehouse.

#### **Action**

Note down the error information which is returned with this message, and check it against your database vendor's troubleshooting documentation.

### The document domain is not responding! (DX0046)

#### **Cause**

Windows does not have sufficient memory to run the various server systems that were configured.

#### **Action**

Review the system requirements to make certain that you have sufficient memory for BusinessObjects. You can also close other applications to free up memory. Empty your Recycle Bin and delete any unnecessary files.

#### **Cause**

The repository may contain errors, or may be damaged.

#### **Action**

Contact your BusinessObjects administrator.

### You need a more recent version of BusinessObjects to import this document. (DX0047)

#### **Cause**

You are using a version of BusinessObjects which is older than BusinessObjects Business Intelligence platform 6. You therefore cannot import documents created with version 6.

#### **Action**

To use BusinessObjects Business Intelligence platform 6 documents, you must upgrade your BusinessObjects installation to version 6.

**Document deletion failed. (DX 00050)****Cause**

You attempted to delete a document via the Document Exchange or in the corporate repository. The process was interrupted or the server may no longer be responding.

**Action**

Try deleting the document again. If you receive the message again, try logging out and logging back in and repeating the process.

**9.3 Universe Exchange (UX) Error Messages**

Universe exchange error messages include the following ranges and categories:

Range	Category
UX0001 - UX0071	Universe Exchange errors

**9.3.1 UX0001 - UX0019**

**The universe was exported but may contain errors. Please refer to the designer of this universe. (UX0001)**

**Cause**

You successfully exported a universe, but BusinessObjects detected inconsistencies in the structure or content of the universe.

**Action**

Run an Integrity Check on the universe to fix the problem, and then to export it again.

**No universe domain is available. Contact your supervisor for help.  
(UX0010)**

**Cause**

You cannot export documents or universes to the repository because it lacks the necessary rows representing connections in the OBJ\_M\_RESLINK table.

**Action**

Try exporting a universe again. If the problem persists, contact BusinessObjects Customer Support.

**The universe <universe> does not exist in this universe domain.  
(UX0011)**

**Cause**

You are trying to import a derived universe, which means that it is linked to another universe.

Linked universes are universes that share common components such as parameters, classes, objects, or joins. Among linked universes, one universe is said to be the kernel universe while the others are the derived universes.

In this case, the kernel universe was removed from the universe domain but not the security domain.

**Action**

Check for the location of the kernel universe, and reexport it to the universe domain. For more information on linked universes, refer to the *Designer's Guide*.

**The file name <name> does not exist in your local folder. (UX0012)**

**Cause**

You are trying to reimport a derived universe from the repository. A previous version of the universe already exists on your system, but a previous version of the master universe cannot be found. This may be because the master universe has been deleted from your system.

**Action**

Delete the previous version of the universe from your system, and reimport the universe.

**Could not retrieve columns of universe tables. The associated universe connection is not valid. (UX0013)**

**Cause**

You are trying to import a universe, but Designer cannot retrieve the necessary columns because the connection is no longer valid.

**Action**

The server is not responding. Check your connection and modify it if necessary, then refresh the structure of your universe.

**Cause**

You are trying to import a universe, but since you started your current Designer session, the supervisor has deleted this universe.

**Action**

Before you can import this universe, the universe designer must export it to the repository once again.

**The connection associated with the universe has not been defined. You must create a connection. (UX0015)**

**Cause**

You are trying to access data in the repository, but the link between the universe domain and the security domain has been corrupted. You no longer have secure access to the universe domain.

**Action**

Contact your system administrator.

**Could not update the connection locally. (UX0016)**

**Cause**

You are trying to update your connection to the repository, but there are network problems or the machine which hosts the repository database is down. This message may also be generated in the course of an operation which initiates connections to the repository (to send or retrieve documents, etc).

**Action**

Verify the network connection by "pinging" the server hosting the repository. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

## 9.3.2 UX0020 - UX0039

### Cannot open the universe. (UX0023)

#### **Cause**

You are trying to import a universe, but the universe is damaged.

#### **Action**

Delete your local version of the universe, import the universe from the repository again, and then try opening it.

#### **Cause**

One of more of the components of the universe may be corrupted.

#### **Action**

To fix the problem, the designer of the universe needs to export a working version of the universe to the repository.

### Cannot load the repository. (UX0028)

#### **Cause**

You are trying to access data in the repository, but BusinessObjects cannot load the file kgtrep50.dll. There is a problem with the connection to the security domain.

#### **Action**

Verify the network connection by "pinging" the server hosting the repository. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

### Cannot release the current repository. (UX0029)

#### **Cause**

Designer is unable to free up some of the resources which it initialized in order to set up a connection to the repository.

#### **Action**

Try launching Designer once again.

### The universe file name does not exist. (UX0032)

#### Cause

You are trying to import a universe, but the universe file has been renamed, moved, or deleted from the universes folder. This folder is located in:

\$INSTALLDIR\BusinessObjects 6.0\Universes

#### Action

Check that the universe file is physically available and fully accessible in the Universes folder. If you cannot find the universe, check with the other designers at your site to determine its possible location.

### The universe domain does not exist. (UX0033)

#### Cause

You are trying to import a universe, but the universe domain has been deleted by the supervisor.

#### Action

Check with the supervisor for information about the repository. The universe domain may have to be recreated.

### The universe ID does not exist in the repository. (UX0034)

#### Cause

You are trying to import a derived universe, which means that it is linked to another universe.

Linked universes are universes that share common components such as parameters, classes, objects, or joins. Among linked universes, one universe is said to be the kernel universe while the others are the derived universes.

In this case, the kernel universe was removed from the repository.

#### Action

Check for the location of the kernel universe, and reexport it to the repository. For more information on linked universes, refer to the *Designer's Guide*.

### The universe name does not exist. (UX0036)

#### Cause

You are trying to import a universe, but this universe has been renamed, moved or deleted by the supervisor or by another authorized designer.

**Action**

Check with the supervisor, and any other authorized designers. The universe may have to be reexported to the repository.

**The repository is not responding! (UX0037)**

**Cause**

This message is displayed when there is a problem connecting to the repository. This can be due to network problems or because the machine which hosts the repository database is down. This message may also be generated in the course of an operation which initiates connections to the repository (to send or retrieve documents, send to Broadcast Agent, etc.).

**Action**

Verify the network connection by "pinging" the server hosting the repository. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

**The universe domain is not responding! (UX0038)**

**Cause**

The server hosting the repository universe domain is down or the network connection is not working.

**Action**

Verify the network connection by "pinging" the server hosting the repository. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

**Cause**

This message is displayed when there is a problem exchanging information with the universe domain of the repository. This can be due to corrupted tables in the repository database.

**Action**

A supervisor may need to recreate the repository.

**The context name does not exist! (UX0039)**

**Cause**

While running Designer, you tried to import or export a universe. However, one or more contexts in the universe cannot be accessed.

**Action**

To fix the problem:

1. Open the source version of the universe.
2. Select Tools > Detect Contexts to list the candidate contexts of the universe.
3. Run an Integrity Check on the universe.
4. Export a working version to the repository.

### **9.3.3 UX0040 - UX0049**

**The document domain does not exist on the same data account. You cannot export your lists of values. (UX0040)**

**Cause**

Although your document domain and universe domain are defined in the same data account, there is a problem with the List of Values (LOV) table.

A LOV is a file which contains the data values associated with an object.

LOVs are stored in the document domain as a table called OBJ\_X\_DOCUMENTS. However, in order for a document export to succeed, this same table must also exist in the universe domain. This is not the case in your data account.

**Action**

You can create the LOV table manually, or (if you are a supervisor) create it in the same database as the universe domain.

**Example:**

You have a development, testing and production repository as well as development, testing and production domains. You have created a universe with a few objects having files that are LOVs. All of the objects refresh before use and export with the universe. The LOVs display with no problem in Designer, but the above error message is displayed when you try to export the universe.

---

**The document domain account is different. You cannot import your lists of values. (UX0041)****Cause**

From Designer, you may see the message when importing a universe. From BusinessObjects, you may see it when importing a universe (through Tools > Universes) or when trying to view Lists of Values (LOVs) (through Tools > Universes > Lists of Values).

The message appears when the LOV which is supposed to be with the universe in the repository cannot be found.

**Action**

To avoid this error message, export only one LOV of the universe (i.e. refresh the LOV before the export to create the .lov file). The universe's ID is then present in the document domain (with the LOV), and the domain is recognized as the right one.

Of course, you must export all other LOVs assigned to objects with the option checked **Export with universe** if you want them to be imported with the universe.

**Cannot export the lists of values. (UX0042)****Cause**

Due to limitations on the data types of some databases, there is no support for the document domain (or document exchange) or the import or export of document (.rep) files. Therefore, it is not possible to export universes with Lists of Values (LOVs) to the repository, because LOVs are stored in the document domain of the repository.

**Action**

Use an alternative for the distribution of LOV files (such as email or floppy disk), and copy the LOV files associated with a universe to the following folder:

\$INSTALLDIR\BusinessObjects 6.0\Universes\\ <universe name>

Alternatively, a supervisor can create specific universe and document domains on another database (such as Oracle, SQL Server, MS Access) while keeping your security domain on the same database.

**Cannot update the lists of values in the universe domain. (UX0043)****Cause**

A List of Values (LOV) is a file which contains the data values associated with an object. It is stored as a table in the document domain. This message is generated when you try to reexport a universe with an associated LOV (you have checked the **Export with universe** checkbox in Designer), but your universe and document domains exist in different data accounts.

**Action**

To export a LOV with a universe, both the universe and document domains must exist in the same data account. You must therefore create a document domain in the same data account as your universe domain.

**Cannot import the lists of values. (UX0044)**

**Cause**

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message is generated when you try to import a universe with an associated LOV, but the universe and document domains exist in different data accounts.

**Action**

To import a LOV with a universe, both the universe and document domains must exist in the same data account. A supervisor must therefore create a document domain in the same data account as your universe domain.

**Incremental export operations are not available. Do you want to export the whole universe? (UX0045)**

**Cause**

You have made extensive modifications to your universe, and are trying to export them to the repository. However, not all of these modifications have been saved or exported correctly.

**Action**

Click Yes to perform a normal full export of the universe to the repository.

**Cannot lock the universe. (UX0046)**

**Cause**

Normally, you can lock a universe in Designer from the Import/Export dialog box. This ensures that only one designer can update or modify the universe at any given time. In this case, however, the universe cannot be locked. This may be because:

- The universe is already locked by another designer.
- The universe domain cannot be accessed.

**Action**

Find out which other designers have access to the universe, and request that they unlock the universe.

If the universe domain is hosted on a different server, try "pinging" the server to make sure it is responding. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

### Cannot save the universe. (UX0047)

#### Cause

You need to save a universe to disk before Designer can export it. However, you have read-only privileges to the disk where you are trying to save the universe, or the disk is full.

#### Action

Try any of the following:

- Empty your Recycle Bin. If necessary, delete any redundant or unwanted files, and empty the Recycle Bin again.
- If you have read-only privileges on the disk, the Windows administrator can grant you full access privileges.
- Save your universe to another folder or computer in which you have write privileges. In Designer, select File > Save As and indicate another location for saving your universe.

### Cannot delete previous <universe>. (UX0048)

#### Cause

This message may be generated when you try to reexport a universe to the repository, or reimport a universe from the repository. In both cases, because a previous version of the universe already exists, you must first delete the previous version before exporting/importing the new version. This message is generated if the previous version of the universe cannot be accessed:

- in the repository (during an export)
- on your system (during an import)

#### Action

For an export, try the following:

- If you suspect that the universe domain is currently locked by another user, try exporting again. If this problem occurs frequently, check if your repository database supports row-level locking. If so, the database administrator may need to manually activate this feature.
- Check if the machine hosting the universe domain is responding by "pinging" the server. If the network is running properly, the database administrator should then use database middleware (such as Net8) to check if there is any response from the repository database.

For an import, check to see whether you have read-only privileges on your disk. If so, ask the Windows administrator to grant you full access privileges.

### **<character> is replaced by <character>. (UX0049)**

#### **Cause**

You have imported a universe, but the universe contained invalid characters in the class, context, or object definitions. By default, BusinessObjects automatically replaced these invalid characters with blank characters.

#### **Action**

You can continue to work normally. However, you should remember that the universe you have imported is no longer identical to the universe in the repository.

## **9.3.4 UX0050 - UX0059**

### **Cannot create destination folder or universe file. (UX0050)**

#### **Cause**

You are trying to import a universe from the repository. However, you do not have write-access to your local disk, or the disk is full.

#### **Action**

Empty your Recycle Bin. If necessary, delete any redundant or unwanted files, and empty the Recycle Bin again. If you have read-only privileges on the root C:\ drive, the Windows administrator can grant you full access privileges on the C:\ root drive.

### **Database error (UX0051)**

#### **Cause**

This error may be generated when trying to import or export a universe. The problem is not with BusinessObjects, but with your data warehouse.

#### **Action**

Note down the error information which is returned with this message, and check it against your database vendor's troubleshooting documentation.

## Unable to create the list of values file. (UX0052)

### Cause

A list of values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message is generated when you try to export a universe with an associated LOV (you have selected the **Export with universe** checkbox), but your universe and document domains exist in different data accounts.

### Action

To export an LOV with a universe, both the universe and document domains must exist in the same data account. You must therefore create a document domain in the same data account as your universe domain.

### Cause

BusinessObjects cannot create the LOV in the document domain. This may be because the document domain is located on a server machine which is down or has lost its connection to the network. Alternatively, the document domain tables may be corrupted, or there may be insufficient disk space.

### Action

Check that there is sufficient disk space on the machine on which the document domain resides. Delete any unnecessary files and empty the Recycle Bin.

Otherwise the supervisor needs to test the connection to the document domain. If the problem persists, the supervisor may need to recreate the repository.

## Cannot open the list of values file. (UX0053)

### Cause

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message may be generated when you try to open a universe with an associated LOV. The document domain tables may be corrupted.

### Action

Contact the system administrator.

## Cannot close the list of values file. (UX0054)

### Cause

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message may be generated after you have opened a universe with an associated LOV. Although the LOV file is still open, you have lost your connection to the document domain.

**Action**

If the document domain is hosted on a different server, try "pinging" the server to make sure it is responding. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

Contact the system administrator because the document domain may be damaged.

**Unable to delete the previous lists of values file. (UX0055)****Cause**

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message may be generated when you try to reexport a universe to the repository. Because a previous version of the universe already exists in the repository, you must first delete the previous version of the LOV file before exporting the new version. In this case, however, you cannot delete the previous version of the LOV file because the document domain cannot be accessed.

**Action**

Try the following:

- If you suspect that the document domain is currently locked by another user, run the scheduled task once more. If this problem occurs frequently, check if your repository database supports row-level locking. If so, you may need to manually activate this feature.
- Check if the machine which hosts the document domain is responding by "pinging" the server. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

**Unable to write to the list of values file. (UX0057)****Cause**

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message may be generated when you try to export a universe to the repository. In this case, you cannot write to the LOV file. This may be because you do not have the necessary authorization, the document domain tables are full, or the system which hosts the document domain has run out of free disk space.

**Action**

Try the following:

- You may have read-only privileges on the disk which hosts the document domain. Ask the Windows administrator to grant you full access privileges.
- Ask the database administrator to increase the space of the document domain table.
- Free up some disk space on the document domain machine: Delete any unnecessary files and empty the Recycle Bin. Then try to export the universe again.

### Unable to get data from the lists of values file. (UX0058)

#### **Cause**

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message may be generated when you try to open a universe with an associated LOV. The document domain tables may be corrupted.

#### **Action**

Contact your system supervisor.

### RSS file not accessible. (UX0059)

#### **Cause**

One .rss file is created for each database you are using. This file contains the necessary connection information, and is stored in the database folder:

```
$INSTALLDIR\BusinessObjects 6.0\dataAccess\RDBMS\legacy\ <database name>
```

This error is generated if BusinessObjects cannot find the .rss file under the database folder, and therefore cannot establish a connection to the database.

#### **Action**

Copy a backup of the .rss file to the database folder. If you do not have a backup, a supervisor must recreate the connection in Supervisor.

## 9.3.5 UX0060 - UX0071

### Incorrect SQL used. (UX0060)

#### **Cause**

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored in the document domain. This message may be generated when you try to access a universe with an associated LOV using freehand SQL statements that you enter in the SQL Editor. The SQL you used may not be compatible with your corporate database.

#### **Action**

Check which versions of SQL are supported by your corporate database.

**Cause**

BusinessObjects has encountered an exceptional error while attempting to access your corporate database.

**Action**

Contact BusinessObjects Customer Support.

**Not enough memory. (UX0061)**

**Cause**

Windows does not have sufficient memory to run the various server systems that were configured.

**Action**

Review the system requirements to ensure that you have sufficient memory for BusinessObjects. You can also close other applications to free up memory. Empty your Recycle Bin and delete any unnecessary files.

**Cannot begin transaction and export <universe>. Problem with the security domain. (UX0062)**

**Cause**

You are trying to export a universe to the repository, but the security domain is either inaccessible or has been damaged.

**Action**

If the security domain is hosted on a different server, try "pinging" the server to make sure it is responding. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

If you cannot resolve the problem, contact your system supervisor.

**Cannot begin transaction and export <universe>. Problem with the document domain. (UX0063)**

**Cause**

You are trying to export a universe to the repository, but the document domain is either inaccessible or has been damaged.

**Action**

If the document domain is hosted on a different server, try "pinging" the server to make sure it is responding. If the network is running properly, the database administrator should use database middleware (such as Net8 for Oracle) to check if there is a response from the repository database.

If you cannot resolve the problem, contact your system supervisor.

### **Cannot obtain information on previous <name>. (UX0064)**

#### **Cause**

This message may be generated when you try to reexport a universe to the repository. Because a previous version of the universe already exists in the repository, a previous version of the List of Values (LOV) should also be available in the document domain. A LOV is a file which contains the data values associated with an object.

In this case, however, the previous version of the LOV cannot be found in the document domain. This may be because the LOV file has been moved, renamed, or deleted by the supervisor.

#### **Action**

Check that the previous version of the file is still available in the document domain.

If you cannot resolve the problem, contact your system supervisor.

### **Cannot delete previous <name>. (UX0065)**

#### **Cause**

This message may be generated when you try to reexport a universe to the repository. Because a previous version of the universe already exists in the repository, a previous version of the List of Values (LOV) should also be available in the document domain. A LOV is a file which contains the data values associated with an object.

This file must be deleted before the new LOV can be exported. In this case, however, the previous version of the LOV cannot be deleted from the document domain. This may be because you do not have write-access to the document domain disk.

#### **Action**

You may have read-only privileges on the disk which hosts the document domain. Ask the Windows administrator to grant you full access privileges.

### **Cannot terminate transaction and export <universe>. Problem with the document domain. (UX0066)**

#### **Cause**

You started to export a universe to the repository, but cannot complete the operation because the document domain is either no longer accessible or has been damaged.

**Action**

If the document domain is hosted on a different server, try "pinging" the server to make sure it is responding. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

If you cannot resolve the problem, contact your system supervisor.

**Cannot terminate transaction and export <universe>. Problem with the security domain. (UX0067)**

**Cause**

You started to export a universe to the repository, but cannot complete the operation because the security domain is either no longer accessible or has been damaged.

**Action**

If the security domain is hosted on a different server, try "pinging" the server to make sure it is responding. If the network is running properly, the database administrator should then use database middleware (such as Net8) to check if there is any response from the repository database.

If you cannot resolve the problem, contact your system supervisor.

**Database error during export of the list of values file. (UX0068)**

**Cause**

This message may be generated after a BusObj.exe task has finished processing (i.e., accessing the repository to send a document, perform an update, etc). The problem is due to the way in which your repository database has been set up to handle user access.

**Action**

Check with the database administrator to make sure the database is neither full nor corrupted.

**Export of the lists of values interrupted. (UX0069)**

**Cause**

A List of Values (LOV) is a file which contains the data values associated with an object, and is stored as a table in the document domain. This message is generated when you lose your connection to the document domain while you are trying to export a universe.

**Action**

Verify if the repository is responding by "pinging" the server. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository document domain.

**Universe already exists in the domain. Do you want to overwrite it?  
(UX0071)**

**Cause**

The universe that you are trying to export has the same name as another universe that has already been exported to the universe domain.

**Action**

If you are updating an existing universe, then you can overwrite the universe that is already in the universe domain. If you are exporting a new universe, then rename the universe using a unique name, and try exporting it again.

# Enterprise Application Errors

## 10.1 Enterprise Applications - SAP (EAS) Errors

Enterprise Application SAP error messages include the following:

Range	Category
EAS 10001 - EAS10010	Security access errors
EAS 30001	Other errors

### 10.1.1 EAS 10001 - 10010

**Failed while retrieving user list using class CSecRfcRemoteUsersActGrp in method CSecSAPR3Binding::GetUsersInternal(). Error code: %1. Description: %2. (EAS 10001)**

**Cause**

Required transports have not been imported to your SAP system.

**Action**

Import version-specific transports that correctly correspond to your SAP system.

**Failed while retrieving user role list using class CSecRfcBapiGetUserDetail in method**

**CSecSAPR3Binding::GetParentsInternal(). Error code: %1. Description: %2. (EAS 10002)**

**Cause**

Required transports have not been imported to your SAP system.

**Action**

Import version-specific transports that correctly correspond to your SAP system.

**Failed retrieving role member list using class CSecRfcBapiUserGetlist in method CSecSAPR3Binding::GetChildrenInternal(). Error code: %1. Description: %2. (EAS 10003)**

**Cause**

Required transports have not been imported to your SAP system.

**Action**

Import version-specific transports that correctly correspond to your SAP system.

**Failed validating role membership using class CSecRfcBapiGetUserDetail in method CSecSAPR3Binding::VerifyGroupMembership(). Error code: %1. Description: %2. (EAS 10004)**

**Cause**

Required transports have not been imported to your SAP system.

**Action**

Import version-specific transports that correctly correspond to your SAP system.

**Logon attempt failed as user %1 does not belong to any of the required roles -- %2 (EAS 10005)**

**Cause**

Required transports have not been imported to your SAP system.

**Action**

Import version-specific transports that correctly correspond to your SAP system.

**No SAP system was passed as part of the user name and no default system was defined. User credential validation cannot continue. (EAS 10006)**

**Cause**

The default system is not set for the secSAPR3 security plug-in in the Central Management Console (CMC).

**Action**

Set the default system for the secSAPR3 security plug-in in the CMC.

**No sac library was found for SAP system %1, logon failed. (EAS 10007)**

**Cause**

The SNC library was not found at the location specified in the Central Management Console (CMC).

**Action**

Ensure that the correct path to the SNC library is set in the CMC.

**SNC is required but not present for the requested logon type - the logon attempt failed. (EAS 10008)\n**

**Cause**

SNC is enabled for the secSAPR3 security plug-in in the Central Management Console (CMC), but other settings are incorrect.

**Action**

Verify the settings for the SNC secSAPR3 security plug-in in the CMC and ensure that they are correct.

**Exception caught while trying to get SNC Mode for use with system %1. (EAS 10009)**

**Cause**

The SNC setting for the secSAPR3 security plug-in is not configured properly in the Central Management Console (CMC).

**Action**

Re-configure the SNC setting for the secSAPR3 security plug-in in the CMC.

**Exception caught while trying to get SNC Quality of Protection value for use with system %1. (EAS 10010)**

**Cause**

The SNC setting for the secSAPR3 security plug-in is not configured properly in the Central Management Console (CMC).

**Action**

Re-configure the SNC setting for the secSAPR3 security plug-in in the CMC.

## **10.1.2 EAS 30001**

**An error occurred when synchronizing folder hierarchy for role : %1 (EAS 30001)**

**Cause**

The user does not have sufficient rights to publish reports.

**Action**

In the Central Management Console (CMC), assign the correct set of rights to the user responsible for publishing reports. For more information on how to assign rights, refer to the *SAP BusinessObjects Business Intelligence platform Administrator's Guide* available at <http://help.sap.com/>.

## Publishing (FBE) Errors

Publishing error messages include the following:

Range	Category
FBE 40000 - FBE 49999	Publishing errors
FBE 60000 - FBE 69999	Publishing errors

### 11.1 FBE 40000 - 49999

The method {0} was called with the parameter {1} set to null. Please initialize this parameter. (FBE42001)

**Cause**

This is an internal error.

**Action**

Contact SAP BusinessObjects Customer Support for assistance.

The Post-Processing plugin with class {0} could not be located. Did you configure your publication properly? (FBE42003)

**Cause**

A post-processing plugin module failed to load.

**Action**

Ensure that your publication is configured properly.

**Unable to download the artifact's files. Is the FRS accessible, and are the file access permissions configured properly? (FBE42008)**

**Cause**

Some objects may have been deleted, or their security rights have been modified so that the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is running.

**The publication's OnPostProcessPersonalizedDocs plugin is not defined for merge format(CeMergedFormat): {0}. Did you configure your publication properly? (FBE42009)**

**Cause**

The publication is not configured properly.

**Action**

Check the configuration of the publication.

**An IO Error occurred while attempting to merge artifacts into zip file {0}. Are the file access rights configured properly? (FBE42014)**

**Cause**

Some objects may have been deleted, or their security rights have been modified so that the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is running.

**A publication instance with ID {0} is already being processed and cannot be restarted until the initial run has completed. (FBE42016)**

**Cause**

This error occurs when multiple publication job services try to rerun the same job after a failure, but only one of them can run the job.

**Action**

No action must be taken; the publication job is running on another service.

**Empty global delivery rule expression specified. Did you properly configure your publication? (FBE42017)**

**Cause**

The document used for the configuration of the global delivery rule is scheduled, but there is no expression in the document to determine when publication processing will begin.

**Action**

Check the global delivery rule settings.

**Global delivery rule document with CUID {0} is not valid. Did you properly configure your publication? (FBE42018)**

**Cause**

There was a problem with the document used for the configuration of the global delivery rule.

**Action**

Ensure that the document is valid and that the File Repository Server is running.

**Publication with ID {0} has an inaccessible source document. Did you configure your publication properly? (FBE42033)**

**Cause**

A source document for the publication may have been deleted from the publication while the publication was running, or its security settings may have been changed so that it is no longer accessible.

**Action**

Check the source documents of the publication.

**The document with ID {0} does not use the IPublicationInfo interface and cannot be processed with this publication. (FBE42034)**

**Cause**

This is an internal error.

**Action**

Reinstall SAP BusinessObjects Business Intelligence platform.

**The BusinessObjects report engine could not handle the specified report type {0}. (FBE42042)**

**Cause**

The publication contains a source document that is of an unsupported type. There may be a problem with the installation.

**Action**

Reinstall SAP BusinessObjects Business Intelligence platform.

**Unable to find the static document with CUID {0} during distribution. Did you configure your publication properly? (FBE42044)**

**Cause**

Some objects may have been deleted or their security rights have been modified so that the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is running.

**Unable to find the publication artifact with ID {0} during distribution. (FBE42045)**

**Cause**

Some objects may have been deleted or their security rights have been modified so that the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is running.

**Unable to find the destination plugin with prog ID {0}. Did you configure your publication properly? (FBE42046)**

**Cause**

Cannot load the destination plugin. A file may have been deleted from the installation.

**Action**

Reinstall SAP BusinessObjects Business Intelligence platform.

**Unable to find the last processed recipient {0} in the data provider's data. If the database changed since the last run, please reschedule the publication. (FBE42048)**

**Cause**

The data from the data provider changed during publication processing.

**Action**

Reschedule the publication to reflect the latest updates in the data provider.

**The post-distribution plugin with class {0} failed to execute. Did you configure your plugin properly? (FBE42049)**

**Cause**

Distribution is complete but there is a problem with a plugin which ran after distribution.

**Action**

Fix the custom post-distribution plugin.

**Failed to merge MHTML documents. (FBE42050)**

**Cause**

A problem occurred while trying to create an mHTML document.

**Action**

Check the mHTML format configuration.

**Could not find HTML part of MHTML document. (FBE42051)**

**Cause**

A problem while trying to create an MHTML document.

**Action**

Check the mHTML format configuration.

**Unable to find valid profile value from principal with ID {0} for Profile with ID {1}. (FBE42052)**

**Cause**

A profile value can be specified for each recipient or each group of recipients. If the profile value is unspecified or options have been set incorrectly, the recipient(s) may see an unfiltered view of the data.

**Action**

Provide a profile value for each recipient.

**Scheduling the global delivery rule document failed. (FBE42055)**

**Cause**

At the start of a publication job, the document used for global delivery rule configuration is scheduled in order to check if the global delivery rule is true. If this scheduling job fails, the publication fails.

**Action**

Check the publication log file for the reason that the job failed. Ensure that the document used for global delivery rule configuration can be successfully scheduled independently from the publication.

**Unable to schedule document with id {0} for publication with id {1} due to insufficient access rights to the source document. (FBE42056)**

**Cause**

The user does not have the necessary rights to schedule the source document.

**Action**

Grant the user the right to schedule the source document.

**Unable to find a profile filter expression for the document type "{0}" for the user or group ID {1} and profile ID {2}. Ensure that your administrator has set a filter expression for document type "{0}" in the profile in the Central Management Console. (FBE42057)**

**Cause**

The profile does not have a filter expression defined for the source document type that is used in the publication.

**Action**

In the "Profiles" area of the Central Management Console, select the profile that is used in the publication. Enter a filter expression for that profile which corresponds to the source document type.

**Unable to download MHTML documents. Please contact your administrator to ensure the Central Management Server and the Input and Output File Repository Servers servers are running properly. (FBE42058)**

**Cause**

The publishing service was unable to download content and embed it into email instances.

**Action**

Ensure the Central Management Server and the Input and Output File Repository Servers are running properly.

**Could not upload administrative logs to CMS: {0} (FBE42059)**

**Cause**

The system failed to upload administrative log files to the CMS (Central Management Server). An attempt to upload the log files will occur every two minutes while the publication is running.

**Action**

Check the Adaptive Processing Server log file for further log entries.

**An enterprise user name "{1}" was specified for the dynamic recipient "{0}" but no enterprise user with that user name exists. (FBE42060)**

**Cause**

An Enterprise user name was specified for a dynamic recipient but no Enterprise user with that user name exists.

**Action**

Correct the user name in the dynamic recipient source.

**Multiple enterprise user names were specified for the dynamic recipient with ID "{0}". Only one enterprise user name may be specified per dynamic recipient. (FBE42061)**

**Cause**

Your dynamic recipient source contains multiple rows with the same recipient ID, but these rows specify different Enterprise user names. Only one Enterprise user name can be associated with a recipient ID.

**Action**

Correct the problem in the dynamic recipient source.

**A task was unexpectedly interrupted while waiting to be processed for publication with ID {0}. (FBE42062)**

**Cause**

A task was unexpectedly interrupted while waiting to be processed.

**Action**

If your publication failed, ensure servers are running and retry the publication.

**A service instance could not be found for process the document with ID "{0}", Name "{1}", Kind "{2}". (FBE42063)**

**Cause**

A service instance could not be found to process one of the documents in the publication.

**Action**

Contact the administrator to determine if the appropriate service is deployed.

**Service with ID "{0}", Name "{1}" hosted on server with ID "{2}" does not specify the maxJobs property. (FBE42064)**

**Cause**

A service container was not found for a server that the publication requires.

**Action**

If your publication failed, ensure servers are running and retry the publication.

**Service Hosts were not found for the service with ID "{0}", Name "{1}". (FBE42066)**

**Cause**

Service hosts were not found for a service to be used by the publication.

**Action**

If your publication failed, ensure servers are running and retry the publication.

**StatusMonitor query for job status did not return result for job with ID "{0}". Was the object deleted? (FBE42067)**

**Cause**

The publication instance or a child object was not found. It may have been deleted.

**Action**

Reschedule the publication instance.

## **11.2 FBE 60000 - 69999**

**Unable to find the infostore service. Is your CMS running and configured properly? (FBE 60002)**

**Cause**

Unable to access the Central Management Server's InfoStore service.

**Action**

Ensure that you can connect to the CMS and that the CMS is running.

**An SDKException was caught. Is your CMS running and configured properly? (FBE 60003)**

**Cause**

The SAP BusinessObjects Business Intelligence platform SDK returned an error.

**Action**

Ensure that you can connect to the CMS and that the CMS is running.

**Unable to determine publication submitter ID in publication instance '{0}' (ID: {1}) - processing cannot continue! Did you configure your publication properly? (FBE 60004)**

**Cause**

The system failed to determine which user credentials the publication is running under.

**Action**

Ensure the publication is configured correctly and that you have permission to run it.

**Distribution to destination {0} failed. Recipient: {1}, Document Scope: {2}. {3} (FBE 60013)**

**Cause**

The Publishing service failed to deliver the publication to a recipient.

**Action**

Ensure that the destination is configured correctly on the publication. Check the recipient's email address, the SMTP server settings, the FTP settings, or the disk settings to ensure that they are correct.

**Unable to find any distributable documents in scope batch with ID {0}. Please check your publication configuration and ensure that the CMS is running. (FBE 60016)**

**Cause**

The Publishing service was unable to find publication documents to distribute to recipients. Intermediate results from publication processing may not have been generated properly, or the publication may not be configured correctly.

**Action**

Ensure that the publication is configured correctly and that the CMS is running.

**Unsupported Destination Type: {0}. Did you properly configure your publication? (FBE 60019)**

**Cause**

An unknown destination was specified for the publication.

**Action**

Check the configuration of your publication and correct it if necessary.

**Could not complete post-distribution event handlers in scope batch with SI\_ID {0}. Did you properly configure your publication? (FBE 60022)**

**Cause**

The post-deliver publication extensions failed to run.

**Action**

Check the configuration of your publication and ensure that the publication extensions are configured properly.

**Unable to find a static document with ID {0} for scope batch with SI\_ID {1}, scope {2}. (FBE 60025)**

**Cause**

During publication processing, a static source document could not be found.

**Action**

Check the configuration of the publication and ensure that all referenced documents exist in the CMS repository.

**Unable to find a publication document with source document SI\_ID {0}, format {1} for scope batch with ID {2}, scope {3}. (FBE 60026)**

**Cause**

During publication processing, a source document could not be found.

**Action**

Check the configuration of your publication and ensure that all referenced documents exist in the CMS repository.

**Invalid plugin configuration for plugin: {0}. Did you properly configure your publication? (FBE 60027)**

**Cause**

A publication extension specified for the publication was configured incorrectly.

**Action**

Ensure the publication extensions that are used for the publication are configured correctly.

**Failed to execute post-distribution plugin {0} for scope batch {1} [recipients "{2}" to "{3}"]. (FBE 60029)**

**Cause**

The post-delivery publication extension failed to run.

**Action**

Check the configuration of your publication and ensure that the publication extensions are configured properly.

**Unable to grant View/ViewInstance rights on the Artifact with ID {0} for scope batch object with ID {1}. Is everything configured correctly? (FBE 60033)**

**Cause**

The publishing service was unable to set the rights on the publication instances.

**Action**

Ensure that the user running the publication has appropriate permissions to set rights.

**Unable to find any distributable documents in scope batch with ID {0}, scope {1}. (FBE 60034)**

**Cause**

The Publishing Service found no documents to distribute.

**Action**

Ensure your publication is configured correctly.

**Cannot deliver artifact because you do not have the "Subscribe to publications" right on enterprise recipient "{0}" (id {1}). Contact your BusinessObjects Business Intelligence platform administrator to be granted this right. (FBE 60036)**

**Cause**

The publisher needs the "Schedule to Destination" right on all Enterprise recipients specified for the publication so that the system can deliver the publication instances to them.

**Action**

Grant the publisher the "Schedule to Destination" right on all Enterprise recipients specified for the publication. Alternatively, the publisher can remove any Enterprise recipients for which this right is not granted.

**Waiting for distribution job to complete. Job ID:%1, name:%2, kind:%3 in %4 state (FBE 60037)**

**Cause**

A publication job is currently distributing instances.

**Action**

This is not an error and no action needs to be taken.

**There are no To or CC addresses in the SMTP options. Email delivery without an address will fail. The To or CC address should include either an email address or the %SI\_EMAIL\_ADDRESS% placeholder. (FBE 60038)**

**Cause**

The email destination options defined for the publication do not include any To or CC email address. This will cause email delivery to fail.

**Action**

Add an email address or the %SI\_EMAIL\_ADDRESS% placeholder to the **To** or **CC** field when you configure the email destination options for the publication.

**Attempted to replace an %SI\_EMAIL\_ADDRESS% placeholder, but the email address for the recipient with user name "{0}" is empty or missing. (FBE 60039)**

**Cause**

An %SI\_EMAIL\_ADDRESS% placeholder was used in a destination option field, but no email address was available for one of the recipients.

**Action**

If the recipient is an Enterprise recipient, use the CMC to enter an email address for the user. If the recipient is a dynamic recipient, in the **Dynamic Recipients** section, ensure that **Email Address** is mapped to a column in the dynamic recipient source, and that there are no empty entries in that column.

**Skipping clean-up of the scope batch and artifacts because auditing is enabled. (FBE 60040)**

**Cause**

The instance clean-up cannot work if auditing is enabled.

**Action**

Disable auditing or disable instance clean-up for the publication.

**Unable to download MHTML documents. Please contact your administrator to ensure the Central Management Server and the Input and Output File Repository Servers servers are running properly. (FBE 60041)**

**Cause**

The publishing service failed to download content and embed it into email instances.

**Action**

Ensure that the Central Management Server and the Input and Output File Repository Servers are running.

**Invalid expression {0} specified for the global delivery rule document with ID: {1}. Global delivery rule check can not continue. Is your publication configured properly? (FBE 60100)**

**Cause**

The document used for global delivery rule configuration contains an invalid expression.

**Action**

Check your publication configuration and enter a valid delivery rule expression in the document.

**Publication global delivery rule document with ID {0} is invalid. Is your publication configured properly? (FBE 60101)**

**Cause**

The publishing service was unable to find the document specified for global delivery rule configuration.

**Action**

Ensure the specified document exists in the CMS.

**Failed to schedule the global delivery rule document with ID {0}: {1} (FBE 60105)**

**Cause**

The publishing service was unable to schedule document used for global delivery rule configuration.

**Action**

Ensure that the publisher's user account has sufficient rights to schedule the document.

**Unable to query global delivery document with ID {0}. (FBE 60106)**

**Cause**

The Publishing Service was unable to retrieve the document used for global delivery rule configuration.

**Action**

Ensure you have View rights on the document.

**Waiting for global delivery rule job to complete. Job ID:%1, name:%2, kind:%3 in %4 state (FBE 60107)**

**Cause**

A publication job is currently evaluating the global delivery rule.

**Action**

This is not an error and no action needs to be taken.

**Post-processing plugin failure! Cannot instantiate plugin class {0}. (FBE 60208)**

**Cause**

A post-processing plugin module failed to load.

**Action**

Ensure that your publication is configured properly.

**The publishing service is not started or was restarted while the publication job was running. (FBE 60211)**

**Cause**

The publishing service is not started or was restarted while the publication job was running. The server that hosts the publishing service may have stopped or was restarted.

**Action**

Ensure the server that hosts the publishing service is running. Check the server logs for fatal errors. Retry the publication instance.

**WebI publications support only the "One database fetch for all recipients" and "One database fetch per recipient" bursting methods. (FBE 60212)**

**Cause**

The Interactive Analysis document publication uses an unsupported report bursting method.

**Action**

In the **Advanced** section, change the report bursting method.

**This publication references a profile object with ID {0} that no longer exists in the system. (FBE 60213)**

**Cause**

The publication references a profile object that no longer exists in the system.

**Action**

Edit the personalization settings for the publication and so that they do not use the invalid profile object.

**Unable to find a static document with ID {0} for scope batch with ID {1}, scope {2}. (FBE 60216)**

**Cause**

During publication processing, an instance of a static document specified in the publication was not found.

**Action**

Try scheduling your publication again or contact SAP BusinessObjects for technical support.

**Unable to find a publication document with source document ID {0}, format {1} for scope batch with ID {2}, scope {3}. (FBE 60217)**

**Cause**

During publication processing, an instance of a source document was not found.

**Action**

Retry your publication or contact SAP BusinessObjects for technical support.

**Plugin artifact {0} with ID {1} for scope batch with ID {2} does not specify a destination. (FBE 60218)**

**Cause**

During publication processing, a plugin artifact was generated that contains no destination information.

**Action**

If you are a publication plugin developer, this may be a result of errors in your plugin. Otherwise, it is an internal processing error. Contact your vendor or SAP Business Objects for support.

**An artifact {0} with ID {1} for scope batch with ID {2} does not contain enough information to be distributed. (FBE 60219)**

**Cause**

During publication processing, an artifact or plugin artifact was generated with insufficient information for distribution.

**Action**

If you are a publication plugin developer, this may be a result of errors in your plugin. Otherwise, it is an internal processing error. Contact your vendor or SAP Business Objects for support.

**Error retrieving document objects for scope batch with ID {0}. (FBE 60220)**

**Cause**

During publication processing, an error occurred while retrieving documents for distribution.

**Action**

This is an internal processing error. Contact your vendor or SAP BusinessObjects for support.

**An unsupported bursting mode for this publication was chosen. (FBE 60224)**

**Cause**

The report bursting mode chosen for this publication is unsupported.

**Action**

Change the report bursting mode of the publication.

**{0} publications do not support "One database fetch for all recipients" bursting method. (FBE 60225)**

**Cause**

The report bursting mode **One database fetch for all recipients** is not supported for this publication type.

**Action**

Change the report bursting mode for the publication.

**{0} publications do not support "One database fetch for each batch of recipients" bursting method. (FBE 60226)**

**Cause**

The report bursting mode **One database fetch for each batch of recipients** is not supported for this publication type.

**Action**

Change the report bursting mode for the publication.

**{0} publications do not support "One database fetch per recipient" bursting method. (FBE 60227)**

**Cause**

The report bursting mode **One database fetch per recipient** is not supported for this publication type.

**Action**

Change the report bursting mode for the publication.

**{0} publications do not support selected bursting method. (FBE 60228)**

**Cause**

The selected report bursting mode is unknown or unsupported for this publication type.

**Action**

Change the report bursting mode for the publication.

**Unable to run redistribution for principal(s) {0} because they are not original publication recipients. (FBE 60314)**

**Cause**

Additional recipients were added to the publication before the publication job was run again.

**Action**

Schedule a new publication job for distribution to the new recipients to occur.

**Unable to run redistribution for dynamic recipient(s) {0} because they are not original publication recipients. (FBE 60315)**

**Cause**

Additional recipients were added to the publication before the publication job was run again.

**Action**

Schedule a new publication job for distribution to the new recipients to occur.

**Unable to find a profile filter expression for the document type "{0}" for the user or group '{1}' (ID: {2}) and profile '{3}' (ID: {4}).**

**Please ensure that your administrator has set a filter expression for document type "{0}" in the profile in the Central Management Console. (FBE 60317)**

**Cause**

The profile does not have a filter expression defined for the publication's source document type. For example, the user may be running a publication with Interactive Analysis documents, but the profile does not have a valid Interactive Analysis filter expression defined.

**Action**

In the "Profiles" area of the Central Management Console, select the profile that the publication uses, and then enter a filter expression using syntax that corresponds to the source document type.

**The user who scheduled the publication does not have the view right on the enterprise recipient principal with ID {0}. (FBE 60318)**

**Cause**

To run a publication, the publisher must have View rights on all Enterprise recipients specified for the publication.

**Action**

Grant the View right to the publisher on all Enterprise recipients.

**The user who scheduled the publication does not have the view right on the excluded enterprise recipient principal with ID {0}. (FBE 60319)**

**Cause**

To run a publication, the publisher must have View rights on all excluded Enterprise recipients.

**Action**

Grant the View right to the publisher on all excluded Enterprise recipients.

**The user who scheduled the publication does not have the view right on the profile with ID {0}. (FBE 60320)**

**Cause**

To run a publication, the publisher must have View rights on all profiles used by the publication.

**Action**

Grant the View right to the publisher on all profiles used by the publication.

The user who scheduled the publication does not have the view right on the group with ID {0} which is a parent group of the principal '{1}' (ID {2}). Any profile values from this group and its parent groups will not be applied. (FBE 60321)

**Cause**

The publisher does not have the View right on one of the groups that a publication recipient belongs to. Profile values that apply to this group and any parent groups will not be used.

**Action**

Grant the View right to the publisher on all the groups that publication recipients belong to. You can ignore this warning if none of the profile values apply to the affected groups.

The limit of {0} recipients per publication has been reached. User {1} with ID {2} was not processed. (FBE 60322)

**Cause**

The recipient limit per publication was reached. Recipients over the limit were not processed.

**Action**

Reduce the number of recipients in the publication, or obtain a license to increase the recipient limit.

Unable to redistribute publication instance with ID {0}, because artifacts were not delivered to the default Enterprise location. (FBE 60323)

**Cause**

The publication does not have the default Enterprise location configured as a destination.

**Action**

Configure "Default Enterprise Location" as a destination for the publication, and then schedule the publication to run so that you can redistribute instances later if necessary.

**Unable to locate precise publication with SI\_ID {0}, and/or precise scope batch with SI\_ID {1}. Is your publication configured properly, and is the CMS running? (FBE 60400)**

**Cause**

Some objects may have been deleted or have had their security rights modified and the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is up and running.

**An exception was caught during post-processing. (FBE 60401)**

**Cause**

An error occurred during the post-processing stage.

**Action**

Ensure that the publishing service and File Repository Server are running.

**Unable to retrieve post-processing publication event handler (post-processing will be skipped). (FBE 60402)**

**Cause**

Publications may have a post-processing step such as PDF collation or packaging the instances as a ZIP file, but in this publication the post-processing step is unspecified or is invalid.

**Action**

This may be a normal condition which requires no action to be taken if no post-processing step is required. Otherwise, check the publication's properties settings.

**No scopes found in scope batch with SI\_ID {0}. Is everything configured correctly? (FBE 60404)**

**Cause**

The publication job cannot retrieve certain objects because they were deleted or their security rights were modified.

**Action**

Ensure that all static documents exist and that users have the necessary rights to them. Ensure that the File Repository Server is running.

**Post-processing plugin failure! Plugin class {0} threw an exception. (FBE 60405)**

**Cause**

An error occurred in during the post-processing step.

**Action**

If a custom post-processing plugin was installed and used, correct the exception in the custom plugin. If a standard post-processing plugin was used, it should not cause an exception. Contact customer support.

**Post-processing plugin class {0} returned a set of null or zero info objects. (FBE 60406)**

**Cause**

The post-processing step did not produce results.

**Action**

If a custom post-processing plugin was installed and used, correct the problem in the custom plugin. If a standard post processing plugin was used, it should not produce an empty result. Contact customer support.

**Unable to find a Post-Processing plugin matching the specified classname: {0}. (FBE 60408)**

**Cause**

No post-processing plugin is specified in the publication.

**Action**

Ensure that your publication is configured properly.

**A plugin-generated artifact was created that does not implement IPublicationInfo. The artifact may not be distributed properly: Title = '{0}', Kind = '{1}' (FBE 60409)**

**Cause**

This is an internal error.

**Action**

Reinstall SAP BusinessObjects Business Intelligence platform.

**An exception was caught while committing the plugin-generated artifacts created by the Post-Processing Plugin class {0}. (FBE 60410)**

**Cause**

The system was unable to store the results of a publication job.

**Action**

Ensure that the File Repository Server is running.

**An exception was caught while creating a plugin-generated artifact with progID {0} for the Post-Processing Plugin class {1}. (FBE 60411)**

**Cause**

This error message may be caused by a corrupt installation.

**Action**

Reinstall SAP BusinessObjects Business Intelligence platform.

**An exception occurred while trying to retrieve artifact and static documents for this context: ScopeBatch = {0}, Destination = {1}, Plugin Class = {2} (FBE 60412)**

**Cause**

Some objects were deleted or their rights were modified and the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and that users have appropriate rights to them. Ensure that the File Repository Server is running.

**An exception occurred while trying to sort artifact and static documents (according to the source document order) for this context : ScopeBatch = {0}, Destination = {1}, Plugin Class= {2} (FBE 60413)**

**Cause**

The publication is not configured correctly.

**Action**

Ensure that the publication is configured correctly.

**An exception occurred while trying to retrieve the publication's source documents. (FBE 60414)**

**Cause**

Some objects may have been deleted or their security rights have been modified and the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and that users have proper security rights on them. Ensure that the File Repository Server is running.

**Post-processing skipping scope level doc with SI\_ID: {0} that was not listed as a source document on the publication. Is your publication configured correctly? (FBE 60415)**

**Cause**

This is an internal error.

**Action**

Contact SAP BusinessObjects Customer Support.

**Scheduling document job "{2}" (ID: {0}) failed: {1} (FBE 60502)**

**Cause**

Processing failed for a document within a publication. Causes for processing failure include undefined parameters, misconfigured database connections, or the publisher having insufficient rights to certain objects or folders.

**Action**

Schedule the document alone and ensure that it runs successfully. Apply the same configuration settings to the source document inside the publication.

**There are no schedulable documents in the publication. (FBE 60503)**

**Cause**

Some objects may have been deleted, or their security rights have been modified so that the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is running.

**The list of documents in the publications contains an empty value. Is everything configured correctly? (FBE 60504)**

**Cause**

Some objects may have been deleted or their security rights have been modified so that the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is running.

**Document '{0}' is an invalid publication document and cannot be published. (FBE 60505)**

**Cause**

A document that was not part of a publication was submitted to a publication service for processing.

**Action**

Your installation may be corrupt. Reinstall SAP BusinessObjects Business Intelligence platform.

**Unable to add document field mappings into target document. Is everything configured correctly? (FBE 60506)**

**Cause**

While specifying personalization settings for dynamic recipients, the columns in the dynamic recipient source were mapped incorrectly.

**Action**

Ensure that the dynamic recipient source contains the information required for personalization, that the database columns exist and are spelled correctly, that the semantic layer can read from the data source, and that the report shows the data needed for personalization.

**Document '{0}' does not have exactly 1 instance containing state information (was either 0 or >1 or could not be retrieved). (FBE 60507)**

**Cause**

Some objects may have been deleted or their security rights may have been modified so that the publication job cannot retrieve them.

**Action**

Ensure that all static documents exist and have proper security rights, and that the File Repository Server is running.

**Waiting for scheduling job to complete. Job ID:%1, name:%2, kind:%3 in %4 state (FBE 60509)**

**Cause**

A publication job is currently processing a report.

**Action**

This is not an error and no action needs to be taken.

**Warning while running document job "{0}" (id {1}): {2} (FBE 60510)**

**Cause**

The document job succeeded with a warning.

**Action**

Consult the documentation for the specific warning message.

**Error while processing document "{0}" (id {1}): {2} (FBE 60512)**

**Cause**

The document job completed, but errors occurred during processing.

**Action**

Ensure the source document can be processed correctly outside of the publication.

**Warning while processing document "{0}" (id {1}): {2} (FBE 60513)**

**Cause**

The document job completed, but warnings occurred during processing.

**Action**

Ensure the source document can be processed correctly outside of the publication.

**Document processing could not be started due to invalid parameters (FBE 60600)**

**Cause**

Essential parameters are null in the document processing engine.

**Action**

Contact SAP BusinessObjects customer support.

**Plugin kind {0} could not be processed for publication (FBE 60601)**

**Cause**

The desktop plugin does not contain publication information.

**Action**

Ensure that the publication is set up correctly.

**{0} exception, Message: {1} (FBE 60602)**

**Cause**

Fatal exceptions occurred. The processor may be trying to stop or experiencing problems, or there may be a problem with your SAP BusinessObjects Business Intelligence platform installation.

**Action**

Contact SAP BusinessObjects customer support.

## GUI Error Messages

Miscellaneous error messages include the following ranges and categories:

- GUI (GUI) Error Messages
- GUI (USU) Error Messages

### 12.1 GUI (GUI) Error Messages

GUI error messages include the following ranges and categories:

Range	Category
GUI0003 - GUI0006	GUI

#### The file name contains forbidden characters. (GUI0003)

##### Cause

You tried to save a universe with a name that contains unauthorized characters. This restriction may originate from:

- the character set allowed by the database on which the BusinessObjects repository resides
- the options, set by the supervisor from the Supervisor module, which limit the characters allowed in the repository

##### Action

Use a different name to save your universe. If the problem persists, ask the BusinessObjects supervisor about the authorized character set for your universes.

**File not found. Please verify the correct file name was given.  
(GUI0005)**

**Cause**

You tried to open a BusinessObjects report by entering a file name that does not exist.

**Action**

Enter the correct name of the file, or use the Up One Level button in the Open dialog box to locate the desired report.

**<name> path not found. Please verify the correct path name was given.  
(GUI0006)**

**Cause**

You tried to open a BusinessObjects report using an incorrect path name. The report may exist, but it is not at the location you specified.

**Action**

From the Open dialog box, use the Up One Level button to locate the report.

## Information Design Tool (IDT) error messages

Information design tool (IDT) error messages include the following categories:

Number range	Category
00xxx	Security login, authentication, CMS and sessions
023xx	Framework - access universes and resources
06xxx	Accessing security profiles for a universe
095xx	Conversion
15xxx	Generic connections

### 13.1 00 messages (security login, authentication, CMS and sessions)

**A problem occurred when publishing or sharing a resource in the repository in the folder: {0}. (IDT 00420)**

#### **Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- The folder name on the repository is invalid.
- You do not have the necessary rights granted in the CMS.

#### **Action**

- Check that the CMS process is working properly by accessing the repository with another tool.
- Close and reopen your session.
- Check that the name of the resource does not contain invalid characters.
- Check that your repository rights allow you to publish or share the resource in this folder.

### Unable to create Universe file in folder: {0}. (IDT 00425)

#### **Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- The universe name is invalid.
- You do not have the necessary rights granted in the CMS.

#### **Action**

- Check that the CMS process is working properly by accessing the repository with another tool.
- Close and reopen your session.
- Check that the name of the universe does not contain invalid characters.
- Check that your repository rights allow you to publish in this folder.

### An error occurred when accessing the resource {0} in the repository. (IDT 00630)

#### **Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- The resource you are trying to access is missing.

#### **Action**

- Check that the CMS process is working properly by accessing the repository with another tool.
- Close and reopen your session.
- Check that the resource still exists in the repository.

### An error occurred when retrieving universe {0} from the repository. (IDT 00631)

#### **Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- The universe you are trying to access is missing.

#### **Action**

- Check that the CMS process is working properly by accessing the repository with another tool.

- Close and reopen your session.
- Check that the universe still exists in the repository.

## 13.2 02 messages (framework)

### An error occurred when accessing the resource {0}. (IDT 02300)

#### Cause

Possible causes:

- The universe or one of its security profiles cannot be found in the repository.
- The universe or a security profile may be corrupted.
- The versions of the information design tool and the repository may be different.

#### Action

- Refresh your Published Resources or Security Editor view.
- Ask the creator of the universe to republish it. Delete the security profile and recreate it.
- Check that the patch levels are consistent between installations of the information design tool and the repository.

### An error occurred when retrieving the universe {0}. (IDT 02311)

#### Cause

Possible causes:

- The universe cannot be found in the repository.
- The universe may be corrupted.
- The versions of the information design tool and the repository may be different.

#### Action

- Refresh your Published Resources or Security Editor view.
- Ask the creator of the universe to republish it.
- Check that the patch levels are consistent between installations of the information design tool and the repository.

## 13.3 06 messages (security profiles)

**An error occurred when saving the Data Security Profile Connection {0}. (IDT 06103)**

**Cause**

The connection you assigned to the Data Security Profile may not exist anymore or may be corrupted.

**Action**

Check that the connection still exists and works properly. If this is not the case, recreate it.

**An error occurred when creating the Data Security Profile {0}. (IDT 06120)**

**Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- The resource name is invalid.
- You do not have the necessary rights granted in the CMS.

**Action**

- Check that the CMS process is working properly by accessing the repository with another tool.
- Close and reopen your session.
- Check that the name of the resource does not contain invalid characters.
- Check that your repository rights allow you to publish or share the resource in this folder.

**An error occurred when saving Data Security Profile aggregation options {0}. (IDT 06130)**

**Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- You do not have the necessary rights granted in the CMS.

**Action**

- Check that the CMS process is working properly by accessing the repository with another tool.
- Close and reopen your session.
- Check that your repository rights allow you modify the security profile aggregation options for the universe.

**An error occurred when assigning the security profile {0} to a user or a group. (IDT 06150)**

**Cause**

Possible causes:

- The security profile no longer exists.
- The security profile is corrupted.
- The assigned user or the group no longer exists.
- You do not have the necessary rights to assign universe security profiles to this user or group.

**Action**

- Refresh the Security Editor view to check that the security profile still exists.
- Delete and recreate the security profile.
- Refresh the Security Editor view to check that the user or group still exists.
- Check that your repository rights allow you to assign this security profile to the user or group.

**An error occurred when retrieving a security profile for the universe {0}. (IDT 06200)**

**Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- The security profile you are trying to access no longer exists.

**Action**

- Check that the CMS process is working properly by accessing the repository with another tool.
- Close and reopen your session.
- Refresh your Security Editor view to check if the security profile exists in the repository.

**An error occurred when retrieving security for the universe {0}. (IDT 06201)**

**Cause**

Possible causes:

- The security profile no longer exists.
- The security profile is corrupted.
- The assigned user or the group no longer exists.
- The versions of the information design tool and the repository may be different.

### **Action**

- Refresh your Security Editor view to get the latest security profiles.
  - Delete and recreate the security profiles for the universe.
  - Check that the patch levels are consistent between installations of the information design tool and the repository.
1. Refresh the Security Editor view to retrieve the most recent security profiles.
  2. Delete and recreate the universe's security profiles.
  3. Check that the patch levels are consistent between your information design tool and your repository.

## **An error occurred when accessing Data Security Profile {0}. (IDT 06202)**

### **Cause**

Possible causes:

- The CMS session was not started properly.
- Your CMS session is no longer active.
- The Data Security Profile you are trying to access no longer exists.

### **Action**

- Check that the CMS process is working properly by accessing the repository with another tool.
- Close and reopen your session.
- Refresh your Security Editor view to get the latest security profiles.

## **An error occurred when retrieving a Business Security Profile for the universe {0}. (IDT 06203)**

### **Cause**

Possible causes:

- The security profile no longer exists.
- The security profile is corrupted.
- You do not have the necessary rights to view the universe or its security profiles.

### **Action**

- Refresh the Security Editor view to check that the security profile still exists.
- Delete and recreate the security profile.
- Check that your repository rights allow you to view the universe and its security.

**An error occurred when retrieving Data Security Profile aggregation options for the universe {0}. (IDT 06204)**

**Cause**

Possible causes:

- The aggregation options no longer exist.
- The options have been corrupted.
- You do not have the necessary rights to view this universe or its security.

**Action**

- Refresh the Security Editor view to retrieve the latest aggregation options.
- If possible, delete and republish the universe.
- Check that your repository rights allow you to view this universe and its security.

**An error occurred when retrieving Business Security Profile aggregation options for the universe {0}. (IDT 06205)**

**Cause**

Possible causes:

- The aggregation options no longer exist.
- The options have been corrupted.
- You do not have the necessary rights to view this universe or its security.

**Action**

- Refresh the Security Editor view to retrieve the latest aggregation options.
- If possible, delete and republish the universe.
- Check that your repository rights allow you to view this universe and its security.

**An error occurred when retrieving users or groups assigned to the security profile {0}. (IDT 06210)**

**Cause**

Possible causes:

- The security profile no longer exists.
- The security profile is corrupted.
- The assigned user or the group no longer exists.
- You do not have the necessary rights to view universe, its security profiles, or the assigned users or groups.

**Action**

- Refresh the Security Editor view to check that the security profile still exists.
- Delete and recreate the security profile.
- Refresh the Security Editor view to check that the user or group still exists.
- Check that your repository rights allow you to view this security profile, its security profiles, and the assigned users and groups.

### **13.4 095 messages (conversion)**

**The universe file must be generated using a more recent product version. Universe file path: {0}. (IDT 09501)**

**Cause**

The universe you are trying to convert has been generated by a version of the BusinessObjects Suite older than XI 3.0. You cannot convert the universe with the information design tool.

**Action**

Open the universe in the universe design tool (version BI 4) and re-save it. Restart the conversion in the information design tool.

**Cannot open the Universe file. Check that this file is not corrupted. (IDT 09502)**

**Cause**

The universe file may be corrupted.

**Action**

Open the universe with the universe design tool to make sure it is valid and re-save the universe.

**The conversion of OLAP universes is not supported. (IDT 09503)**

**Cause**

The universe is an OLAP universe. You cannot convert OLAP universes with the information design tool.

**Action**

Recreate the OLAP universe in the information design tool.

**The conversion of universes with stored procedures is not supported. (IDT 09504)**

**Cause**

The universe has stored procedures. You cannot convert a stored procedure universe with the information design tool.

**Action**

Recreate the universe in the information design tool.

**The conversion of secured universes from a file is not supported. Use the convert from CMS option instead. (IDT 09505)**

**Cause**

The conversion of secured universes from a file is not supported.

**Action**

Use the convert from CMS option instead.

**Cannot convert the universe. The universe must have a connection assigned in the universe design tool. (IDT 09506)**

**Cause**

The universe you are trying to convert has no connection.

**Action**

In the universe design tool, set a valid connection and save the universe. Restart the conversion.

**The conversion of universes with a Data Federator connection is not supported. (IDT 09507)**

**Cause**

The universe you are trying to convert is defined on a source from the data federation service. You cannot convert the universe using the information design tool.

**Action**

Recreate the universe in the information design tool.

### **Cannot read the core universe %s from the CMS. (IDT 09508)**

#### **Cause**

An error prevents the universe from being read.

#### **Action**

Check that the core universes have been properly exported.

### **Cannot read the universe from the CMS. (IDT 09509)**

#### **Cause**

An error prevents the universe from being read.

#### **Action**

Check that the universe has been properly exported.

### **The conversion of a password protected universe is not supported. In the universe design tool, remove the password. (IDT 095010)**

#### **Cause**

The conversion of a password-protected universe is not supported.

#### **Action**

In the universe design tool, remove the password. Restart the conversion.

### **Your user profile does not allow you to convert a universe. (IDT 095011)**

#### **Cause**

Your user profile does not allow you to convert a universe.

#### **Action**

Check with the system administrator for the necessary repository rights.

## **13.5 15 messages (Generic connections)**

**Unable to retrieve the connection from the CMS. Check if the connection exists in the CMS and if you have rights. (IDT 15025)**

**Cause**

Unable to retrieve the connection from the CMS.

**Action**

Check if the connection exists in the CMS and that you have the necessary rights to retrieve it.



## Information Engine Services (IES) Error Messages

Information Engine Services error messages include the following:

Range	Category
IES 00001 - IES 10903	Information Engine Services error messages

### 14.1 Information Engine Services (IES) Error Messages

**Some objects are no longer available in the universe. (IES 00001)**

**Cause**

One or more objects in a universe are no longer available to a document.

**Action**

Delete the missing objects from the query by comparing the objects in the query with the available objects.

**Some objects are not available to your user profile. You cannot refresh this document. (IES 00002)**

**Cause**

You do not have the correct user rights to access the data for one or more objects included in a query. As you are not permitted to access the data for these objects, you cannot refresh the report.

**Action**

Ask your administrator to change your user profile to make these objects accessible.

**Some pre-defined filters are no longer available in the universe. (IES 00003)**

**Cause**

" action="Compare universe objects with query objects. If you don't have rights, contact your universe designer or administrator.

**Action**

Compare universe objects with query objects. If you don't have rights, contact your universe designer or administrator.

**Some database tables are no longer available in the universe. (IES 00004)**

**Cause**

One or more database tables referenced by objects in the universe are no longer available. The tables may have been renamed, or removed from the database.

**Action**

Ask your universe designer to refresh the universe to remove non-existent tables or update table names.

**Invalid prompt definition. (IES 00005)**

**Cause**

The syntax in a prompt is not valid, or the prompt makes reference to an object that no longer exists in the universe

**Action**

Ask your universe designer to verify the prompt.

**Invalid definition of aggregate aware object. (IES 00006)**

**Cause**

One or more objects in the query use aggregate awareness, and the aggregate awareness syntax in the universe is not valid.

**Action**

Ask your universe designer to verify the aggregate awareness syntax.

**A filter contains an incorrect value. You cannot run this query. (IES 00007)**

**Cause**

A filter has a incorrect operand. For example, a filter has an empty constant, or a filter that expects a numeric value is defined with an alphanumeric value.

**Action**

Correct the filter.

**The query cannot run because it contains incompatible objects. (IES 00008)**

**Cause**

The query contains objects that return data sets that cannot be combined or synchronized, possibly because the universe does not allow multiple SQL statements for each context or measure.

**Action**

Ask your universe designer to do the following:

- Allow multiple SQL statements for each context and measure.
- Create a new context that includes the incompatible objects.

**The query cannot run because an advanced filter contains an incompatible object. (IES 00009)**

**Cause**

An advanced filter uses incompatible objects.

**Action**

Change the advanced filter to use compatible objects only.

**The universe does not allow complex expressions in a GROUP BY statement. (IES 00010)**

**Cause**

A query contains a GROUP BY clause that uses formulas or aliases. The universe does not allow these expressions in GROUP BY clauses. The behavior is determined by the parameter

```
<Parameter Name="GROUPBY_EXCLUDE_COMPLEX">Y</Parameter>
```

in the PRM file for the target RDBMS.

**Action**

- Modify the query so that objects using formulas or aliases are not included in the query.
- If your RDBMS supports complex GROUP BY expressions, ask your universe designer to change the value of the `GROUPBY_EXCLUDE_COMPLEX` parameter to N.

**The object {obj\_list} contains multiple attributes. This syntax is no longer supported. (IES 00011)**

**Cause**

One or more objects in the query use a comma (",") instead of a concatenation operator in their definition. This syntax is no longer supported.

**Action**

Ask your universe designer to perform one of the following actions:

- Redefine the objects that use the comma to concatenate the data for two objects using the standard concatenation operator for the RDBMS.
- Add the following line to the PRM file for the target RDBMS:

```
<Parameter Name = "REPLACE_COMMA_BY_SEPARATOR"=Y>
```

This will enable the comma to be accepted syntax for concatenation in object definitions.

- Set the value of `REPLACE_COMMA_BY_CONCAT` to "Yes" in the universe.

**You cannot run this query because it will produce a Cartesian product. (IES 00012)**

**Cause**

The query will produce a Cartesian product. A Cartesian product returns all possible combinations of rows from the tables referenced by objects in the query and is rarely correct.

**Action**

Ask your universe designer to perform one of the following actions:

- Prevent Cartesian products by modifying the universe table schema to include appropriate joins and restrictions.
- Allow the universe to return Cartesian products if they are acceptable.

### **SQL generation failed. (IES 00013)**

**Cause**

Errors occurred during generation of the query SQL.

**Action**

Ask your universe designer to verify the SQL.

### **Aggregate aware resolution failed. (IES 00014)**

**Cause**

The query objects exclude all possible SQL choices for an aggregate aware function.

**Action**

Ask your universe designer to remove the incompatibility between the objects.

### **Multiple query filters contain a prompt with the same text, but the prompts use a different operand type or number of values. (IES 00015)**

**Cause**

The query has multiple prompts that display the same message. Prompts with the same message are usually combined, but this is not possible if some require you to enter one value and others require multiple values.

**Action**

Modify the prompts so they all require one or multiple values.

### **The query contains a @script() function, which is not supported. (IES 00016)**

**Cause**

The SQL generated by the query for this document includes a @script() function, which is not supported.

**Action**

Ask your universe designer to remove the @script() function.

**The following objects cannot be used as result objects: {obj\_list}.  
(IES 00017)**

**Cause**

The query includes objects that cannot be used as result objects in queries.

**Action**

Remove the objects, or ask your universe designer to allow the objects to be included in as result objects in queries.

**The following objects cannot be used as query filters: {obj\_list}.  
(IES 00018)**

**Cause**

The query contains objects used as query filters that are not valid as query filters.

**Action**

Remove the objects, or ask your universe designer to allow them as query filters.

**A query filter contains too many values. (IES 00019)**

**Cause**

A query filter contains too many values.

**Action**

Select fewer values.

**The SQL generated by the query is invalid. (IES 00020)**

**Cause**

The SQL generated by the query is invalid.

**Action**

Ask your universe designer to verify the SQL.

**The combined query cannot run because one of the queries contains incompatible objects. (IES 00021)**

**Cause**

A query in a combined query contains incompatible objects.

**Action**

Remove the incompatible objects.

**The query does not reference a table in the WHERE clause. (IES 00022)**

**Cause**

The WHERE clause of the generated SQL does not reference a table.

**Action**

Modify the query to reference a table.

**Invalid sub-query. (IES 00023)**

**Cause**

The query contains an invalid sub-query. Either data cannot be retrieved or no result objects are defined.

**Action**

Modify the sub-query.

**Incompatible object types in the subquery. (IES 00024)**

**Cause**

The subquery contains incompatible object types.

**Action**

Remove the incompatible object types.

**The query is too complex to apply a sampling function. (IES 00025)**

**Cause**

The query is too complex to apply a sampling function.

**Action**

Try to simplify the query.

**Failed to regenerate SQL for optional prompts -- one or more required prompts were skipped. (IES 00026)**

**Cause**

The SQL relating to optional prompts could not be regenerated.

**Action**

See your universe designer.

**Removing optional prompts from the query will introduce new prompts. This introduces complexities that cannot be supported. (IES 00027)**

**Cause**

The query cannot be processed due to optional prompts.

**Action**

Remove the optional prompts from the query.

**No value specified for the Keydate parameter. (IES 00028)**

**Cause**

No value was specified for the Keydate parameter.

**Action**

Specify a value for the Keydate.

**The universe is already open with write permission by another user. (IES 00029)**

**Cause**

The universe could not be opened because it is already opened with write permission by another user.

**Action**

See your administrator.

**Syntax error in formula '%1%' at position %2%. (IES 10001)**

**Cause**

There is a syntax error in your formula at the position indicated.

**Action**

Correct the formula.

**Problem initializing the dictionary of functions. (IES 10002)**

**Cause**

The dictionary of functions could not be initialized.

**Action**

See your administrator.

**The object '%1%' at position '%2%' is not unique in the report. (IES 10005)**

**Cause**

An object has a name that conflicts with the name of another object in the report

**Action**

Use the fully-qualified name for the object.

**The object '%1%' at position '%2%' does not exist in the report. (IES 10006)**

**Cause**

The formula refers to an object that no longer exists in the report.

**Action**

Remove the reference to the object from the formula.

**The integer '%1%' at position '%2%' is too long. (IES 10013)**

**Cause**

An integer in a formula exceeds the maximum limit.

**Action**

Edit the formula.

**The number '%1%' at position '%2%' has a format that is incompatible with your regional settings. (IES 10014)**

**Cause**

The format of the real number {number} is not compatible with your regional settings.

**Action**

Change the number format to conform with the format permitted by your regional settings.

**Missing quotation mark after '%1%' at position '%2%'. (IES 10016)**

**Cause**

There is a missing closing quotation mark in the formula.

**Action**

Add the closing quotation mark.

**The list of dimensions in the input or output context is empty. (IES 10032)**

**Cause**

The list of dimensions in the input or output context is empty.

**Action**

Specify a list of dimensions.

**The variable '%1%' cannot be deleted because it has dependant formulas or variables linked to: '%2%'. (IES 10033)**

**Cause**

The variable cannot be deleted because it is referenced by other variables or formulas.

**Action**

Delete the dependent formulas/variables before deleting the variable.

**You attempted to create a variable or update a variable name using a variable name that already exists. (IES 10034)**

**Cause**

You attempted to create a variable or update a variable name using a variable name that already exists.

**Action**

Choose a variable name that does not already exist.

**The date or time format '%1%' at position '%2%' is not valid. (IES 10035)**

**Cause**

The formula contains an invalid date/time format (for example, "bb/MM/yyyy").

**Action**

Specify a valid date/time format in the formula.

**The expression or sub-expression at position '%2%' is not valid. (IES 10036)**

**Cause**

The formula contains an invalid expression/sub-expression.

**Action**

Specify a valid expression/sub-expression.

**The expression or sub-expression at position '%2%' in the '%1%' function uses an invalid data type. (IES 10037)**

**Cause**

An expression contains an invalid data type. (For example, you have attempted to pass a string to a function that requires a date.)

**Action**

Use a valid data type in the expression.

**Invalid character '%1%' in variable name at position '%2%'. (IES 10038)**

**Cause**

The character {character} is not valid in the variable name.

**Action**

Remove {character} from the variable name.

**The formula for variable '%1%' contains a reference to a variable with the same short name. (IES 10040)**

**Cause**

The formula of a variable references another variable with the same short name.

**Action**

The formula of a variable references another variable with the same short name.

**Incorrect use of multiple comparison operators (<,>,<>,<=,>=,=) at position '%2%'. (IES 10041)**

**Cause**

The formula uses multiple comparison operators incorrectly (for example: if(1<2=3;0;-1)).

**Action**

Re-structure the formula to avoid using comparison operators incorrectly.

**There is a circular reference because the formula for variable '%1%' references a variable whose formula references '%1%'. (IES 10042)**

**Cause**

A formula contains a circular reference.

**Action**

Remove the circular reference.

**The function '%1%' has missing arguments or closing parenthesis at position %2%. (IES 10061)**

**Cause**

Arguments or a closing parenthesis are missing from the formula.

**Action**

Supply the arguments or closing parenthesis.

**Missing ';' or closing parenthesis in list '%1%' at position %2%. (IES 10064)**

**Cause**

A semicolon or closing parenthesis is missing from the formula.

**Action**

Supply the semicolon or closing parenthesis.

**Missing object identifier in '%1%' at position %2%. (IES 10069)**

**Cause**

An object identifier is missing from the formula.

**Action**

Correct the formula.

**Incorrect reset context at position %2%. (IES 10072)**

**Cause**

The formula contains an incorrect reset context.

**Action**

Correct the reset context.

**The object '%1%' at position %2% is incompatible. (IES 10077)**

**Cause**

The formula contains an incompatible object.

**Action**

Correct the formula.

**Invalid string '%1%' at position %2%. (IES 10082)**

**Cause**

The formula contains an invalid string.

**Action**

Correct the string.

**The qualification of the variable '%1%' cannot be changed. (IES 10083)**

**Cause**

You cannot change the qualification of the variable. (For example, you cannot change a measure to a dimension if its definition includes an aggregate.)

**Action**

Create a new variable with the appropriate qualification.

**Invalid set definition. (IES 10086)**

**Cause**

A query contains an invalid set definition.

**Action**

Verify the query.

**Custom functions could not be loaded. (IES 10100)**

**Cause**

The custom function library could not be loaded because it is not correctly defined. This could be due to invalid XML, a duplicate function name or duplicate function ID.

**Action**

See the trace log for more details and provide these details to your administrator.

**Your database server does not support the Both and Except operators. (IES 10701)**

**Cause**

The database on which this document is based does not support the Both and Except operators. This means that you cannot use the Both operator or the Except operator when you define filters on the query.

**Action**

Remove the operators from the query filters.

**A filter is defined on an object that is incompatible with the result objects. (IES 10702)**

**Cause**

One of the query filters is defined on an object which is incompatible with all the result objects returned by the query.

**Action**

Remove the query filter or the result objects.

**The numeric value for the query filter based on '{object}' is invalid. (IES 10703)**

**Cause**

You specified an invalid numeric value for a query filter.

**Action**

Edit the query filter and specify a valid numeric value.

**The date for the prompt '{prompt}' is invalid. (IES 1070) (IES 10704)**

**Cause**

You specified an invalid date for a query filter.

**Action**

Edit the query filter and specify a valid date.

**The prompt '{prompt}' contains an invalid numeric value. (IES 10705)**

**Cause**

You specified an invalid numeric value for a prompt.

**Action**

Specify a valid numeric value.

**The date for the prompt '{prompt}' is invalid. (IES 10706)**

**Cause**

You specified an invalid date for a prompt.

**Action**

Edit the prompt and specify a valid date.

**The server cannot build the SQL for the query. (IES 10707)**

**Cause**

Your query cannot be converted to SQL to run against the database.

**Action**

Reformulate the query or see your administrator.

**The object '{ObjName}' in the prompt '{PromptName}' can no longer display a list of values. Remove the prompt from the query or contact your administrator to clear the "Select only from list" option of the object properties tab. (IES 10708)**

**Cause**

The object in the prompt can no longer display a list of values.

**Action**

Remove the prompt, or ask your administrator to allow the prompt to accept values not selected from a list.

**You do not have the right to refresh this document. (IES 10801)**

**Cause**

Your user profile does not permit you to view data for one of the objects included in the query for this document.

**Action**

Cancel the refresh, or ask your administrator for the security rights necessary to refresh the document.

**The query SQL has {nbHaving} instead of {nbWanted} columns. (IES 10810)**

**Cause**

The SQL generated by the query has an invalid number of columns.

**Action**

See your administrator.

**The data type of a column in the query is not valid. (IES 10811)**

**Cause**

The data type of a column in the query is not valid.

**Action**

See your administrator.

**Custom SQL cannot contain optional prompts. (IES 10812)**

**Cause**

Optional prompts are not supported in custom SQL.

**Action**

Remove the optional prompts.

**Incompatible objects cannot be used in combined queries. (IES 10820)**

**Cause**

A combined query contains incompatible objects.

**Action**

Edit the combined query and remove the incompatible objects.

**A subquery in the '{dp\_name}' data provider has missing objects. (IES 10830)**

**Cause**

Objects necessary to generate query SQL are missing from a subquery in the {dp\_name} data provider.

**Action**

Edit the subquery and add the missing objects.

**The filtered object is missing in a ranking in the '{dp\_name}' data provider. (IES 10831)**

**Cause**

The filtered object is missing in a ranking.

**Action**

Edit the ranking and add the filtered object.

**The rank-based object is missing in a ranking in the '{dp\_name}' data provider. (IES 10832)**

**Cause**

The rank-based object is missing in a ranking.

**Action**

Edit the ranking and add the rank-based object.

**The document cannot be loaded. (IES 10833)**

**Cause**

The interactive analysis document could not be loaded.

**Action**

See your administrator.

**Additional context resolution is not supported with optional prompts. (IES 10834)**

**Cause**

The optional prompts in a query generate additional query context resolution that is not supported.

**Action**

Remove the optional prompts or make them obligatory.

**Invalid data in column "{col\_name}". (IES 10840)**

**Cause**

A database column referenced by the query contains invalid data.

**Action**

See your administrator.

**Invalid UTF-8 string in column "{col\_name}". (IES 10841)**

**Cause**

A database column referenced by the query contains invalid data.

**Action**

See your administrator.

**The file that is required to create or update the query cannot be found on the file system. File not found: "{filename}". (IES 10850)**

**Cause**

The file {filename} cannot be found on the file system.

**Action**

Check the location of {filename} or see your administrator.

**Error originates from the Personal Data Provider: {message}. (IES 10853)**

**Cause**

The file that supplies data to a personal data provider might be corrupt or missing.

**Action**

Check that the file is present, and that it does not contain errors.

**Unable to create or update the Excel personal data provider: the file path is invalid. (IES 10870)**

**Cause**

The Excel file could not be found on the file system.

**Action**

See your administrator.

**Unable to create or update the Excel personal data provider: cannot retrieve the named ranges. (IES 10872) (IES 10871)**

**Cause**

The Excel personal data provider could not be created or updated because the workbook is protected.

**Action**

Remove the protection from the Excel workbook or see your administrator if you do not have access to the Excel file.

**Unable to create or update the Excel personal data provider: cannot open the workbook. (IES 10872)**

**Cause**

The Excel file could not be opened.

**Action**

Verify the Excel file or see your administrator.

**Unable to create or update the Excel personal data provider: cannot retrieve the named ranges. (IES 10873)**

**Cause**

Data could not be retrieved from a named range of cells.

**Action**

Check the Excel file or see your administrator.

**Unable to create or update the Excel personal data provider: cannot retrieve data from the file. (IES 10874)**

**Cause**

Data could not be retrieved from the Excel file.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: cannot retrieve data from the file. (IES 10875)**

**Cause**

No data could be retrieved from the Excel file.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: cannot build the iterator on the data set. (IES 10876)**

**Cause**

An error occurred when retrieving data from the Excel file.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: no worksheet available. (IES 10877)**

**Cause**

No worksheet could be found in the Excel file.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: unable to retrieve the list of worksheets. (IES 10878)**

**Cause**

The list of worksheets could not be retrieved from the Excel file.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: invalid data retrieved from the selected range. (IES 10879)**

**Cause**

The data retrieved from a range in the Excel file is invalid.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: the selected worksheet is invalid. (IES 10880)**

**Cause**

The Excel worksheet is invalid.

**Action**

Verify the Excel file or see your administrator.

**Unable to create or update the Excel personal data provider: an error occurred while retrieving the data sampling. (IES 10881)**

**Cause**

An error occurred during data retrieval from the Excel file.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: an error occurred while creating the data iterator. (IES 10882)**

**Cause**

An error occurred during data retrieval from the Excel file.

**Action**

See your administrator.

**Unable to create or update the Excel personal data provider: an error occurred during data retrieval. (IES 10883)**

**Cause**

An error occurred during data retrieval from the Excel file.

**Action**

See your administrator.

**Unable to create or update the Excel personal data provider: an internal error occurred. (IES 10884)**

**Cause**

An error occurred during data retrieval from the Excel file.

**Action**

See your administrator.

**Unable to create or update the Excel personal data provider: the range selection is invalid. (IES 10885)**

**Cause**

An error occurred during data retrieval from the Excel file because the range selected was not valid.

**Action**

Verify the file or see your administrator.

**Unable to create or update the Excel personal data provider: the range selection does not match the worksheet. (IES 10886)**

**Cause**

An error occurred during data retrieval from the Excel file because the range selection does not match the worksheet.

**Action**

Verify the file or see your administrator.

**A condition on an object refers to an object from another query that has a different type. (IES 10887)**

**Cause**

The object in the other query has a different data type from the object in the condition.

**Action**

Correct the condition.

**A condition on an object refers to an object in another query that does not exist. (IES 10888)**

**Cause**

Either the object or query referred to by the condition does not exist.

**Action**

Correct the condition.

**There is a circular dependency in the query. (IES 10889)**

**Cause**

The query has a circular dependency.

**Action**

Edit the query to remove the circular dependency.

**Database error: {error\_db}. (IES 10901)**

**Cause**

The database returned the error given in the message.

**Action**

See your administrator with the details of the error that occurred.

**Query exceeded fixed time limit: {error\_db}. (IES 10902)**

**Cause**

The query could not return data because it took too long to run.

**Action**

Run the query again. If the problem persists see your administrator.

**Invalid Database Field Type : {db\_fieldname}. (IES 10903)**

**Cause**

The database field given in the message contains an invalid data type.

**Action**

See your administrator.



## Installation (INS) Error Messages

Installation (INS) includes the following error message categories:

Range	Category
INS 00000-00002	Installation (INS)
INS 00286-00300	Installation (INS)
INS 00301-00305	Installation (INS)

### 15.1 INS 00000-00002

Please use a user account that has administrative privilege. (INS00)

**Cause**

Your user account has insufficient privileges.

**Action**

Log on with an Administrator account.

Please use a user account with administrative privileges. (INS00001)

**Cause**

Your user account has insufficient privileges.

**Action**

Log on with an Administrator account.

**Please install Microsoft .NET Framework 2.0 or higher. (INS00002)**

**Cause**

Microsoft .NET Framework 3.5 (or higher) is missing.

**Action**

Install Microsoft .NET Framework 3.5 (or higher).

## **15.2 INS 00286-00293**

**BI platform services is already installed on this machine. INS000286 (INS00286)**

**Cause**

Information platform services software is installed on this machine.

**Action**

You must uninstall Information platform services before you install SAP BusinessObjects Business Intelligence platform.

**Please use a user account that has administrative privilege. INS00287**

**Cause**

Your Windows user account has insufficient privileges.

**Action**

Log on with an Administrator account.

**You cannot install this product as the root user. INS00288**

**Cause**

Your Unix user account has root privileges.

**Action**

Log on as a user that does not have root privileges.

**A reboot request is suppressed. Reboot current machine before the installation. INS00289**

**Cause**

A request to restart this machine has been suppressed.

**Action**

Restart this machine before you run the installation program.

**Please uninstall SAP Crystal Reports Server before installing #product.boe64\_name# on the same machine. INS00290**

**Cause**

Report Application Server (RAS) is installed on this machine.

**Action**

You must uninstall RAS before you install SAP BusinessObjects Business Intelligence platform.

**#product.boe64\_name# is already installed on this machine. INS00291**

**Cause**

SAP BusinessObjects Business Intelligence platform is installed on this machine.

**Action**

You must uninstall SAP BusinessObjects Business Intelligence platform before you install Information platform services.

**This product needs to be installed on on a 64-bit Operating System (OS). Please verify that your OS matches this requirement. INS00292**

**Cause**

This operating system is not 64-bit.

**Action**

You can run the installation only on a 64-bit operating system.

**localhost, 127.0.0.1 or the machine's hostname are not pingable. INS00293**

**Cause**

localhost or 127.0.0.1 cannot be reached.

**Action**

Ensure that your `hosts` file is valid, and that localhost and 127.0.0.1 can be reached.

**There is not enough free space in /tmp. INS000295 (INS00295)**

**Cause**

There is not enough free space in /tmp

**Action**

Use the following guidelines to free up the disk space:

Platform	Required disk space
Linux	100 MB
AIX	190 MB
Solaris	100 MB
HPUX	340 MB

**The UID and GID must not be greater than 65536. INS000296 (INS00296)**

**Cause**

DB2 does not support installation with a UID or GID greater than 65536.

**Action**

Perform the installation with a user that has a UID and GID that is less than 65536.

**Please install Microsoft .NET Framework 3.5 or higher. (INS00297)**

**Cause**

Microsoft .NET Framework 3.5 (or higher) is missing.

**Action**

Install Microsoft .NET Framework 3.5 (or higher).

**Please install Microsoft .NET Framework 3.0 or higher. (INS00298)**

**Cause**

Microsoft .NET Framework 3.0 (or higher) is missing.

**Action**

Install Microsoft .NET Framework 3.0 (or higher).

**Microsoft Visual Studio 2005 Tools for Office Second Edition Runtime not detected, please install it. (INS00299)**

**Cause**

Microsoft Visual Studio 2005 Tools for Office Second Edition Runtime is missing.

**Action**

Install the Microsoft Visual Studio 2005 Tools for Office Second Edition Runtime.

**Please install Microsoft Office 2003 or higher. (INS00300)**

**Cause**

Microsoft Office 2003 (or higher) is missing.

**Action**

Install Microsoft Office 2003 (or higher).

### **15.3 INS 00301-00305**

**This update targets #productname# #product\_version# #product\_patch#, which was not detected. (INS00301)**

**Cause**

Microsoft SharePoint 2007 is missing.

**Action**

Install Microsoft SharePoint 2007.

**#productname# #product\_version# has a higher version than this update, so the update is not applicable. It is not recommended that you continue. (INS00302)**

**Cause**

The Windows SharePoint Service Administration service is not running.

**Action**

Start the Windows SharePoint Service Administration service.

**This update targets #productname# #product\_version#, which was not detected. (INS00303)**

**Cause**

Microsoft .NET Framework 2.0 (or higher) is missing.

**Action**

Install Microsoft .NET Framework 2.0 (or higher).

**Update for Microsoft Office 2003 (KB907417) (INS00304)**

**Cause**

Microsoft Office is not installed.

**Action**

Install Microsoft Office.

**Please install Microsoft Visual Studio 2010 before installing this product. (INS00305)**

**Cause**

Microsoft Visual Studio 2010 is missing.

**Action**

Install Microsoft Visual Studio 2010.

## Lifecycle management console Error Messages

Lifecycle management console error messages include the following categories:

Range	Category
LMC00001 - LMC00008 LMS00001 - LMS00027 LMS0022 LMS00101 - LMS00109	Lifecycle management error messages
VDC00001 - VDC00010 VDS00001 - VDS00029	Visual difference error messages

### 16.1 Lifecycle management error messages

**LCM CMS is either null or not logged in (LMC 00001)**

**Cause**

The LCM CMS details are not provided or not logged in.

**Action**

Provide the LCM CMS details or log into the LCM CMS.

**CMS is either null or not logged in. The CMS could be either source or destination (LMC 00002)**

**Cause**

CMS(Source or/and Destination) details are not provided or/and not logged in.

**Action**

Provide CMS(Source or/and Destination) details or log into Source or/and Destination CMS.

**Username is either null or empty (LMC 00003)**

**Cause**

Username is not provided.

**Action**

Provide a valid username.

**Password is either null or empty (LMC 00004)**

**Cause**

Password is not provided.

**Action**

Provide the correct password.

**There are no resources to export (LMC 00005)**

**Cause**

BIAR file is missing or empty.

**Action**

Select a valid BIAR file.

**Source CMS is either null or not logged in (LMC 00006)**

**Cause**

The source CMS details are not provided or not logged in.

**Action**

Provide the source CMS details or log into the source CMS.

**Destination CMS is either null or not logged in (LMC 00007)**

**Cause**

The destination CMS details are not provided or not logged in.

**Action**

Provide the destination CMS details or log into the destination CMS.

**Destination cannot be same as the Source. (LMC 00008)**

**Cause**

The source and the destination CMS are the same.

**Action**

Select a destination CMS that is different from the source CMS.

**Login to BusinessObjects LifeCycle Manager failed. (LMS 00001)**

**Cause**

Username and/or password may not be valid.

**Action**

Provide a valid username and/or password.

**Log off from the Lifecycle management console for SAP BusinessObjects Business Intelligence platform failed. (LMS 00002)**

**Cause**

CMS may be down.

**Action**

None.

**The job contains parent id which is less than zero. This job is invalid. (LMS 00003)**

**Cause**

The parent id of the job is invalid.

**Action**

Provide a valid parent id for the job.

**Job creation failed. Please refer to the stack trace (LMS 00004)**

**Cause**

The LCM CMS may be down. Refer to stack trace for other causes.

**Action**

Restart the LCM CMS, or refer to stack trace and correct accordingly.

**Failed to save the job (LMS 00005)**

**Cause**

The LCM CMS may be down. Refer to stack trace for other causes.

**Action**

Restart LCM CMS, or refer to stack trace and correct accordingly.

**Failed to create a job from an existing job (LMS 00006)**

**Cause**

Job may not exist.

**Action**

Select a valid job.

**Login to CMS (source / destination) failed (LMS 00007)**

**Cause**

Username and/or password may not be valid.

**Action**

Provide a valid username and/or password.

**Log off from CMS (source / destination) failed (LMS 00008)**

**Cause**

CMS may be down.

**Action**

None.

**Job did not promote successfully (LMS 00009)**

**Cause**

Refer to Stack trace for the exact cause.

**Action**

Refer to stack trace and take appropriate action.

**Please check the stack trace to determine why the job has failed to run (LMS 00010)**

**Cause**

The Scheduling Process may be down.

**Action**

Restart the Scheduling Process.

**Scheduling of job failed (LMS 00011)**

**Cause**

The Scheduling Process may be down.

**Action**

Restart the Scheduling Process.

**Unable to retrieve job. Select a valid LCM Job. (LMS 00012)**

**Cause**

The job may not exist.

**Action**

Select a valid job.

**Unable to retrieve job by name (LMS 00013)**

**Cause**

Job by that name may not exist.

**Action**

Provide a valid job name.

**Failed to retrieve job history. (LMS 00014)**

**Cause**

Job history may not exist.

**Action**

None.

**Unable to retrieve unique resources from the given set of dependencies. (LMS 00015)**

**Cause**

Unique resources may not exist or the dependencies may not be valid.

**Action**

Ensure that unique resources exist or provide valid dependencies.

**Unable to retrieve the infoobject with cuid = {0}. (LMS 00016)**

**Cause**

Infoobject may not exist.

**Action**

Select a valid infoobject.

**The Query {0} failed. (VDS 00013) (LMS 00017)**

**Cause**

User may not have the required rights. Refer the stack trace for other causes.

**Action**

Provide the user with the required rights, or refer the stack trace and correct accordingly.

**Unable to delete list of resources from the job. (LMS 00018)**

**Cause**

Resources may not exist.

**Action**

Select valid resources.

**Error in setting enabled events. Refer to the stack trace. (LMS 00019)**

**Cause**

The Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in getting supported audit events. Please refer to the stack trace (LMS 00020)**

**Cause**

Supported Audit events may not exist, or the Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in getting enabled audit events. Please refer to the stack trace (LMS 00021)**

**Cause**

Enabled audit events may not exist, or the Auditing Service may be down.

**Action**

Restart the Auditing Service.

**A general exception occurred in LCM Application. Refer to the stack trace for more information. (LMS 00022)**

**Cause**

Refer to stack trace for the exact cause.

**Action**

Refer to stack trace and take appropriate action.

**Failed to Login to Source CMS as the user access to it is denied by the Administrator. (LMS 00023)**

**Cause**

Administrator has denied access to the system.

**Action**

Contact your system administrator.

**Failed to login to the Destination CMS because the user is denied access by the Administrator (LMS 00024)**

**Cause**

Administrator has denied access to the system.

**Action**

Contact your system administrator.

**The LCMbiar file location for importing the resources in either missing or invalid. (LMS 00025)**

**Cause**

The location of the LCMBIAR file is invalid.

**Action**

Provide a valid LCMBIAR file location.

**The location to export resources to LCMBIAR file is either missing or invalid. (LMS 00026)**

**Cause**

The location to export the LCMBIAR file is invalid.

**Action**

Select a valid location to export the LCMBIAR file.

**The selected job is either null or invalid. Please select a valid LCM job. (LMS 00027)**

**Cause**

The selected job is invalid.

**Action**

Select a valid job.

**Failed to add resource to the version management tool (LMS 00101)**

**Cause**

The LCM VMS Service or the VMS Service may be down.

**Action**

Restart the LCM VMS Service or the VMS Service.

**Failed to checkout the resource. (LMS 00103)**

**Cause**

The LCM VMS Service or the VMS Service may be down.

**Action**

Restart the LCM VMS Service or the VMS Service.

**Failed to retrieve the revision history. (LMS 00104)**

**Cause**

The LCM VMS Service or the VMS Service may be down.

**Action**

Restart the LCM VMS Service or the VMS Service.

**Failed to retrieve the revision from version management. (LMS 00105)**

**Cause**

The LCM VMS Service or the VMS Service may be down.

**Action**

Restart the LCM VMS Service or the VMS Service.

**Failed to retrieve the latest revision (LMS 00106)**

**Cause**

The LCM VMS Service or the VMS Service may be down.

**Action**

Restart the LCM VMS Service or the VMS Service.

**Failed to retrieve the workspace revision. (LMS 00107)**

**Cause**

The LCM VMS Service or the VMS Service may be down.

**Action**

Restart the LCM VMS Service or the VMS Service.

**Failed to retrieve the Version Management System. Refer to the stack trace. (LMS 00108)**

**Cause**

The LCM CMS may be down.

**Action**

Restart the LCM CMS.

**Failed to get the repository version (LMS 00109)**

**Cause**

The LCM VMS Service or the VMS Service may be down.

**Action**

Restart the LCM VMS Service or the VMS Service.

**Error in clearing enabled audit events. Refer to the stack trace. (LMS 0022)**

**Cause**

The Audit Event Property Bag in LCM Appobject may not exist.

**Action**

None.

## **16.2 Visual difference error messages**

**Login to SAP BusinessObjects Visual Difference Server failed. (VDS 00001)**

**Cause**

Invalid Username or Password.

**Action**

Enter a valid Username or Password.

**Log off from the BusinessObjects Visual Difference failed. (VDS 00002)**

**Cause**

CMS may be down.

**Action**

Try again after some time.

**Error in retrieving the list of CMS. (VDS 00003)**

**Cause**

File storing the CMS list may be corrupt.

**Action**

Recreate the CMS list.

**Login to CMS (source or destination) failed. (VDS 00004)**

**Cause**

Invalid Username or Password.

**Action**

Enter a valid Username or Password.

**Log off from CMS (source or destination) failed. (VDS 00005)**

**Cause**

CMS may be down.

**Action**

Try again after some time.

**Error in scheduling the job (VDS 00006)**

**Cause**

The job could not be saved due to insufficient rights.

**Action**

Set the correct rights.

**A general exception occurred in Visual Difference Server. Refer to the stack trace for more information. (VDS 00007)**

**Cause**

Refer to Stack trace for the exact cause.

**Action**

Refer to Stack trace and take appropriate action.

**Compare action failed. (VDS 00008)**

**Cause**

The Visual Difference Service may be down or refer to logs for other causes.

**Action**

Restart the Visual Difference Service or refer to logs and correct accordingly.

**Failed to initialize the file " {0} ". (VDS 00009)**

**Cause**

The FRS may be down.

**Action**

Restart the FRS.

**Failed to set the list of objects in the file " {0} ". (VDS 00010)**

**Cause**

Invalid file or file does not have write permission.

**Action**

Select a valid file or set the write permission.

**Failed to create an infoobject with prog id = {0}. (VDS 00012)**

**Cause**

Prog id already exists.

**Action**

None.

**Unable to retrieve the InfoObject with cuid = {0}. (VDS 00013)**

**Cause**

Invalid Infoobject.

**Action**

Select a valid infoobject.

**Failed to create an infoobject with si\_id = {0}. (VDS 00014)**

**Cause**

Infoobject could not be created.

**Action**

None.

**Failed to set the property {0} with the value {1}. (VDS 00015)**

**Cause**

Invalid property or value.

**Action**

Check the property or value.

**Failed to retrieve the value of the property {0}. (VDS 00016)**

**Cause**

Property may not exist.

**Action**

Check the property.

**Error in retrieving Audit Handler. Please refer to the stack trace. (VDS 00017)**

**Cause**

The Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in adding audit events. Please refer to the stack trace. (VDS 00018)**

**Cause**

The Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in adding audit event detail. Please refer to the stack trace. (VDS 00019)**

**Cause**

The Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in committing audit event. Please refer to the stack trace. (VDS 00020)**

**Cause**

The Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in setting enabled events. Please refer to the stack trace. (VDS 00021)**

**Cause**

The Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in getting supported audit events. Please refer to the stack trace. (VDS 00022)**

**Cause**

Invalid audit events or the Auditing Service may be down.

**Action**

Restart the Auditing service.

**Error in getting enabled audit events. Please refer to the stack trace. (VDS 00023)**

**Cause**

Enabled Audit events may not exist or the Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in validating audit event type. Please refer to the stack trace (VDS 00024) .**

**Cause**

The Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in retrieving event objects. Please refer to the stack trace. (VDS 00025)**

**Cause**

Event objects may not exist or the Auditing Service may be down.

**Action**

Restart the Auditing Service.

**Error in clearing enabled audit events. Please refer to the stack trace. (VDS 00026)**

**Cause**

The Audit Event Property Bag in LCM App object may not exist.

**Action**

None.

**Error in generating the logon token. Please refer to the stack trace. (VDS 00027)**

**Cause**

CMS may be down.

**Action**

Restart CMS.

**Failed to login to the source CMS as the administrator has denied access to the user. (VDS 00028)**

**Cause**

Administrator has denied user access to the system.

**Action**

Contact your system Administrator.

**Failed to login to the destination CMS as the administrator has denied access to the user. (VDS 00029)**

**Cause**

Administrator has denied user access to the system.

**Action**

Contact your system Administrator.

**VisualDiff CMS is either null or not logged in. (VDC 00001)**

**Cause**

The VisualDiff CMS details are not provided or user is not logged in.

**Action**

Provide the VisualDiff CMS details or log into the VisualDiff CMS.

**User name is either null or empty. (VDC 00002)**

**Cause**

Invalid Username.

**Action**

Provide a valid username.

**Password is either null or empty. (VDC 00003)**

**Cause**

Invalid Password.

**Action**

Provide a valid password.

**Authentication is either null or empty. (VDC 00004)**

**Cause**

Authentication is not provided.

**Action**

Provide an authentication.

**Folder Name Already Exists. (VDC 00005)**

**Cause**

Folder name already exists.

**Action**

Provide a unique folder name.

**CMS is either null or not logged in. CMS could be either source or destination. (VDC 00007)**

**Cause**

CMS(Source or/and Destination) details are not provided or not logged in.

**Action**

Provide CMS (Source or/and Destination) details or log into Source or login.

**Source CMS is either null or not logged in. (VDC 00008)**

**Cause**

Source CMS details are not provided or not logged in.

**Action**

Provide source CMS details or log into source CMS.

**Destination CMS is either null or not logged in. (VDC 00009)**

**Cause**

Destination CMS details are not provided or not logged in.

**Action**

Provide destination CMS details or log into destination CMS.

**Error in parsing the Date as per the specified format. (VDC 00010)**

**Cause**

Invalid Date set format in the scheduler.

**Action**

Set the date in valid format.

## List of Values Error Messages

### 17.1 List of Values (LOV) Error Messages

List of Values LOV error messages include the following ranges and categories:

Range	Category
LOV0001 - LOV0002	List of Values (LOV)

#### Too many selected values. (LOV0001)

##### Cause

From a list of values in the Query Panel, you attempted to select more than the authorized number of values. By default, you can select up to 99 values at the same time.

##### Action

Limit the number of values you select to less than 99.

##### Cause

You selected less than 99 values but the above error appears. This means that a restriction has been set in the prm file corresponding to your database. This restriction appears as the parameter **MAX\_INLIST\_VALUES**.

##### Action

Remove this parameter, or set its limit to a higher number.

#### You have not been authorized to use this universe. (LOV0002)

##### Cause

You do not have rights to this universe (to which lists of values have been assigned).

**Action**

See the BusinessObjects supervisor to find out about the universes you are authorized to work with.

**17.2 List of Values (VAR) Error Messages**

List of Values VAR error messages include the following ranges and categories:

<b>Range</b>	<b>Category</b>
VAR0001	List of Values (LOV)

**Syntax error (VAR0001)****Cause**

The query contains a condition with a prompt for which you must enter one or more values using a separator between each value. The separator is usually a semicolon (;) or a comma (,). It is defined in the Windows Control Panel (Regional Settings).

The error results from the use of the separator. Perhaps you entered it at the beginning of the prompt, or inadvertently entered it twice between two values.

**Action**

In the Enter or Select Values dialog box, reenter the values using one separator between each value.

## Live Office (LO) Errors

Live Office error messages include the following:

Range	Category
LO 01001 - LO 26627	Live Office errors

### 18.1 LO 01000 - LO 01999

**The application is not ready. Please try again later. (LO 01001)**

**Cause**

The Microsoft Office application is not ready to accept data.

**Action**

Retry later.

**An error occurred when refreshing. (LO 01003)**

**Cause**

This error might occur due to the following reasons:

1. The report is corrupted.
2. The Live Office object is being inserted in unsupported areas, such as in the MS Word Header or Footer, or in an Office 2007 PowerPoint Slide Master.
3. The server is not accessible.

**Action**

1. Open the document in BI launch pad to make sure it is valid. If yes, log off and log on to SAP BusinessObjects Business Intelligence platform in the Live Office Option dialog box, then try again, or restart the Microsoft Office application and try again.

2. Do not insert Live Office objects in unsupported areas.
3. Fix the network connectivity or start the server.
4. For more information about the error, check the error details.

### **Failed to upgrade this document. (LO 01004)**

#### **Cause**

This error occurs when upgrading the office document which was created by a previous version of Live Office. It might be caused by the following reasons:

1. The report is corrupted.
2. The Live Office object is inserted in an unsupported area, such as a MS Word Header or Footer or in an Office 2007 PowerPoint Slide Master.
3. The server is not accessible.

#### **Action**

For cause:

1. Open the document in BI launch pad and make sure it is valid. If yes, log off and log on to SAP BusinessObjects Business Intelligence platform on the Live Office Option dialog box, then try again, or restart the Office application and try again.
2. Do not insert Live Office objects in unsupported areas.
3. Fix the network connectivity or start the server.
4. For more information, check the error details.

### **To prevent data loss, Microsoft Excel cannot shift cells with content off of the worksheet. (LO 01005)**

#### **Cause**

To prevent possible data loss, Microsoft Office Excel cannot shift cells with content off of the worksheet.

#### **Action**

If you do not have data in cells that can be shifted off of the worksheet, you can reset which cells Excel considers non-blank. To do this, press CTRL +End to locate the last non-blank cell on the worksheet. Delete this cell and all cells between it and the last row and column of your data then save.

## **18.2 LO 02000 - LO 02999**

**Create session fail. Please check the web service connection. (LO 02001)**

**Cause**

Live Office cannot connect to the SAP BusinessObjects Web service; the network connection may not be available or the SAP BusinessObjects Web service is not responding.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC to verify that the Web service is operating correctly.

**An error occurred when connecting to the web service. (LO 02002)**

**Cause**

Live Office cannot connect to the SAP BusinessObjects Web service; the network connection may not be available or the SAP BusinessObjects Web service is not responding.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC to verify that the Web service is operating correctly.

**An error occurred when connecting to the web service. (LO 02003)**

**Cause**

Live Office cannot connect to the SAP BusinessObjects Web service; the network connection may not be available or the SAP BusinessObjects Web service is not responding.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC to verify that the Web service is operating correctly.

**An error occurred when connecting to the web service. (LO 02004)**

**Cause**

Live Office cannot connect to the SAP BusinessObjects Web service; the network connection may not be available or the SAP BusinessObjects Web service is not responding.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC to verify that the Web service is operating correctly.

**An error occurred when connecting to the web service. (LO 02005)****Cause**

Live Office cannot connect to the SAP BusinessObjects Web service; the network connection may not be available or the SAP BusinessObjects Web service is not responding.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC to verify that the Web service is operating correctly.

**An error occurred when opening the file. (LO 02006)****Cause**

The Office document you opened has been removed from SAP BusinessObjects Business Intelligence platform or the CMS and Web service are not accessible.

**Action**

- On the Live Office Option dialog box, log off from SAP BusinessObjects Business Intelligence platform and log on again.
- Close the Office application and re-start it.
- In BI launch pad, verify that the document exists.
- Ping the server to verify the network connection is working correctly. Also log on to the CMC and check that the CMS and Web server are working.

**An error occurred when the file is saving. (LO 02007)****Cause**

This error may occur for the following reasons:

- You do not have the necessary rights to modify objects within the folder you saved to.
- The CMS and Web service are not accessible.
- The Office document you opened has been removed from SAP BusinessObjects Business Intelligence platform.

**Action**

- On the Live Office Options dialog box, log off SAP BusinessObjects Business Intelligence platform and then log back on and try saving again.
- Restart the Office application and try saving again.
- Make sure you have the necessary rights to access the folder.
- Verify your network connection by "pinging" the server. If the network is running properly, log on to the CMC and verify that the CMS and Web services are currently working.
- Ensure that the office document exists in BI launch pad.

**An error occurred when finding the Crystal Report properties. (LO 02008)**

**Cause**

The Crystal report is not available; it does not exist or has been removed from the specified location or the connection to the SAP BusinessObjects Web service is not available.

**Action**

- Make sure the server is accessible and the Web Service is working correctly.
- In BI launch pad, check that the document exists.
- In Live Office, select the object and click "View Object in Web Browser" to check that it can be opened. If not, in the Live Office Option dialog box, log off from SAP BusinessObjects Business Intelligence platform and log on again. Also, close the Office application and restart it.

**The server is not available. Please check the network connection and server status. (LO 02009)**

**Cause**

Live Office cannot connect to the SAP BusinessObjects Web service. The network connection may not be available or the SAP BusinessObjects Web service is not responding.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC to verify that the Web service and CMS are operating correctly.

**An error occurred while opening the report. The report does not exist; you have insufficient rights to open the report; or you cannot make a connection to the BusinessObjects Web Service. (LO 02010)**

**Cause**

You cannot open the document from Live Office cache. The document does not exist, or you have insufficient privileges on the report, or you cannot make a connection to the SAP BusinessObjects web service.

**Action**

Check whether the document exists and you have sufficient privileges in BI launch pad. If yes, close and start the Office application and then retry.

**An error occurred while saving the report. The report does not exist, or you cannot make a connection to the BusinessObjects Web Service. (LO 02011)**

**Cause**

You cannot save the document to Live Office cache. The document does not exist, or you cannot make a connection to the SAP BusinessObjects web service.

**Action**

Check whether the document exists in BI launch pad. If yes, close and start the Office application and then retry.

**An error occurred while refreshing the report. (LO 02012)**

**Cause**

This error might be caused by the following reasons: 1) drawing Live Office object on unsupported areas, like Word Header or Footer, or Office 2007 PowerPoint Slide Master, 2) the report is corrupted, 3) the server is not accessible. If not in the list, check the detail error.

**Action**

For cause 1), do not draw Live Office object on unsupported areas. For cause 2), check from BI launch pad to make sure the document is valid. If yes, log off and log on to BOE using the Live Office Option dialog then try again, or re-start the Office application, then try again. For cause 3), fix the network connectivity or start up the server. If not in previous causes, use the error code in the detail to find the solution, or just follow the guide in the detail.

**An error occurred when rowset data was inserted. (LO 02013)**

**Cause**

This error might be caused by the following reasons: 1) drawing Live Office object on unsupported areas, like Word Header or Footer, or Office 2007 PowerPoint Slide Master, 2) the report is corrupted, 3) the server is not accessible. If not in the list, check the detail error.

**Action**

For cause 1), do not draw Live Office object on unsupported areas. For cause 2), check from BI launch pad to make sure the document is valid. If yes, log off and log on to BOE using the Live Office Option dialog then try again, or restart the Office application and then try again. For cause 3), fix the network connectivity or start the server. If not in previous causes, use the error code in the detail to find the solution, or just follow the guide in the detail.

**An error occurred when the report part was inserted. (LO 02014)****Cause**

This error might be caused by the following reasons: 1) drawing Live Office object on unsupported areas, like Word Header or Footer, or Office 2007 PowerPoint Slide Master, 2) the report is corrupted, 3) the server is not accessible. If not in the list, check the detail error.

**Action**

For cause 1), do not draw Live Office object on unsupported areas. For cause 2), check in BI launch pad to make sure the document is valid. If yes, log off and log on to BOE using the Live Office Option dialog then try again, or restart the Office application and then try again. For cause 3), fix the network connectivity or start the server. If not in previous causes, use the error code in the detail to find the solution, or just follow the guide in the detail.

**An error occurred when the page segment was inserted. (LO 02015)****Cause**

This error might be caused by the following reasons: 1) drawing Live Office object on unsupported areas, like MS Word Header or Footer, or Office 2007 PowerPoint Slide Master, 2) the report is corrupted, 3) the server is not accessible. If not in the list, check the detail error.

**Action**

For cause 1), do not draw Live Office object on unsupported areas. For cause 2), check in BI launch pad to make sure the document is valid. If yes, log off and log on to BOE using the Live Office Option dialog then try again, or restart the Office application and then try again. For cause 3), fix the network connectivity or start the server. If not in previous causes, use the error code in the detail to find the solution, or just follow the guide in the detail.

**An error occurred when the crosstab was inserted. (LO 02016)****Cause**

This error might be caused by the following reasons: 1) drawing Live Office object on unsupported areas, like MS Word Header or Footer, or Office 2007 PowerPoint Slide Master, 2) the report is corrupted, 3) the server is not accessible. If not in the list, check the detail error.

**Action**

For cause 1), do not draw Live Office object on unsupported areas. For cause 2), check in BI launch pad to make sure the document is valid. If yes, log off and log on to BOE using the Live Office Option dialog and then try again, or restart the Office application and then try again. For cause 3), fix the network connectivity or start the server. If not of any previous causes, use the error code in the detail report to find the solution, or just follow the guide in the detail.

**An error occurred in the Microsoft Office document. (LO 02017)**

**Cause**

You encounter an Office SDK error.

**Action**

Close and restart the Office application. Then try again. If the problem persists, keep the Live Office log file and contact SAP BusinessObjects Customer Support.

**An error occurred in a query in BusinessObjects Business Intelligence platform. (LO 02018)**

**Cause**

You cannot make a connection to the SAP BusinessObjects web service, either because there is no network connection, or the SAP BusinessObjects web service is down.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC and check if the web service is up.

**An error occurred when connecting to the web service. (LO 02019)**

**Cause**

You cannot make a connection to the SAP BusinessObjects web service, either because there is no network connection, or the SAP BusinessObjects web service is down.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC and check if the web service is up.

**An error occurred when connecting to the web service. (LO 02020)**

**Cause**

You cannot make a connection to the SAP BusinessObjects web service, either because there is no network connection, or the SAP BusinessObjects web service is down.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, log on to CMC and check if the web service is up.

### Data source was not found. (LO 02021)

#### **Cause**

The Crystal Report is not available. Either it does not exist or has been removed.

#### **Action**

Check whether the document exists in BI launch pad or click Live Office "View Object in Web Browser" to check its existence.

### Data source was not found. (LO 02022)

#### **Cause**

The Interactive Analysis document is not available. Either it does not exist or has been removed.

#### **Action**

Check whether the document exists in BI launch pad or click Live Office "View Object in Web Browser" to check its existence.

### Data source was not found. (LO 02023)

#### **Cause**

The universe no longer exists because it was either changed or deleted.

#### **Action**

Log on to BI launch pad using same user account and check whether the universe is available.

### Report's latest instance was not found. (LO 02024)

#### **Cause**

You cannot find a valid scheduled document.

#### **Action**

Logon to BI launch pad, check whether the instance of the report is scheduled successfully. Make sure the instance is of the proper report type.

**An error occurred when the Report Part Viewer was initialized. (LO 02025)**

**Cause**

The report is corrupted, or the connection to the SAP BusinessObjects web service fails, or some viewer files are mismatched.

**Action**

Check the document from BI launch to make sure it is valid. If you cannot resolve it, log off and log on to BOE using the Live Office Option dialog then try again, or close and restart the Office application, then try again. Make sure the server is accessible and the Web Service is up. If the problem persists, reinstall Live Office.

**An error occurred when an object was selected in the Report Part Viewer. (LO 02026)**

**Cause**

The report is corrupted, or the connection to the SAP BusinessObjects web service fails, or some viewer files are mismatched.

**Action**

Check the document from BI launch pad to make sure it is valid. If you cannot resolve it, log off and log on to BOE using the Live Office Option dialog and then try again, or close and restart the Office application and then try again. Make sure the server is accessible and the Web Service is up. If the problem persists, reinstall Live Office.

**Please select a report part. (LO 02027)**

**Cause**

You have not selected any object in the viewer.

**Action**

Select a Live Office object before using the feature.

**An error occurred when the Repository Explorer was initialized. (LO 02028)**

**Cause**

The Repository Explorer control fails to load. The connection to the SAP BusinessObjects web service fails, or some files do not match.

**Action**

Close and restart the Office application and try again. Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC and check if the web service is up. If the problem persists, reinstall Live Office.

**An error occurred from viewer control. (LO 02029)**

**Cause**

An error occurred when trying to show the report in report part viewer. Either the document is not available, or some servers are down or some files are mismatched.

**Action**

Check the document from BI launch pad to make sure it is valid, if you cannot resolve it, log off and log on to BOE using the Live Office Option dialog and then try again, or close and restart the Office application and then try again. Make sure the server is accessible and the Web Service is up. If the problem persists, reinstall Live Office.

**An error occurred from parameter control. (LO 02030)**

**Cause**

The Document is not available or corrupted, or some servers are down or some files are mismatched.

**Action**

Check the document from BI launch pad to make sure it is valid. If you cannot resolve it, log off and log on to BOE using the Live Office Option dialog and then try again, or close and restart the Office application and then try again. Make sure the server is accessible and the Web Service is up. If the problem persists, reinstall Live Office.

**An error occurred from the prompt dialog. (LO 02031)**

**Cause**

The document is not available or corrupted, or some servers are down.

**Action**

Check the document from BI launch pad to make sure it is valid. If you cannot resolve it, log off and log on to BOE using the Live Office Option dialog and then try again, or close and restart the Office application and then try again.

### **An error occurred from specify query panel. (LO 02032)**

#### **Cause**

The universe is not available or corrupted, or some servers are down.

#### **Action**

Check the universe from BI launch pad to make sure it is valid. If you cannot resolve it, log off and log on to BOE using the Live Office Option dialog and try again, or close and restart the Office application and then try again. Make sure the server is accessible and the Web Service is up. If the problem persists, use Live Office QP Wizard to create the query again.

### **An error occurred when browsing the field's values. (LO 02035)**

#### **Cause**

You cannot retrieve values for the field. Either the Crystal Report is not available, or the Crystal Report service is not running.

#### **Action**

Check whether the document exists on BI launch pad. Verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC and check if the web service and Report Application Servers are up.

### **Live Office Object Properties dialog cannot be shown because there is no object in the current document. (LO 02038)**

#### **Cause**

You are showing Properties dialog for a damaged Live Office object. A user may have caused this error by modifying the Live Office object manually.

#### **Action**

Click all menu items under Live Office "Go to Object" menu, which will remove the damaged Live Office Objects, or delete the Live Office Object manually and then click menu items under the Live Office "Go to Object" menu.

### **The Web Intelligence document's query specification is invalid. (LO 02039)**

#### **Cause**

Your office document is corrupted, or your version of Live Office Client is mismatched with the version of SAP BusinessObjects Business Intelligence platform.

**Action**

Check the document from BI launch pad to make sure it is valid, if cannot resolve, log off and log on to BOE on the Live Office Option dialog and try again, or close and restart the Office application and then try again. Make sure the versions of Live Office Client and SAP BusinessObjects Business Intelligence platform match. If the problem persists, recreate your office document.

**An error occurred while logging on. (LO 02040)****Cause**

This error occurs due to the following reasons: 1) Logon information is incorrect. 2) The SAP BusinessObjects Business Intelligence platform server is not running, or the Web Service is down, or local network connection is not available. 3) You are connecting to a lower version Web Service. If not in the list, check the detail error.

**Action**

For cause 1), provide valid log on information. For cause 2), verify the network connection by "pinging" the server. If the network is running properly, log on to the CMC and check if the web service is up. If not, fix the network connectivity or startup the server. For cause 3), provide correct web service URL. If not in previous causes, use the error code in the detail to find the solution, or just follow the guide in the detail.

**Live Office is not installed properly. The definition of {0} is missing in AssemblyInfo.xml. (LO 02041)****Cause**

Live Office installation is corrupted.

**Action**

Reinstall your Live Office and retry.

**Live Office is not installed properly. An error occurred when reflecting the default constructor of {0}. (LO 02042)****Cause**

Live Office installation is corrupted.

**Action**

Reinstall your Live Office and retry.

**Live Office is not installed properly. An error occurred when loading class {0}. (LO 02043)**

**Cause**

Live Office installation is corrupted.

**Action**

Reinstall your Live Office and retry.

**An error occurred when the Insert Wizard is initialized. Please check the web service connection. (LO 02044)**

**Cause**

The office document is read-only or the report is corrupted.

**Action**

Ensure that the office document is writeable. Remove the old object and reinsert it.

**Failed to update parameter. (LO 02045)**

**Cause**

The value type that you entered does not match the expected value type.

**Action**

Enter the correct value.

**The entered parameter does not match the expected parameter type. (LO 02046)**

**Cause**

The entered parameter does not match the expected parameter type.

**Action**

Input a value that matches the parameter type.

**An instance corresponding to the Live Office object's report type cannot be found. (LO 02047)**

**Cause**

The instance does not exist in BI launch pad.

**Action**

Please check whether the instance of corresponding report type exists in BI launch pad. If not, re-schedule an instance of the Live Office object corresponding report type.

### **18.3 LO 26000 - LO 26999**

**Live Office encountered an error. (LO 26000)**

**Cause**

The SAP BusinessObjects Live Office Web service encountered an unexpected error.

**Action**

Retry or restart your Office application.

**You do not have a valid license to use SAP BusinessObjects Live Office. Contact your SAP BusinessObjects Business Intelligence platform system administrator. (LO 26003)**

**Cause**

You do not have a valid license to use SAP BusinessObjects Live Office Web Services.

**Action**

Contact system administrator to check if the keycode exists and is up-to-date.

**You may have connected to the wrong version of SAP BusinessObjects Web Services or the Web Services deployment is corrupt. (LO 26002)**

**Cause**

You may have connected to the wrong version of SAP BusinessObjects Web Services, or the Web Services deployment may be corrupt.

**Action**

Make sure you are connecting to a compatible version of Web Services. If the problem persists, contact your SAP BusinessObjects administrator.

**SAP BusinessObjects Live Office Web Service encountered an error. (LO 26004)**

**Cause**

SAP BusinessObjects Live Office Web Service encountered an unexpected error.

**Action**

Please retry or restart your Office application.

**Failed to parse XML. (LO 26005)**

**Cause**

Your Live Office Client version is newer than the SAP BusinessObjects Web Service.

**Action**

Install a compatible version of Live Office client and retry.

**Client XML version is newer than server XML version (LO 26006)**

**Cause**

Your Live Office Client version is newer than the SAP BusinessObjects Web Service.

**Action**

Please use a compatible version of Live Office Web Service or enable the previous version of Live Office if it exists.

**The connection to BusinessObjects Business Intelligence platform was lost. Try to log on again. (LO 26007)**

**Cause**

You cannot make a connection to the SAP BusinessObjects web service. Either there is no network connection, or the SAP BusinessObjects web service is down.

**Action**

Repair your network connection and retry. If the problem persists, contact your SAP BusinessObjects administrator to check if the server is up.

**The current refresh option requires saved data that does not exist. (LO 26008)**

**Cause**

The current refresh option requires a report instance that does not exist.

**Action**

Change the refresh option of the object or re-publish the report with saved data.

**The web server is out of memory. Contact your system administrator. (LO 26009)**

**Cause**

The web server is out of memory.

**Action**

Contact the system administrator to check the configuration of the Web server. Restart the Web server and retry.

**The search service encountered a problem. The search operation is corrupt. (LO 26010)**

**Cause**

The search service fails to respond.

**Action**

Check whether the search service is stopped.

**Live Office has encountered a problem and cannot complete the requested action. (LO 26300)**

**Cause**

Live Office has encountered a problem and cannot complete the requested action. We are sorry for the inconvenience.

**Action**

Please log off and log back in to the SAP BusinessObjects Business Intelligence platform Server or reopen the document.

**The current refresh option requires a report instance that does not exist. (LO 26301)**

**Cause**

The current refresh option requires a report instance that does not exist.

**Action**

Change the refresh option of the object or use the CMC to schedule a new instance.

**Report connection "{0}-{1}" does not exist. (LO 26302)**

**Cause**

The Interactive Analysis document is not available. Either it does not exist, or it has been removed.

**Action**

Check whether the document exists on BI launch pad or use Set Location in Live Office to redefine the report source.

**Cannot connect to the Interactive Analysis Report Engine Web service (LO 26303)**

**Cause**

You cannot make a connection to the SAP BusinessObjects web service, either because there is no network connection, or because the SAP BusinessObjects web service is down.

**Action**

Verify the network connection to the SAP BusinessObjects Business Intelligence platform Server is up. If the network is running properly, log on to the CMC and check if the Interactive Analysis Report Server is up.

**Cannot connect to the Interactive Analysis Report Engine Web service (LO 26304)**

**Cause**

You cannot make a connection to the SAP BusinessObjects web service, either because there is no network connection, or because the SAP BusinessObjects web service is down.

**Action**

Verify the network connection to the server is up. If the network is running properly, log on to CMC and check if the web service is up.

**Failed to load persisted view. (LO 26307)**

**Cause**

Your office document is corrupted, or the version of Live Office Client is mismatched with the version of SAP BusinessObjects Business Intelligence platform.

**Action**

Please install the latest version of Live Office and retry. Check that the version numbers from Web Service and Client are consistent. This may be caused by the version mismatch.

**Report part type has been changed from {0} to {1}. (LO 26310)**

**Cause**

This Interactive Analysis document is not available or the structure of the Interactive Analysis document is changed.

**Action**

Please insert this Interactive Analysis document again to see if this problem is solved.

**Could not get the Query data (LO 26312)**

**Cause**

The universe used by this Interactive Analysis document may be changed or deleted.

**Action**

Please check the Interactive Analysis document from BI launch pad to verify its universe data source.

**Could not get the Interactive Analysis report part output data or the data is invalid (LO 26313)**

**Cause**

The document is not available or corrupted, or some servers are down.

**Action**

Please check the document from BI launch pad to make sure it is valid. Check the server is up from CMC. If you cannot resolve, log off and log on to BOE on the Live Office Option dialog and then try again, or close and restart the Office application and try again.

**You do not have sufficient rights to refresh data from the specified report. (LO 26314)**

**Cause**

You do not have sufficient rights to refresh data from the specified report.

**Action**

Contact your SAP BusinessObjects Business Intelligence platform administrator to grant the user sufficient rights to refresh the report.

**Failed to get the document information. (LO 26315)**

**Cause**

Failed to get the document information. For more information, see the error message details.

**Action**

Ensure that the Report Engine service is running and retry.

**Failed to get Live Office object. Online picture is not supported. (LO 26318)**

**Cause**

Failed to download the picture from the Internet.

**Action**

Replace the picture with a supported picture.

**You do not have sufficient rights to fetch data from the specified report. (LO 26604)**

**Cause**

You do not have sufficient rights to fetch data from the specified report.

**Action**

Contact your SAP BusinessObjects Business Intelligence platform administrator to grant you sufficient rights.

**The Live Office view is corrupt. (LO 26605)**

**Cause**

The Live Office view is corrupt.

**Action**

Click all the Live Office objects under Live Office "Go to Object" menu, which will remove the damaged Live Office Objects.

**Refresh failure. View Refresh Options does not exist. (LO 26606)**

**Cause**

The current refresh option requires a report instance that does not exist.

**Action**

Please check the refresh options of this report and retry. Otherwise, check whether the scheduled instance on Live Office view exists.

**You cannot access the Crystal Reports Server. Please check the Crystal Reports Server connection. (LO 26607)**

**Cause**

You cannot access the Crystal Report Server. The network connection or the Crystal Report Server might be down.

**Action**

Verify the network connection to the Crystal Report Server. If the network is running properly, log on to the CMC and check if the Crystal Report Server is up.

**Cannot find the SAP BusinessObjects Business Intelligence platform object. (LO 26608)**

**Cause**

The document is not available; for example it does not exist, or it has been removed.

**Action**

Check the report path from CMS and use SetLocation in Live Office to redefine the report source. Otherwise, check if the user has sufficient rights to view the object.

**Report connection does not exist. (LO 26610)**

**Cause**

You cannot access the Crystal Report Server. There may be no network connection or the Crystal Report service is down.

**Action**

Verify the network connection to the Crystal Report Server. If the network is running properly, log on to CMC and check if the web service is up.

**Failed to parse the parameter value "{0}" to "{1}" in the "{2}" locale. (LO 26611)**

**Cause**

This value does not match with the required value type for this field.

**Action**

Change the value to the required type and retry.

**Failed to get Crystal report. (LO 26612)**

**Cause**

The document does not exist in BI launch pad, or you cannot make a connection to the SAP BusinessObjects web service.

**Action**

Check whether the document exists in BI launch pad. If it exists, close and start the Office application again and then retry.

**The version of your Live Office Client does not match the version of the SAP BusinessObjects Web Service. (LO 26613)**

**Cause**

Your Live Office Client mismatches the SAP BusinessObjects Web Service.

**Action**

Install a correct version of Live Office Client and retry.

**You cannot access the Crystal Reports Server. Please check the Crystal Reports Server connection. (LO 26614)**

**Cause**

You cannot access the Crystal Report Server. The network connection or the Crystal Report Server might be down.

**Action**

Verify the network connection to the Crystal Report Server. If the network is running properly, log on to the CMC and check if the Crystal Report Server is up.

**Failed to render view. Report CUID, {0}, cannot be found. (LO 26615)**

**Cause**

Cannot find the report. This report may not exist.

**Action**

Use CMC to ensure that the report exists. Ensure that the report instances or saved data has not been removed from the source report.

**Cell already existed. (LO 26616)**

**Cause**

Unable to insert a new view because it overwrites the existing object.

**Action**

Please choose another cell and retry.

**The value entered does not match the expected filter type. (LO 26617)**

**Cause**

The filter is invalid. The filter type does not match the value type.

**Action**

Use CMC to change the filter or change the filter set in Live Office.

**Failed to open report. (LO 26619)**

**Cause**

You cannot access the Crystal Report Server. The network connection or the Crystal Report Server might be down or the report does not exist.

**Action**

Verify the network connection to the Crystal Report Server. If the network is running properly, log on to the CMC and check if the Crystal Report Server is up.

**Failed to load persisted view. (LO 26620)**

**Cause**

Your Live Office Client version does not match the SAP BusinessObjects Live Office Web Service version.

**Action**

Please install the latest version of Live Office Web Service and retry. Check the version number for SAP BusinessObjects Business Intelligence platform Web Service and client. This error may also be caused by a backward compatibility issue.

**This type of Report Object is not supported. (LO 26621)**

**Cause**

This type of report object is not supported.

**Action**

Insert another report part object.

**Failed to refresh the specified report part. Please make sure the specified data context exists: {0}. (LO 26626)**

**Cause**

Failed to retrieve the specified report part. This report part may be missing.

**Action**

Please view the report in BI launch pad to check if the report part is missing.

**Missing Part(s): (LO 26627)**

**Cause**

Failed to retrieve the specified TopN report part. This report part may be missing.

**Action**

Please view the report in BI launch pad to check if the report part is missing or select another report part and retry.

**The current version does not support the SAP KeyDate feature. (LO 26630)**

**Cause**

The current version does not support the SAP KeyDate feature.

**Action**

1. Upgrade to a newer version.
2. Do not use Interactive Analysis report with KeyDate universes.
3. Set location to report without KeyDate.

**Crystal Reports Java format is not supported. (LO 26631)**

**Cause**

A Crystal Report created using Crystal Reports for Enterprise is not supported.

**Action**

Please choose another report.



## Metadata Bridges and Universe Builder (MDB) Error Messages

Metadata Bridges and Universe Builder includes the following error message categories:

Range	Category
MDB 00001	Metadata Bridges and Universe Builder

**This universe cannot be parsed.** \nYou may need to review the universe design. (MDB 00001)

### **Cause**

The bridge cannot generate the universe because the objects cannot be parsed.

### **Action**

Review universe design to simplify the objects.



## SAP BusinessObjects Mobile (MOB) Error Messages

SAP BusinessObjects Mobile error messages include the following categories:

Range	Category
MOB 00001 - MOB 00305 MOB 02003 - MOB 02121	Mobile Server error messages
MOB 10001 - MOB 10909	Mobile Client error messages
MOB 20001 - MOB 20016	Mobile Server Configuration Tool error messages

### 20.1 Mobile Server error messages

**Invalid credentials: {0}. Ensure that your login information is correct. (MOB 00001)**

**Cause**

Invalid credentials.

**Action**

Check the connection settings and try logging in with valid information.

**{0} authentication could not log you on. Ensure that your login information is correct. (MOB 00002)**

**Cause**

Invalid credentials.

**Action**

Enter valid user name and password for the specified authentication type.

**Failed to open {0} document. (MOB 00005)**

**Cause**

Document translator not found. Contact your Enterprise administrator.

**Action**

Ensure that the document translator is available for the specified document type.

**The document does not exist on the server. (MOB 00006)**

**Cause**

You are trying to open a document which is already deleted on the server.

**Action**

Refresh the document list to get the latest document list from the server.

**An internal server error occurred while creating the command. Contact your administrator. (MOB 00009)**

**Cause**

Failed to create the command, due to invalid type-casting of message class.

**Action**

Contact your administrator.

**Failed to create a session from the information received from the client. (MOB 00010)**

**Cause**

Failed to create a session for the information received from the client.

**Action**

Try logging in again.

**Prompts not found for the document. (MOB 00011)**

**Cause**

Prompts not found for the document.

**Action**

For more information, contact the document designer.

**An internal server error occurred while getting the information from Central Management Server. (MOB 00012)**

**Cause**

An internal server error occurred while getting the information from Central Management Server (CMS).

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request. (MOB 00014)**

**Cause**

Could not find the class information in the client request.

**Action**

Contact your administrator.

**An internal server error occurred while opening document. Could not find class {0} at server. (MOB 00015)**

**Cause**

Unable to not find the class in WebParser.jar.

**Action**

Contact your administrator.

**An internal error occurred. Could not find the - {0} service. (MOB 00018)**

**Cause**

The service you are trying to access cannot be found.

**Action**

Contact your administrator.

**An internal error occurred while creating {0} service. (MOB 00019)**

**Cause**

An internal error occurred while creating the service.

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request. (MOB 00020)**

**Cause**

The remote method invocation failed. Types of argument and names of argument must have same values.

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request.  
(MOB 00021)**

**Cause**

The remote method invocation failed. Declared methods can only use boolean, int, double or java.lang.String type arguments. Other data types are not supported.

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request.  
(MOB 00022)**

**Cause**

The command\_factories.properties file in MobiVaultusServer.jar is corrupted.

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request.  
(MOB 00023)**

**Cause**

The remote method invocation failed. Unable to convert the argument that was passed to one of its primitive type.

**Action**

Contact your administrator.

**You are not authorized to subscribe to document alerts. (MOB 00024)**

**Cause**

You do not have permission to subscribe to document alerts.

**Action**

Contact your administrator

**You are not authorized to save documents to the local store of a device. You can subscribe to alert without selecting the 'Save Local Copy' option. (MOB 00026)**

**Cause**

You do not have permission to save documents on the device's local store.

**Action**

Contact your administrator

**You are not authorized to save documents to the local store of a device. (MOB 00027)**

**Cause**

You do not have permission to save documents on the device's local store.

**Action**

Contact your administrator.

**An internal server error occurred while performing a search. (MOB 00028)**

**Cause**

An internal server error occurred while performing search.

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request. (MOB 00029)**

**Cause**

The requested method does not exist. For more information refer to logs.

**Action**

Contact your administrator.

**Session has expired. Try logging in again. (MOB 00030)**

**Cause**

The session has expired. while receiving the login credentials from the client.

**Action**

Exit the application and try login again.

**Session has expired. Try logging in again. (MOB 00031)**

**Cause**

An internal server error occurred while receiving the login credentials from the client.

**Action**

Exit your application, and try logging in again.

**Message push failed while confirming the received session data. (MOB 00050)**

**Cause**

The message push failed due to network unavailability.

**Action**

Check the format of the received session data.

**An internal server error occurred while processing the client request. (MOB 00060)**

**Cause**

An internal server error occurred as the requested action could not be published on the server.

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request.  
(MOB 00080)**

**Cause**

Command execution failed due to an internal error.

**Action**

Contact your administrator.

**An internal server error occurred while creating an instance for the class {0}. (MOB 00110)**

**Cause**

Remote invocation of the class failed due to invalid information.

**Action**

Contact your administrator.

**An internal server error occurred while processing the client request.  
(MOB 00130)**

**Cause**

Remote invocation of the method failed due to invalid method information.

**Action**

Contact your administrator.

**An internal server error occurred. File {0} is not found or the file is corrupted at server. (MOB 00300)**

**Cause**

The requested file could not be found or the file is corrupted.

**Action**

Contact your administrator.

**Session has expired. Re-login to open the document. (MOB 02003)**

**Cause**

The session has expired.

**Action**

Check if the setInfoObjects & setSession methods are called before openDocumentInstance, and try logging in again.

**Prompt execution failed due to an invalid range of parameters. (MOB 02017)**

**Cause**

The range of parameters for the prompt value must contain two parameters.

**Action**

Provide the valid range of values to execute the prompt.

**Cannot execute the requested action due to an invalid character in the URL {0}. (MOB 02090)**

**Cause**

Invalid character in the URL.

**Action**

Contact your document designer.

**Invalid prompt value. Enter the date in a proper format. (MOB 02100)**

**Cause**

Failed to convert the string into the date format.

**Action**

Ensure that the date you have entered in the prompts is in the valid format.

**Cannot execute the requested action due to an invalid syntax of <href> tag. (MOB 02120)**

**Cause**

The syntax of <href> tag of html is invalid.

**Action**

Contact your document designer.

## **20.2 Mobile Client error messages**

**Cannot find the requested folder. (MOB 10004)**

**Cause**

The requested folder may have been deleted on the server.

**Action**

Check whether the requested folder is available in the repository.

**Unable to perform the requested action. (MOB 10005)**

**Cause**

Unable to perform the requested action as the data received from the server is invalid.

**Action**

Contact your administrator.

**Unable to open the local document. (MOB 10006)**

**Cause**

Unable to perform the requested action as the data received from the server is invalid.

**Action**

Contact your administrator.

**You have abruptly canceled the operation which was in progress. (MOB 10007)**

**Cause**

The user cancelled the operation.

**Action**

No action required.

**Invalid login credentials. Try logging with correct credentials. (MOB 10008)**

**Cause**

Invalid login credentials.

**Action**

Try logging in with valid credentials.

**An error occurred during login. (MOB 10009)**

**Cause**

An error occurred due to network unavailability.

**Action**

Try logging in again.

**Unable to find the report. (MOB 10010)**

**Cause**

The requested report is not found in the repository.

**Action**

Check if the requested report is available in the repository.

**Failed to renew the data connection. (MOB 10011)**

**Cause**

Failed to renew the data connection.

**Action**

Exit your application and try logging in again.

**Unable to find the email account on device. (MOB 10012)**

**Cause**

The e-mail account is not found on the device.

**Action**

Set up an e-mail account on the device.

**Device platform does not support the requested action. (MOB 10013)**

**Cause**

The device platform does not support the requested action (mail/call/URL).

**Action**

Check if the device platform supports the requested action.

**Unable to initiate phone call. (MOB 10030)**

**Cause**

The device platform does not support the call action.

**Action**

Check if the device platform supports the requested action.

**Unable to refresh the report due to an internal error. (MOB 10031)**

**Cause**

Unable to refresh the report due to an internal error.

**Action**

Contact your administrator.

**Failed to exit the application due to an internal error. (MOB 10032)**

**Cause**

An internal error occurred while canceling the synchronization process.

**Action**

Exit the application and try again.

**Failed to lookup {0} document in the folder. (MOB 10033)**

**Cause**

The requested document is not found in the folder.

**Action**

Contact your administrator.

**Failed to lookup a folder in the requested folder. (MOB 10034)**

**Cause**

Folder lookup failed in the requested folder.

**Action**

Contact your administrator

**Failed to perform the requested action. (MOB 10035)**

**Cause**

Communication service is not initialized.

**Action**

Contact your administrator.

**You are not authorized to send documents as an email. (MOB 10037)**

**Cause**

You do not have permission to send documents as an e-mail.

**Action**

Contact your administrator

**An internal error occurred. Unable to send notifications. (MOB 10039)**

**Cause**

The alert type must be either a warning, error, or info. Any other type is not supported.

**Action**

Contact your administrator.

**You are not authorized to log on to SAP BusinessObjects Mobile application. (MOB 10040)**

**Cause**

You do not have permission to log on to the SAP BusinessObjects Mobile application.

**Action**

Contact your administrator

**Client does not support the Screen : {0} (MOB 10042)**

**Cause**

You are trying to obtain an unsupported screen from the client application.

**Action**

Check whether the screen you are creating is supported in the client.

**The requested navigation direction is not supported. (MOB 10043)**

**Cause**

The Mobile application only supports up/down/left/right directions.

**Action**

Contact your administrator.

**Unable to retrieve the document instance information. (MOB 10044)**

**Cause**

Unable to retrieve the document instance information.

**Action**

Contact your administrator.

**An internal error occurred while remote invocation of {0} class. (MOB 10045)**

**Cause**

Failed to create an instance of the class.

**Action**

Contact your administrator.

**An internal error occurred while opening the report. (MOB 10046)**

**Cause**

Failed to parse the report. Object reference not found in the hash table of DOM.

**Action**

Contact your administrator.

**An error occurred while opening the report. (MOB 10047)**

**Cause**

The graph data received from the server is invalid. The cycle is detected in the object graph.

**Action**

Contact your administrator.

**Unable to open the folder. (MOB 10048)**

**Cause**

Unable to retrieve the document instance list information from the Enterprise repository.

**Action**

Contact your administrator.

**The action URL embedded in the document is not in the expected format. (MOB 10050)**

**Cause**

The action URL embedded in the document is not in the expected format.

**Action**

Contact the document designer.

**Failed to perform the requested action. (MOB 10071)**

**Cause**

Failed to perform the requested action because the synchronization of documents is in progress.

**Action**

Perform the action after the synchronization is complete.

**Unauthorized operation (MOB 10081)**

**Cause**

The communication service is not initialized.

**Action**

Contact your administrator.

**An internal error occurred while reading the data from server. (MOB 10090)**

**Cause**

An internal error occurred while reading the data from the server.

**Action**

Contact your administrator.

**Cannot recover local store due to a network error. (MOB 10100)**

**Cause**

Unable to perform a full data recovery due to a network error.

**Action**

Check whether you are able to connect to the Mobile server.

**The requested page of the report is not found on the server. (MOB 10110)**

**Cause**

The requested page of the report cannot be found on the server because it may have been deleted.

**Action**

Check the repository to see if the requested page exists.

**An internal error occurred. Failed to initiate the application. (MOB 10120)**

**Cause**

Service binder information is not found. Unable to initiate J2MIServiceBinderImpl class.

**Action**

Contact your administrator.

**An error occurred while managing UI controls on the screen. (MOB 10130)**

**Cause**

An error occurred while adding or replacing an unsupported control.

**Action**

Check whether the platform supports the control you are adding or replacing.

**Invalid credentials (MOB 10140)**

**Cause**

Credentials are not valid.

**Action**

Check if the user name and password are valid for the specified authentication.

**An internal error occurred. (MOB 10150)**

**Cause**

The data format retrieved is invalid.

**Action**

Contact your administrator.

**An error occurred during data synchronization. (MOB 10160)**

**Cause**

An error occurred while synchronizing data.

**Action**

Contact your administrator.

**Login failed. Try to re-login. (MOB 10170)**

**Cause**

Unable to reach the server due to network unavailability.

**Action**

Ensure you are connected to network and try logging in again.

**Cannot delete the document, as the synchronization process is in progress. (MOB 10180)**

**Cause**

Unable to delete the document as the synchronization process is in progress.

**Action**

Try deleting the document after the synchronization is complete.

**An internal error occurred while opening the report. (MOB 10190)**

**Cause**

Failed to restore the object references in the hash table of DOM.

**Action**

Contact your administrator.

**Failed to send the SMS due to an internal error. (MOB 10200)**

**Cause**

Failed to send the SMS due to an internal error.

**Action**

Contact your administrator.

**The requested action is not supported. (MOB 10210)**

**Cause**

The requested action is not supported.

**Action**

Contact the document designer.

**Failed to start the application. (MOB 10220)**

**Cause**

Failed to start the application because MIDlet information is missing.

**Action**

Contact your administrator.

**Login failed. Unable to connect to the Mobile server. (MOB 10230)**

**Cause**

Login failed. Unable to connect to the Mobile server.

**Action**

Check if the Mobile server is running and you have configured your Mobile server correctly.

**Unable to retrieve information from the server as you are in the offline mode. (MOB 10300)**

**Cause**

Unable to retrieve information from the server as you are in offline mode.

**Action**

Log in to the application.

**Unable to connect to the Mobile server. (MOB 10400)**

**Cause**

An error occurred while communicating with the Mobile server due to network issues.

**Action**

Check the network connectivity.

**An error occurred while managing the UI controls on the screen. (MOB 10500)**

**Cause**

An error occurred while adding or replacing unsupported control.

**Action**

Check whether platform supports the control you are adding or replacing.

**Input is not selected. Request is cancelled. (MOB 10600)**

**Cause**

No input is selected in the screen.

**Action**

Select the required input.

**An internal error occurred while performing the requested action. (MOB 10700)**

**Cause**

An error occurred while initiating the user interface (screens) on the mobile device.

**Action**

Contact your administrator.

**Session has expired. Try logging in again. (MOB 10800)**

**Cause**

The session has expired or the network is unavailable.

**Action**

Try logging in again.

**The requested operation is not supported. (MOB 10900)**

**Cause**

You are trying to view parts of the report which are not supported.

**Action**

Contact your administrator.



## Query technique errors

Query technique error messages include the following:

Range	Category
QTJ00500 - QTJ00520	Query errors

### Unexpected enumerated type {0}. (QTJ 00501)

**Cause**

Encountered a new enumerated type that has been declared but not handled.

**Action**

Check that you have declared the correct enumerated types. An incompatible object type usually causes this error.

### Nested @aggregate\_aware functions are not supported (QTJ 00510)

**Cause**

A nested @Aggregate\_Aware function is present in the query. This is not supported.

**Action**

Remove the reference to the nested @Aggregate\_Aware object.

### Circular references: Check the @Select and @Where calls (QTJ 00511)

**Cause**

An @Select or @Where call in the expression refers to itself. This is not allowed.

**Action**

Check the definitions of the @Select and @Where calls and correct the script.

**Bad @Select reference. Check the definition of the @Select declaration (QTJ 00512)**

**Cause**

The @Select statement contains an error.

**Action**

Check the query and the @Select statement and correct any errors.

**Bad @Where reference. Check the definition of the @Where declaration (QTJ 00513)**

**Cause**

The @Where statement in the query contains an error.

**Action**

Check the query and the @Where statement for any errors or incompatibilities.

**Bad @Prompt reference. Check the validity of the @Prompt declaration. Try using the @Prompt editor (QTJ 00514)**

**Cause**

The @Prompt statement in the query contains an error.

**Action**

Check the query and the @Prompt statement for any errors or incompatibilities.

**Bad hierarchy reference (QTJ 00515)**

**Cause**

The hierarchy declared in the query contains an error.

**Action**

Check the query expression for errors.

## Query as a Web Service (QWS) Error Messages

Query as a Web Service error messages include the following range in the QWS category.

Range	Category
00001-00011	QWS
02718-02719	QWS

### Unable to locate help file:\n{0} (QWS 00001)

**Cause**

Help file is not installed at the expected location.

**Action**

Reinstall the QaaWS product.

### Server name and certificate name does not match (QWS 00002)

**Cause**

Error is linked to the setting of HTTPS on the server and the validity of the certificate.

**Action**

Check server name and certificate validity.

### HTTPS Certificate Issuer is not trusted (QWS 00003)

**Cause**

Error is linked to the setting of HTTPS on the server and the validity of the certificate.

**Action**

Check server name and HTTPS certificate validity.

**The Web Service URL you provided hasn't been updated. Please contact your administrator or see the Query as a Web Service documentation. (QWS 00004)**

**Cause**

QaaWS web service has not been installed on your server.

**Action**

Check that the QaaWS web service has been installed on your server.

**Invalid query specification of XML contents (QWS 00005)**

**Cause**

Cannot load the query that is saved in the CMS because the consumer assemblies may be corrupted or incompatible.

**Action**

Check that the Web Service DSWS files or \*.dll files are not corrupted, or have an invalid version. If they are corrupted, you must reinstall.

**Unrecognized data type in result object: {0} (QWS 00006)**

**Cause**

Query as a Web Service only supports time, string, or numeric data types.

**Action**

Check your data source to ensure the data type complies with the supported list above.

**You must be logged on to the server (QWS 00007)**

**Cause**

You are attempting to call a web service but you are not logged in.

**Action**

You must first login to the server hosting Query as a Web Service.

**The proxy to the report engine web service is not available. The attempted calls to the web service have not been successful. (QWS 00008)**

**Cause**

You are attempting to call a Query as a Web Service, but you are not connected to the server.

**Action**

Ensure that you are connected to the network, wait for a brief period, then try again.

**Problem during prompt selection (QWS 00009)**

**Cause**

A call to a Query as a Web Service has failed. This may have occurred when retrieving the list of values (LOV) in a prompt. The possible causes are:

- The server is down.
- The server has timed-out.
- There is a connection problem.

**Action**

Verify that the server is active, the time-out parameters are sufficient, and that the server is responding.

**Problem during context selection (QWS 00010)**

**Cause**

A call to a Query as a Web Service has failed, most likely when retrieving the query context from universe. The possible causes are:

- The server is down.
- The server has timed-out.
- There is a connection problem.

**Action**

Verify that the server is active, the time-out parameters are sufficient, and that the server is responding.

**Impossible to load the list of data sources (QWS 00011)**

**Cause**

Query as a Web Service cannot access the list of data sources.

**Action**

Try closing the application and restarting.

**You are not authorized to design or edit a query.\r\nPlease contact your administrator. (QWS 02718)**

**Cause**

The user attempting to log in does not have the rights to access Query as a Web Service.

**Action**

Ask your administrator to provide the corresponding permissions in the CMC.

## Explorer (PS) Error Messages

The error messages for Explorer are grouped into the following numeric categories:

Error message number range	Description
PS 10000 - PS 15010	Categories are for defined for organisational purposes only. The error messages for Explorer are not grouped themetically within the categories.
PS 20000 - PS 20015	
PS 30000 - PS 30020	
PS 40000 - PS 40010	
PS 50000 - PS 50310	
PS 60000 - PS 60310	

### 23.1 PS 10001 - PS 15010

**The system cannot log you on. (PS 10001)**

**Cause**

The system could not log you on.

**Action**

Please make sure your logon information is correct.

**The system cannot log you on due to an invalid token. (PS 10002)**

**Cause**

The system could not log you on using the token that was passed.

**Action**

Please make sure your logon information is correct.

**The system cannot not log you on due to missing logon credentials. (PS 10003)**

**Cause**

The system could not log you on as some logon informations were missing.

**Action**

Please make sure your logon information is correct.

**The Explorer web application was not able to retrieve an Explorer service from the received web client request. (PS 10004)**

**Cause**

Polestar's web application was not able to retrieve a Polestar service from the received web client request.

**Action**

Check that the Explorer server version is in sync with Explorer web application version. Or if you are manually building requests, ensure the it respects the defined format.

**Your user profile does not allow you to perform that request. (PS 10005)**

**Cause**

Your user profile does not allow you perform that request.

**Action**

Please make sure you have sufficient rights to perform that action.

**Explorer was not able to retrieve a service. (PS 10006)**

**Cause**

Explorer was not able to retrieve a service.

**Action**

Please have a look to the detailed error for more information.

**Explorer was not able to initialize the service locator. (PS 10007)**

**Cause**

Explorer was not able to initialize the service locator.

**Action**

Please have a look to the detailed error for more information.

**Explorer was not able to retrieve its configuration. (PS 10008)**

**Cause**

Explorer was not able to retrieve its configuration.

**Action**

Please have a look to the detailed error for more information.

**An error occurred during logon. (PS 15002)**

**Cause**

**Action**

Please check the exception detail for more information.

**The string property '{0}' is missing in the SSO configuration file. (PS 15003)**

**Cause**

A string property is missing in the SSO configuration file.

**Action**

Modify the SSO configuration file.

**The boolean property '{0}' is missing in the SSO configuration file. (PS 15004)**

**Cause**

A boolean property is missing in the SSO configuration file.

**Action**

Modify the SSO configuration file.

**The list property '{0}' is missing in the SSO configuration file. (PS 15005)**

**Cause**

A list property is missing in the SSO configuration file.

**Action**

Modify the SSO configuration file.

**No credential can be found to log you on. (PS 15006)**

**Cause**

The information required to automatically log you in has not been found.

**Action**

Contact your administrator.

## **23.2 PS 20000 - PS 20015**

**The data source file was not found. (PS 20001)**

**Cause**

The datasource file was not found.

**Action**

Please make sure the datasource file linked with that Information Space exists.

**An error occurred while reading the Universe. (PS 20002)**

**Cause**

There was an error while reading the Universe.

**Action**

Please check the exception detail for more information.

**There was an error while retrieving the universes from the CMS (Central Management Server). (PS 20003)**

**Cause**

There was an error while retrieving the Universes tree from the CMS.

**Action**

Please check the exception detail for more information.

**The Information Space was not found. (PS 20004)**

**Cause**

The Information Space was not found.

**Action**

Please check that the Information Space exists and you have sufficient rights to access it. Or it may have just been removed by another user.

**It is not possible to read the information space properties. (PS 20005)**

**Cause**

Unable to read the Information Space properties.

**Action**

Please check that the Information Space exists and you have sufficient rights to access it. Or it may have just been removed by another user.

**It is not possible to retrieve the Information Spaces and display them in the Home tab. (PS 20006)**

**Cause**

Unable to retrieve the Information Spaces navigation indexes list.

**Action**

Please have a look to the error detail for more information.

**It is not possible to start indexing. (PS 20007)**

**Cause**

Unable to start indexing.

**Action**

Please have a look to the error detail for more information.

**It is not possible to acquire a lock on the requested resource. (PS 20008)**

**Cause**

Unable to acquire the lock on the requested resource.

**Action**

Please have a look to the error detail for more information.

**It is not possible to release the lock on the requested resource. (PS 20009)**

**Cause**

Unable to release the lock on the requested resource.

**Action**

Please have a look to the error detail for more information.

**A server error occurred during logoff. (PS 20010)**

**Cause**

Server error occurred during logoff.

**Action**

Please have a look to the error detail for more information.

**An error occurred on the server while scheduling an indexing task. (PS 20011)**

**Cause**

Server error occurred while trying to schedule an indexing task.

**Action**

Please have a look to the error detail for more information.

**An error occurred on the server while retrieving the user profile. (PS 20012)**

**Cause**

Server error occurred while trying to compute the user profile.

**Action**

Please have a look to the error detail for more information.

**A server error occurred while canceling an indexing task. (PS 20013)**

**Cause**

Server error occurred while trying to cancel an indexing task.

**Action**

Please have a look to the error detail for more information.

### **23.3 PS 30000 - PS 30020**

**The Information Space Name must not be empty. (PS 30001)**

**Cause**

Information Space name must not be empty.

**Action**

Please make sure the Information Space name is not empty.

**An Information Space with the same Name already exists. (PS 30002)**

**Cause**

Information Space with the same name already exists.

**Action**

Please make sure the Information Space has a different name from the other existing one.

**Unable to access the repository. (PS 30003)**

**Cause**

Unable to access the repository.

**Action**

Please make sure the CMS is running.

**It is not possible to create an information space without a dimension or a measure. (PS 30004)**

**Cause**

Unable to create an Information Space with either no dimension or no measure.

**Action**

Please make sure you have added at least one dimension and one measure to the Information Space objects.

**Password confirmation of the Information Space scheduling failed. (PS 30005)**

**Cause**

Password confirmation of the Information Space scheduling failed.

**Action**

Please make sure the scheduling credential informations are correct for that Information Space.

**While testing the objects, the query returns more than one record set. (PS 30006)**

**Cause**

The query returns more than one flow.

**Action**

Please check and modify the Universe objects added to that Information Space definition.

**While testing the objects the query has generated a Web Intelligence Report Engine exception. (PS 30007)**

**Cause**

The query has generated a WebI Report Engine exception.

**Action**

Please check and modify the Universe objects added to that Information Space definition.

**A problem occurred while retrieving the public and favorite CMS (Central Management Server) folders. (PS 30008)**

**Cause**

Problem occurred while retrieving the cms public and favorite folders.

**Action**

Please check the detail of that exception.

**A problem occurred while retrieving the Information Space list. (PS 30009)**

**Cause**

Problem occurred while retrieving the InformationSpace list.

**Action**

Please check the detail of that exception.

**A problem occurred while retrieving the Information Space scheduling details. (PS 30010)**

**Cause**

Problem occurred while retrieving the Information Space scheduling informations.

**Action**

Please check the detail of that exception.

**You do not have sufficient rights to save an information space under the specified folder. (PS 30011)**

**Cause**

You do not have sufficient rights to save an Information Space under the specified folder.

**Action**

Please choose another folder.

**It is not possible to use the following objects, prompts are not supported. (PS 30012)**

**Cause**

It is not possible to use the following objects, prompts are not supported.

**Action**

Please check and modify the Universe objects added to that Information Space definition.

**A context must be selected before continuing. (PS 30013)**

**Cause**

A context must be selected before continuing.

**Action**

Please check select a context by clicking the browse contexts button.

**You do not have sufficient rights to delete an information space in the specified folder. (PS 30015)**

**Cause**

You do not have sufficient rights to delete an Information Space in the specified folder.

**Action**

Please contact your administrator.

**You do not have sufficient rights to delete this information space. (PS 30016)**

**Cause**

You do not have sufficient rights to delete this Information Space.

**Action**

Please contact your administrator.

**It is not possible to use this spreadsheet. (PS 30017)**

**Cause**

The workbook spreadsheet has no data or the data is not located on the first row.

**Action**

Check the sheet and ensure that the cells on the first row are populated.

**It is not possible to use this spreadsheet as it has no dimensions. (PS 30019)**

**Cause**

It is not possible to use this excel as it contains no sheets with dimensions to create facets.

**Action**

Check each sheet and ensure that it contains dimensions or configure the Information Space so it contains at least one label.

## **23.4 PS 40000 - PS 40010**

**The search failed. (PS 40001)**

**Cause**

Search failed.

**Action**

Please have a look to the error detail for more information.

**It is not possible to load the latest version of the search index.  
(PS 40002)**

**Cause**

Unable to load the search index latest version.

**Action**

Please have a look to the error detail for more information.

**Unable to execute the search, there are too many matching results.  
(PS 40003)**

**Cause**

Unable to execute the search. Too many matching results.

**Action**

Please refine your search criterion.

## **23.5 PS 50000 - PS 50310**

**It is not possible to retrieve more values. (PS 50001)**

**Cause**

Unable to retrieve more values.

**Action**

Please have a look to the error detail for more information.

**It is not possible to generate the chart. (PS 50002)**

**Cause**

Unable to generate the chart.

**Action**

Please have a look to the error detail for more information.

**It is not possible to retrieve the measures list. (PS 50003)**

**Cause**

Unable to retrieve the measures list.

**Action**

Please have a look to the error detail for more information.

**It is not possible to retrieve the facets within the Explore tab. (PS 50004)**

**Cause**

Unable to retrieve the navigation tree.

**Action**

Please have a look to the error detail for more information.

**It is not possible to retrieve the data table values. (PS 50005)**

**Cause**

Unable to retrieve the data table values.

**Action**

Please have a look to the error detail for more information.

**It is not possible to begin exploration of the information space. (PS 50006)**

**Cause**

Unable to start exploring that Information Space.

**Action**

Please have a look to the error detail for more information.

**It is not possible to load the latest version of the Information Space navigation index. (PS 50007)**

**Cause**

Unable to load the latest version of the Information Space navigation index.

**Action**

Maybe the latest indexing has failed and the Information Space definition needs to be reviewed in order to create a new index version.

**It is not possible to stop exploration of the Information Space. (PS 50008)**

**Cause**

Unable to close exploring that Information Space.

**Action**

Please have a look to the error detail for more information.

**Unable to execute the search, there are too many matching results. (PS 50009)**

**Cause**

Unable to execute the search. Too many matching results.

**Action**

Please refine your search criterion.

**Unable to execute the search, there are too many matching results. (PS 50010)**

**Cause**

Unable to execute the search. Too many matching results.

**Action**

Please refine your search criterion.

**Unable to start exploring that Information Space since it does not contain any data. (PS 50011)**

**Cause**

Unable to start exploring that Information Space. No data.

**Action**

Contact your administrator.

**Server error occurred while trying to perform an export request. (PS 50100)**

**Cause**

Server error occurred while trying to perform an export request.

**Action**

Please have a look to the error detail for more information.

**Server error occurred while trying to retrieve an export result. (PS 50101)**

**Cause**

Server error occurred while trying to retrieve an export result.

**Action**

Please have a look to the error detail for more information.

**Server error occurred while trying to cancel an export task: no task identifier provided in request. (PS 50102)**

**Cause**

Server error occurred while trying to cancel an export task: no task identifier provided in request.

**Action**

Please make sure Explorer server version are in sync with Explorer web application version. Or if you are manually building requests, please ensure that your request has the right syntax.

**The export format is not recognized by the server. (PS 50103)**

**Cause**

The export format is not recognized by the server.

**Action**

Please make sure Explorer server version is in sync with Explorer web application version. Or if you are manually building requests, please ensure the export format specified is supported.

**The destination in the export request is not recognized by the server. (PS 50104)**

**Cause**

The destination in the export request is not recognized by the server.

**Action**

Please make sure Explorer server version is in sync with Explorer web application version. Or if you are manually building requests, please ensure the export format specified is supported.

**The export format and the destination specified are not compatible. (PS 50105)**

**Cause**

The export format and the destination specified are not compatible.

**Action**

Please make sure Explorer server version is in sync with Explorer web application version. Or if you are manually building requests, please ensure the export format specified is supported.

**A server error occurred while interacting with the data provider. (PS 50106)**

**Cause**

Server error occurred while interacting with the data provider.

**Action**

Please have a look to the error detail for more information.

**Some data received by the export engine is either illegal or not supported, or the request does not follow expected syntax. (PS 50107)**

**Cause**

Some data received by the export engine are illegal or not supported, or request does not follow expected syntax.

**Action**

Please make sure Explorer server version is in sync with Explorer web application version. Or if you are manually building requests, please ensure the export format specified is supported and the destination type specified for the export, as well as the configuration chosen, are supported, and that the request follows the expected syntax.

**A server error occurred while interacting with the data provider. (PS 50108)**

**Cause**

Server error occurred while interacting with the data provider. The current exploration state is not supported

**Action**

You may try with another selection path. Please have a look to the error detail for more information.

**The current data set is too large for this export. (PS 50109)**

**Cause**

The current data set is too large for this export.

**Action**

Please try to reduce the data set to export by adding or modifying some selections.

**Server error occurred while processing the prompt input. (PS 50200)**

**Cause**

Server error occurred while processing the prompt input.

**Action**

Please have a look to the error detail for more information.

**Server error occurred while analyzing the prompt. (PS 50201)**

**Cause**

Server error occurred while analyzing the prompt.

**Action**

Please have a look to the error detail for more information.

**Server error occurred while submitting the prompt inputs. (PS 50202)**

**Cause**

Server error occurred while submitting the prompt inputs.

**Action**

Please have a look to the error detail for more information.

**Some prompt inputs are missing. (PS 50203)**

**Cause**

Some prompt inputs are missing.

**Action**

Please have a look to the error detail for more information.

**A prompt input is invalid. (PS 50204)**

**Cause**

A prompt input is invalid

**Action**

Please have a look to the error detail for more information.

**Server error occurred while saving the prompt inputs. (PS 50205)**

**Cause**

Server error occurred while saving the prompt inputs.

**Action**

Please have a look to the error detail for more information.

**The selected objects are not compatible. (PS 50206)**

**Cause**

The selected objects are not compatible.

**Action**

Please have a look to the error detail for more information.

**Failed to load the Information Space. (PS 50300)**

**Cause**

Failed to load the Information Space.

**Action**

Please, ask your administrator to check the availability or accessibility of the Information Space.

**Failed to load the Information Space index. (PS 50301)**

**Cause**

Failed to load the Information Space index.

**Action**

Please, ask your administrator to check the availability of the Information Space index.

**Failed to initialize the data provider session. (PS 50302)**

**Cause**

Failed to initialize the data provider session.

**Action**

Please, ask your administrator to check the availability and/or the configuration of the data provider of the Information Space.

**The Information Space is based on a data source that does not exist. (PS 50303)**

**Cause**

The Information Space is based on a data source which doesn't exist anymore.

**Action**

Please ask your administrator to check the definition of the Information Space and make sure the corresponding index is available.

**The Information Space doesn't contain any facets. (PS 50304)**

**Cause**

The Information Space doesn't contain any facet.

**Action**

Please ask your administrator to check the definition of the Information Space and make sure the corresponding index is available.

**The Information Space doesn't contain any data. (PS 50305)**

**Cause**

The Information Space doesn't contain any data.

**Action**

Please ask your administrator to check the definition of the Information Space and make sure the corresponding index is available.

### **Failed to apply the object level security. (PS 50306)**

#### **Cause**

Failed to apply the object level security.

#### **Action**

Please ask your administrator to check the definition of the Information Space and make sure the corresponding index is available.

### **Failed to apply the personalization settings. (PS 50307)**

#### **Cause**

Failed to apply the personalization settings.

#### **Action**

Please ask your administrator to check the definition of the Information Space and make sure the corresponding index is available.

### **A request to the underlying data access layer failed. (PS 50308)**

#### **Cause**

A request to the underlying data access layer failed.

#### **Action**

Please ask your administrator to check the definition of the Information Space and make sure the corresponding index is available.

## **23.6 PS 60000 - PS 60310**

### **The method called is not supported for this endpoint. (PS 60001)**

#### **Cause**

The method called is not supported for this endpoint.

**Action**

Ensure that you call the correct endpoint with the appropriate method.

**The method called requires a token. (PS 60002)**

**Cause**

The method called needs a token passed in header or cookie.

**Action**

Ensure that you pass a token in the header or cookie.

**The web application encountered an error while parsing the response.. (PS 60003)**

**Cause**

The webapp encountered an error while parsing the response from the backend.

**Action**

Check that the webapp and backend server versions are in phase.

**The endpoint called does not exist. (PS 60004)**

**Cause**

The endpoint called doesn't exist.

**Action**

Check that you call the correct url

**The request has caused a parsing issue. (PS 60101)**

**Cause**

The request is not well formed.

**Action**

Ensure that the request is formatted as XML with closing tags and that unsupported characters are escaped.

**There are missing parameters within the request. (PS 60102)**

**Cause**

There are missing parameters within the request.

**Action**

Ensure that the request contains the necessary parameters and that they are defined properly.

**The request is incorrectly formed. (PS 60103)**

**Cause**

The request is malformed.

**Action**

Ensure that the request is formatted as XML with closing tags, that unsupported characters are escaped, and that parameters are defined properly.

**Error while creating or updating the information space datachunk. (PS 60201)**

**Cause**

Error while creating or updating the information space datachunk.

**Action**

Check that the datachunk id is correct or check that the FRS is available.

**Error during Openspace. The indexing of the Information Space failed. (PS 60301)**

**Cause**

The indexing of the Space failed.

**Action**

Ensure that the Information Space has a valid definition and valid dataset. If the problem continues, contact your administrator.



## Report Conversion Tool (RCT) Error Messages

Report Conversion Tool error messages include the following ranges and categories:

Range	Category
RCT 00001 - 00032	Report Conversion Tool

### Unknown error (RCT 00001)

**Cause**

The Report Conversion Tool encountered an error that it cannot resolve.

**Action**

Contact your BusinessObjects Administrator.

### user canceled the conversion (RCT 00011)

**Cause**

Conversion is canceled by the user.

**Action**

Do Nothing as the conversion is canceled by the user.

### An error occurred while trying to start the conversion server. (RCT 00013)

**Cause**

Unable to start the conversion process

**Action**

1. Check whether the CMS is up and running
2. Restart the RCT Application and start the conversion process again
3. Contact your BusinessObjects Administrator if problem still persist

**Publish failed (RCT 00014)**

**Cause**

The Report Conversion Tool could not publish the converted report. Destination CMS might be down.

**Action**

1. Make sure that destination CMS is running.
2. Run the conversion process again.

**The Source server is not found or the server may be down. (RCT 00016)**

**Cause**

The Source Server is not found or the server may be down

**Action**

1. Recheck the source server IP/Hostname is entered correctly
2. Recheck that the source CMS is up and running

**The Destination server is not found or the server may be down. (RCT 00017)**

**Cause**

The Destination Server is not found or the server may be down

**Action**

1. Recheck the destination server IP/Hostname is entered correctly
2. Recheck that the destination CMS is up and running

**Source User name is invalid. (RCT 00018)**

**Cause**

The source user name entered by you is incorrect.

**Action**

Enter a valid user name.

**Destination User name is invalid. (RCT 00019)**

**Cause**

The destination user name entered by you is incorrect.

**Action**

Enter a valid user name.

**Source Password is invalid. (RCT 00020)**

**Cause**

The source password entered by you is incorrect.

**Action**

Enter a valid password.

**Destination Password is invalid. (RCT 00021)**

**Cause**

The destination password entered by you is incorrect.

**Action**

Enter a valid password.

**Incorrect login or password or port at Source. (RCT 00022)**

**Cause**

Your Source login is not recognized by the server.

**Action**

Contact your BusinessObjects Administrator.

To login, you must be either an Administrator or a member of the Report Conversion Tool Users Group, defined in the Source Central Management Console.

**Incorrect login or password or port at Destination. (RCT 00023)**

**Cause**

Your Destination login is not recognized by the server.

**Action**

Contact your BusinessObjects Administrator.

To login, you must be either an Administrator or a member of the Report Conversion Tool Users Group, defined in the Destination Central Management Console.

**Invalid Source (RCT 00024)**

**Cause**

The source machine cannot be XI 4.0 or a higher version, it should be of the prior version.

**Action**

Enter the correct source machine information.

**Invalid Destination (RCT 00025)**

**Cause**

The Destination Machine should be XI 4.0 or a higher version.

**Action**

Enter the correct destination machine information.

**Choose a connection to continue with audit or deselect the checkbox. (RCT 00026)**

**Cause**

No connection has been selected for the audit.

**Action**

Choose the connection to continue or deselect the checkbox.

**Unable to open file from (RCT 00027)**

**Cause**

The list of Desktop Intelligence report which was saved in this XML file is no longer valid. Few or all the Desktop Intelligence documents are either deleted from the source repository, or it's document ID has changed.

**Action**

Manully open the XML file and check that all the document IDs available in the file are also available in the source repository. If not, then remove the document tag of that particular document or modify the document ID in XML to refer to the correct document ID available in source repository.

**File not found. Verify the file name. (RCT 00028)**

**Cause**

The File name entered is not found.

**Action**

Enter a valid file name.

**Invalid file name. (RCT 00029)**

**Cause**

The File name entered is not valid.

**Action**

Enter a valid file name.

**Invalid roc file. Please select a valid roc file. (RCT 00030)**

**Cause**

The file is not a valid roc file.

**Action**

Select a valid roc file.

**Invalid file. (File corrupted?) Please select a valid roc file. (RCT 00031)**

**Cause**

The roc file is corrupted.

**Action**

Select an uncorrupted roc file.

**Invalid File name. (RCT 00032)**

**Cause**

The File name entered is not valid.

**Action**

Enter a valid file name.

## RESTful Web Services (RWS) Error Messages

RESTful Web Services error messages include the following:

Range	Category
RWS 00002 - RWS 00010	RESTful Web Services
RWS 000011 - RWS 000026	RESTful Web Services
RWS 000031 - RWS 000051	RESTful Web Services
RWS 000052 - RWS 000075	RESTful Web Services
RWS 000076 - RWS 000079	RESTful Web Services

### 25.1 RWS 00002 - RWS 00010

#### General server error. (RWS 00002)

**Cause**

An unknown error occurred in the BIP RESTful Web Service.

**Action**

Please check the server logs for more details.

#### Client input error. (RWS 00003)

**Cause**

There is an unknown error in the input of the client provided to the BIP RESTful Web Service.

**Action**

Please consult the documentation for the resource you're trying to call to determine if your input was indeed valid.

### **Forbidden (RWS 00004)**

#### **Cause**

This resource may not be accessed.

#### **Action**

Verify you have the right permissions to access the resource.

### **Not Found (RWS 00005)**

#### **Cause**

The specific resource could not be found. Either the resource does not exist or you do not have the permissions to view it.

#### **Action**

Verify that the URL you used was correct. If you're trying to view an InfoObject, use the Central Management Console (CMC) to verify that you have the right to view that object.

### **Unable to create service. See server logs for details. (RWS 00006)**

#### **Cause**

The BIP RESTful Web Service was unable to create the requested service.

#### **Action**

Examine the JavaDoc for `Constructor.newInstance`. Cross check the cause of this exception with the exceptions thrown by `Constructor.newInstance`.

### **Unknown error occurred while invoking service. See server logs for details. (RWS 00007)**

#### **Cause**

The BIP RESTful Web Service encountered an unknown error while invoking the service.

#### **Action**

Check the log of the Web Application Server containing the BIP RESTful Web Service to see more details.

**The HTTP header does not contain the X-SAP-LogonToken attribute. (RWS 00008)**

**Cause**

Access to the requested resources requires you to have been authenticated.

**Action**

Please pass in the X-SAP-LogonToken in the request's header. You may generate one using the logon resource.

**Resource not found: {0} (RWS 00009)**

**Cause**

The specific resource could not be found. Either the resource does not exist or you do not have the permissions to view it.

**Action**

Verify that the URL you used was correct. If you're trying to view an InfoObject, use the Central Management Console (CMC) to verify that you have the right to view that object.

**Resource not supported for the requested object. (RWS 00010)**

**Cause**

You attempted to access a resource for an InfoObject which was not supported. For example, this exception would be thrown when you try to access the Crystal Reports service for a Folder.

**Action**

Don't call this method on unsupported objects. Only visit links that are valid.

## **25.2 RWS 000011 - RWS 000026**

**Invalid session token timeout value: {0}. (RWS 000011)**

**Cause**

A logon token could not be created because of an invalid setting in the BIP RESTful Web Service.

**Action**

Please contact your administrator to set an appropriate session token timeout value for the BIP RESTful Web Service in the Central Management Console (CMC).

**Info object with ID {0} not found. (RWS 000012)****Cause**

The InfoObject could not be found. If it's suppose to exist, have you verified that you have the permissions to view it?

**Action**

Use the Central Management Console (CMC) to verify that the InfoObject exists and that you have the right to view it.

**Duplicate Object (RWS 000013)****Cause**

A duplicate object was detected.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**No relationship named {0}. (RWS 000015)****Cause**

The relationship could not be found on the InfoObject.

**Action**

Verify that the URL used was one generated by the BIP RESTful WebService by visiting the root object. If the URL is indeed valid, have you checked your permissions to verify that you have the appropriate rights to view the relationship?

**The server session is not available from the PJS service bean. (RWS 000016)****Cause**

The Adaptive Processing Server has not passed a server session to the BIP RESTful Web Service.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Encode failure. (RWS 000017)****Cause**

The BIP RESTful Web Service uses a codec to encode objects into a user-readable format (e.g., XML). Unfortunately, it looks an encoding error occurred.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**{0} is NULL. (RWS 000018)****Cause**

The BIP RESTful Web Service uses a codec to encode objects into a user-readable format (e.g., XML). Unfortunately, during its execution, it couldn't reference to a value.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Illegal Argument: {0} (RWS 000019)****Cause**

The BIP RESTful Web Service uses a codec to encode objects into a user-readable format (e.g., XML). Unfortunately, during its execution, it detected an illegal argument.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Cannot serialize value of type {0}. (RWS 000020)****Cause**

The BIP RESTful Web Service uses a codec to encode objects into a user-readable format (e.g., XML). We were unable to serialize a value.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Unterminated string. (RWS 000021)****Cause**

The BIP RESTful Web Service uses a codec to encode objects into a user-readable format (e.g., XML). It encountered an unterminated string.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Malformed date: {0}. (RWS 000022)****Cause**

The BIP RESTful Web Service was unable to encode/decode the date passed into it.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Malformed time: {0}. (RWS 000023)****Cause**

The BIP RESTful Web Service was unable to encode/decode the time passed into it.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Malformed datetime: {0}. (RWS 000024)****Cause**

The BIP RESTful Web Service was unable to encode/decode the date time passed into it.

**Action**

Please make sure the date time is in a format recognized by the ATOM standard (RFC 4287). Check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Cannot deserialize value of type {0}. (RWS 000025)****Cause**

The BIP RESTful Web Service uses a codec to encode objects into a user-readable format (e.g., XML). Unfortunately, it looks a decoding error occurred.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**Cannot get the attribute name. The name is either null or empty. (RWS 000026)****Cause**

The BIP RESTful Web Service uses a codec to encode objects into a user-readable format (e.g., XML). While reading/writing the user-readable format, a parser error occurred.

**Action**

Please check the logs for more details about the parameter that caused this error. If the problem remains unclear, please contact SAP BusinessObjects support for assistance.

**25.3 RWS 000031 - RWS 000051****Model error. (RWS 000031)****Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**No setter. (RWS 000032)****Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Getter must not have parameters: {0}. (RWS 000033)****Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Setter must have exactly one parameter: {0}. (RWS 000034)****Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Setter {0} is not of the same type as getter {1}. (RWS 000035)****Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**source: {0} + destination: {1}. (RWS 000036)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Reference equality is not implemented. (RWS 000037)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**This use in hash-based collections is not implemented. (RWS 000038)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Class {0} is not a model class. (RWS 000039)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**property '{0}' cannot bind to two fields: {1}, and {2}. (RWS 000040)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Attribute '{0}' cannot bind to two get (or set) methods: {1}, and {2}. (RWS 000041)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Model contains at least 1 write-only attribute. name: {0}, method: {1}. (RWS 000042)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**No accessible constructor without parameters for class {0}. (RWS 000043)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**{0} object is null for composition property {1}. (RWS 000044)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Couldn't inject property '{0}' to field {1} of type {2}. (RWS 000045)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Property name already exists: {0} (RWS 000046)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**GUID must not contain the path separator '/' (RWS 000047)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**No type for class {0} (RWS 000048)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Empty filter. (RWS 000049)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**Filter may not use '{0}' in conjunction with any other filter strings. (RWS 000050)**

**Cause**

The BIP RESTful Web Service contains invalid data in its binaries.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**A duplicate {0} instance was created. (RWS 000051)****Cause**

The BIP RESTful Web Service code has singleton objects to manage its daily operations. Strangely, a duplicate of a singleton object was created.

**Action**

This error should not be thrown in a customer environment. If you have verified that your installation is correct and hasn't been corrupted, please contact SAP BusinessObjects support for help resolving this issue.

**25.4 RWS 00052 - RWS 00075****Bad request. (RWS 00052)****Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

**Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

**Unauthorized (RWS 00053)****Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

**Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

**Payment required. (RWS 00054)****Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

**Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

**Forbidden (RWS 00055)**

**Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

**Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

**Not found. (RWS 00056)**

**Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

**Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

**Method not allowed (RWS 00057)**

**Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

**Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

**Not acceptable, (RWS 00058)**

**Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

**Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Proxy authentication required. (RWS 00059)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Request timeout. (RWS 00060)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Conflict (RWS 00061)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Gone (RWS 00062)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Length required. (RWS 00063)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Length required. (RWS 00063)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Precondition failed. (RWS 00064)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Request entity too large. (RWS 00065)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Request-URI too long. (RWS 00066)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Unsupported media type. (RWS 00067)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Requested range not satisfiable. (RWS 00068)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Expectation failed. (RWS 00069)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.4 of RFC 2616 for more guidance on resolving this error.

### **Internal server error. (RWS 00070)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.5 of RFC 2616 for more guidance on resolving this error.

### **Not implemented. (RWS 00071)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.5 of RFC 2616 for more guidance on resolving this error.

### **Bad gateway. (RWS 00072)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.5 of RFC 2616 for more guidance on resolving this error.

### **Service unavailable. (RWS 00073)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.5 of RFC 2616 for more guidance on resolving this error.

### **Gateway timeout. (RWS 00074)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.5 of RFC 2616 for more guidance on resolving this error.

### **HTTP version not supported. (RWS 00075)**

#### **Cause**

This is a generic error message thrown by the BIP RESTful Web Service under the circumstances dictated by RFC 2616.

#### **Action**

Please consult section 10.5 of RFC 2616 for more guidance on resolving this error.

## **25.5 RWS 000076 - RWS 000079**

### **Logon may not proceed because a session is already associated with this request. (RWS 000076)**

#### **Cause**

You attempted to log onto the BIP RESTful Web Service while a session has already been associated with the request.

#### **Action**

Don't pass in a session to the BIP RESTful Web Service when you use the Logon resource.

**The authentication scheme you have chosen is currently not supported. (RWS 000077)**

**Cause**

The selected authentication scheme you have chosen is not supported by the BI Platform RESTful Web Service.

**Action**

Either pass in the credentials using the X-SAP-LogonToken mechanism or use HTTP BASIC authentication (see RFC 2617).

**The credentials could not be decoded. (RWS 000078)**

**Cause**

The credentials passed into the BI Platform RESTful Web Service could not be decoded.

**Action**

Make sure credentials are encoded correctly before using them. If you're using HTTP BASIC authentication, make sure they're encoded in the format specified by RFC 2617.

**Please validate your input. (RWS 000079)**

**Cause**

Please make sure the content of your request is formatted correctly and contains all the necessary fields.

**Action**

Re-send the request after you've verified that that content of your request is formatted correctly. Typically, you may use GET to determine what format the request should be in. You may also check the documentation for this information as well.

## Translation tool error messages (TMT and UTM)

Translation tool error messages include the following ranges and categories:

- Translation Management Tool (TMT) Error Messages
- Translation Manager (UTM) Error Messages

### 26.1 Translation management tool (TMT) Errors

Translation management tool error messages include the following:

Range	Category
TMT10000 - TMT20100	Translation management tool errors

#### Object type is not translatable (TMT10000)

##### Cause

The objects of this type are not translatable.

##### Action

Enable the translatable property for the object kind and deploy the corresponding translation server plugin.

#### No translation plugin is defined for the type "{0}" (TMT10010)

##### Cause

Translation server plugin is not defined for the object kind.

##### Action

Deploy the translation server plugin for the object kind.

### Cannot load the translation plugin for the type "{0}" (TMT10020)

**Cause**

Some errors happened while loading the plugin components.

**Action**

Test and re-deploy the translation server plugin for the object kind.

### "{0}" is a read-only object (TMT10030)

**Cause**

The object is Read-only. (eg. default Custom Roles)

**Action**

Read-only objects cannot be translated.

### Unexpected I/O exception (TMT10040)

**Cause**

An unexpected error occurred.

**Action**

Retry the operation.

### You do not have rights to translate "{0}" (TMT10050)

**Cause**

User doesn't have the right to translate the object. User should have either edit or translate right to perform this action.

**Action**

Assign the edit or translate right on the object for the user. Otherwise the user can only access this object in read-only mode.

### Invalid User Rights (TMT 20050)

**Cause**

The user doesn't have the right to view, translate, or edit the document.

**Action**

Check the user rights in the CMC.

`You are not authorized to use this document.\n\nThe document belongs to another CMS. You cannot open it unless you are connected to the same CMS from which it was imported. (TMT 20070)`

**Cause**

Unable to open the document because it was authorized in a different CMS.

**Action**

Login to the correct CMS and try again.

**26.2 Translation management tool (UTM) Errors**

The translation management tool error messages include the following:

Range	Category
UTM20001 - UTM20060	Translation management tool errors

`Invalid PropertyInfo: {0}\n\nThe label 'PropertyInfo' should not be null (UTM 20001)`

**Cause**

Unable to get the property information.

**Action**

Check and open the universe file and try again.

`Invalid Locale: Locale is null (UTM 20010)`

**Cause**

The translation management tool is not able to get the document or the universe : Unable to get the locale.

**Action**

The universe or the document may be corrupted. Try to open it using the tool used to create the document to make sure the document is valid. Save it under another name and retry to get it from the translation management tool.

**Invalid Root: Root entity is null (UTM 20020)**

**Cause**

Unable to get the root entry.

**Action**

Check the root entity and try again.

**Invalid Document: Document is null (UTM 20030)**

**Cause**

The translation management tool is not able to get the document or the universe.

**Action**

The universe or the document may be corrupted. Try to open it using the universe design tool or Web Intelligence to make sure the document is valid. Save it under another name and retry to get it from the translation management tool.

**Invalid EntityInfo: EntityInfo is null (UTM 20040)**

**Cause**

Unable to get the EntityInfo.

**Action**

Check the EntityInfo and try again.

**Invalid User Rights (UTM 20050)**

**Cause**

The user doesn't have the right to use Translation Manager, or to view or edit a document or a universe.

**Action**

Contact your Administrator, or in the CMC, check that you have enough rights to use the translation management tool and/or to view and/or edit the document or the universe.

**Invalid Document version:\nThis document might have been generated by an old version of Universe Designer.\nMigrate the universe by opening and saving it using XI 3.0 or XI 3.1 Designer. (UTM 20060)**

**Cause**

This document might have been generated by an earlier version of Designer.

**Action**

- If it is an XI R2 or XI universe, migrate it by opening and saving it using XI 3.0 Designer.
- If it is a universe coming from an older version, migrate it with the Import Wizard.

**You are not authorized to use this document.\n\nThe document belongs to another CMS. You cannot open it unless you are connected to the same CMS from which it was imported. (UTM 20070)**

**Cause**

Unable to open cause this document was authorized by another CMS.

**Action**

Login to correct CMS and try again.



## Universe Error Messages

Universe error messages include the following ranges and categories:

- Universe Management (UNM) Error Messages
- Universe (UNV) Error Messages

### 27.1 Universe Management (UNM) Error Messages

Universe management error messages include the following:

Range	Category
UNM0001 - UNM0016	Universe management errors

#### May be inconsistent. (UNM0001)

##### Cause

The universe may contain:

- Invalid syntax in the SQL definition of an object, condition, or join
- Loops
- Isolated tables
- Missing or incorrect cardinalities.

##### Action

Run an Integrity Check on the universe. This checks whether the structure of your universe matches the requirements of the database.

### **Bad number format (UNM0002)**

**Cause**

There is a syntax error in the SQL formula you entered. The number format is incorrect.

**Action**

Reenter the number, and resubmit the formula.

### **Missing quote "... " (UNM0003)**

**Cause**

There is a syntax error in the SQL formula you entered. The formula lacks a single quotation mark.

**Action**

Enter the missing single quote, and resubmit the formula.

### **Missing double quote "... " (UNM0004)**

**Cause**

There is a syntax error in the SQL formula you entered. The formula lacks a double quotation mark.

**Action**

Enter the missing double quote, and resubmit the formula.

### **Missing closing bracket {...} (UNM0005)**

**Cause**

There is a syntax error in the SQL formula you entered. The formula lacks a closing bracket.

**Action**

Enter the missing closing bracket, and resubmit the formula.

### **Missing opening parenthesis after function name (UNM0006)**

**Cause**

There is a syntax error in the SQL formula you entered. The formula lacks an opening parenthesis.

**Action**

Enter the missing opening parenthesis, and resubmit the formula.

**Missing closing parenthesis (UNM0007)**

**Cause**

There is a syntax error in the SQL formula you entered. The formula lacks a closing parenthesis.

**Action**

Enter the missing closing parenthesis, and resubmit the formula.

**Missing parameters (UNM0008)**

**Cause**

There is a syntax error in the SQL formula you entered. The formula lacks one or more parameters.

**Action**

Enter the missing parameters, and resubmit the formula.

**Wrong number of parameters (UNM0009)**

**Cause**

There is a syntax error in the SQL formula you entered. The formula may either lack one or more parameters or have too many parameters.

**Action**

Enter the correct number of parameters, and resubmit the formula.

**Bad character (UNM0010)**

**Cause**

There is a syntax error in the SQL formula you entered. You included an unauthorized character in one of the field statements.

**Action**

Check and correct the syntax. Then resubmit the formula.

### **Bad indent (UNM0011)**

**Cause**

There is a syntax error in the SQL formula you entered. You included an illegal indent in one of the field statements.

**Action**

Check and correct the syntax. Then resubmit the formula.

### **Incompatible operand (UNM0012)**

**Cause**

There is a syntax error in the SQL formula you entered. You included an operand that is not compatible with the current SQL function.

**Action**

Check and correct the SQL. Then resubmit the formula.

### **Looping in variable definition (UNM0013)**

**Cause**

There is a syntax error in the SQL formula you entered. You included a loop which cannot be resolved.

**Action**

Check and correct the syntax. Then resubmit the formula.

### **Returns type incompatible with the user object type. (UNM0014)**

**Cause**

There is a syntax error in the SQL formula you entered. There are inconsistencies in the User Object Definition.

**Action**

Check and correct the syntax. Then resubmit the formula.

**Syntax error (UNM0015)****Cause**

This error message appears when special characters are used in object names, including: [ ] = & @ × \$ % , ; ! ß £ ~ § μ + ' ( ) { } -

**Action**

Do not use special characters in object names.

**Cannot create two user objects with the same name. (UNM0016)****Cause**

You tried to create a user object with a name that is already assigned to another user object.

**Action**

Choose a unique name for the user object. Then resubmit the formula.

**27.2 Universe (UNV) Error Messages**

Universe error messages include the following:

Range	Category
UNV0017 - UNV0049	Universe errors

**The server is not responding. (UNV0017)****Cause**

This message may occur when you try to access the database by performing the following types of actions: "ping" a connection, refresh the structure of the universe, or refresh a document.

**Action**

Verify the network connection by "pinging" the server. If the network is running properly, the database administrator should then use database middleware, for example Net8 for Oracle, to check if there is any response from the repository database.

## 27.2.2 The server is not responding (UNV0018)

### Cause

This message may occur when you try to access the database that is not connected (the server is down, or the connection connection lost).

### Action

Verify the network connection by "pinging" the server. If the network is running properly, the database administrator should then use database middleware (such as Net8 for Oracle) to check if there is any response from the repository database.

## This alias name is used for a table. (UNV0031)

### Cause

The name you want to use as an alias is already used as a name for a table. Names must be unique in the universe.

### Action

Use another name for the alias and try again.

## Associated table does not exist. (UNV0032)

### Cause

Cannot find the table ID for a table you are trying to use.

### Action

Try again. If the problem persists, there may have been a problem during the import process. Import the universe again and try again.

## This object already exists. (UNV0035)

### Cause

The object that you are trying to create already exists in the class. Objects must have unique names within the same class.

### Action

Rename the existing object, or give the new object another name. If you change the name of an existing object, documents using this object may not refresh correctly.

## Strategy connection not found. (UNV0049)

### **Cause**

This message may be displayed when an external object strategy is used to access the repository.

### **Action**

The connection referenced in the [CONNECTION] section of the .PRM file must be defined as a personal connection. If it is defined as a secured connection, it will not work. This is because this connection enables you to access every metadata structure, and might not be available for all other users.

### **Note:**

External strategy files are declared in the .PRM files located in the various subfolders of:

```
$INSTALLDIR\dataAccess\RDBMS\legacy  
\<database name>
```



## Upgrade management tool (UMT) Error Messages

Upgrade management tool (UMT) includes the following error message categories:

Range	Category
UMT 00001	Upgrade management tool (UMT)
UMT 00301 - 00304	Upgrade management tool (UMT)
UMT 10001 - 10006	Upgrade management tool (UMT)
UMT 10101 - 10105	Upgrade management tool (UMT)
UMT 20001 - 20016	Upgrade management tool (UMT)
UMT 20106 - 20112	Upgrade management tool (UMT)
UMT 20201 - 20215	Upgrade management tool (UMT)

### 28.1 UMT 00001

The new language you have selected will not take effect until you have restarted upgrade management tool. (UMT 00001)

**Cause**

You have selected a new language for the upgrade management tool.

**Action**

Restart the upgrade management tool to use it in the selected language.

### 28.2 UMT 00301-00304

As part of the upgrade process for this object, another object, titled "{0}", of kind "{1}", has been created. (UMT 00301)

**Cause**

A migration operation has been performed.

**Action**

No action is necessary.

This object is created as part of the upgrade process for another object titled "{0}", of kind "{1}". (UMT 00302)

**Cause**

A migration operation has been performed.

**Action**

No action is necessary.

This object will not be committed during the upgrade. This behavior is by design, and is not an error. (UMT 00303)

**Cause**

A migration operation has been performed.

**Action**

No action is necessary.

As part of the upgrade process for this object, another object, titled "{0}", of kind "{1}", has been excluded from being committed. This is not an error. (UMT 00304)

**Cause**

A migration operation has been performed.

**Action**

No action is necessary.

## 28.3 UMT 10001-10006

**You must be an administrator in order to change parameters. (UMT 10001)**

**Cause**

Your user account has no `Edit` right on the upgrade management tool application object.

**Action**

Use the Central Management Console to grant the `Edit` right to your user account.

**A warning occurred. No further details are available. (UMT 10002)**

**Cause**

A problem has occurred during the upgrade process.

**Action**

Restart the upgrade management tool.

**File "{0}" not found. Please verify that the correct file name was given. (UMT 10003)**

**Cause**

The file that you have selected is missing.

**Action**

Select a valid file.

**This object is excluded from being committed. This is part of the upgrade process, and is not an error. (UMT 10004)**

**Cause**

A migration operation has been performed.

**Action**

No action is necessary.

**This object is excluded from being committed as part of the upgrade process for another object titled "{0}", of kind "{1}". This is not an error. (UMT 10005)**

**Cause**

A migration operation has been performed.

**Action**

No action is necessary.

**For users and groups mapped in via third-party authentication, the name (not the CUID) is used to detect whether the user or group already exists at the destination. (UMT 10006)**

**Cause**

Users and groups with third-party aliases are mapped to users and groups with identical names on the destination system.

**Action**

No action is necessary.

## **28.4 UMT 10101-10105**

**You have logged on to the source CMS as a user that is not a system administrator. You will not be able to export objects which you have no access to. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10101)**

**Cause**

The user account you have used to log onto the source CMS is not a member of the Administrators group.

**Action**

Log off, and then log on with an account with an Administrator account.

**You have logged on to the destination CMS as a user that is not a system administrator. Certain objects may fail to commit due to security rights. (UMT 10102)**

**Cause**

The user account you have used to log onto the destination CMS is not a member of the Administrators group.

**Action**

Log off, and then log on with an account with an Administrator account.

**You have logged on to both the source and the destination CMSes as users that are not system administrators. You will not be able to export or commit objects which you have no access to. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10103)**

**Cause**

The user accounts you have used to log onto the source and destination Central Management Servers are not members of the Administrators group.

**Action**

Log off, and then log on with Administrator accounts.

**You have logged on to the source XI Release 2 CMS as a user that is not the system administrator. You will not be able to export objects which you have no access to. Also, users' passwords will not be exported. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10104)**

**Cause**

The user account you have used to log onto the source CMS is not a member of the Administrators group.

**Action**

Log off, and then log on with an Administrator account.

You have logged on to both the source and the destination CMSes as users that are not system administrators. You will not be able to export or commit objects which you have no access to. Also, users' passwords will not be exported. It is recommended that you run the upgrade management tool as the system administrator. (UMT 10105)

**Cause**

The user accounts you have used to log onto the source and destination Central Management Servers are not members of the Administrators group.

**Action**

Log off, and then log on with Administrator accounts.

## **28.5 UMT 20001-20016**

Object ID not recognized: {0} (UMT 20001)

**Cause**

The ID of an InfoObject could not be processed.

**Action**

Restart the upgrade management tool.

An error has occurred. No further details are available. (UMT 20002)

**Cause**

An internal error has occurred.

**Action**

Restart the upgrade management tool.

**Failed to apply upgrade management tool application plugin changes.  
The error is: {0} (UMT 20003)**

**Cause**

Your user account has no `Edit` right on the upgrade management tool application object.

**Action**

Use the Central Management Console to grant the `Edit` right to your user account.

**An unexpected error has occurred. (UMT 20004)**

**Cause**

An internal error has occurred.

**Action**

Restart the upgrade management tool.

**An unexpected error of type "{0}" has occurred. (UMT 20005)**

**Cause**

An internal error has occurred.

**Action**

Restart the upgrade management tool.

**Unable to retrieve the object with CUID "{0}" from object manager.  
(UMT 20006)**

**Cause**

An internal error has occurred.

**Action**

Restart the upgrade management tool.

**Unable to retrieve the CUID of "{0}". The error is: {1} (UMT 20007)**

**Cause**

An internal error has occurred.

**Action**

Restart the upgrade management tool.

**Insufficient right to retrieve the upgrade management tool application object. Please log on with a user who has View right on the upgrade management tool application object. (UMT 20008)**

**Cause**

Your user account has no `View` right on the upgrade management tool application object.

**Action**

Use the Central Management Console to grant the `View` right to your user account.

**Internal inconsistencies detected among upgrade management tool collaterals. Object: "{0}", property: "{1}", unexpected value: "{2}". (UMT 20009)**

**Cause**

An internal error has occurred.

**Action**

Restart the upgrade management tool.

**Internal inconsistencies detected among plugins associated with upgrade management tool. The prompt name "{0}" is used by at least plugins "{1}" and "{2}". (UMT 20010)**

**Cause**

An internal error has occurred.

**Action**

Restart the upgrade management tool.

**Internal inconsistencies detected among plugins associated with upgrade management tool. The prompt name "{0}" from plugin "{1}" contains one or more invalid characters. (UMT 20011)**

**Cause**

An internal error has occurred because one or more migration plugins are invalid.

**Action**

Re-install the specified migration plugins.

**Version check failed. The source system or source BIAR file must be of an older version. The destination system must be of the current version. (UMT 20012)**

**Cause**

You have used a BIAR file from the current version of the deployment as an upgrade source, or you have tried to connect to an older version of the deployment as an upgrade destination.

**Action**

Use a BIAR file from a previous version as an upgrade source, and connect to a current version of the deployment as the upgrade destination.

**Version check failed. Source system must be of the current version. (UMT 20013)**

**Cause**

You have tried to connect to a non-current version of a source deployment.

**Action**

Connect to a current version of a source deployment.

**Version check failed. The source system's version must be XI Release 2 or later. (UMT 20014)**

**Cause**

You have tried to connect to a version of a source deployment that is older than the oldest supported version.

**Action**

Connect to a valid source deployment.

**Failed to open Help in browser. (UMT 20015)**

**Cause**

The current machine does not have a web browser installed.

**Action**

Install a web browser such as Microsoft Internet Explorer or Mozilla Firefox.

**Upgrade management tool is currently not configured to work with WinAD. Please refer to the Upgrade Guide on how to properly set up WinAD authentication. (UMT 20016)**

**Cause**

The required Java system properties do not refer to the WinAD configuration file.

**Action**

Run the upgrade management tool using the proper Java system properties.

## **28.6 UMT 20106-20112**

**To perform Complete Upgrade, you have to log on to the source CMS as a system administrator. (UMT 20106)**

**Cause**

The user account you have used to log onto the source Central Management Server is not a member of the Administrators group.

**Action**

Log off, and then log on with an account with administrative privileges.

**To perform a Complete Upgrade, you have to log onto the destination CMS as a system administrator. (UMT 20107)**

**Cause**

The user account you have used to log onto the destination Central Management Server is not a member of the Administrators group.

**Action**

Log off, and then log on with an Administrator account.

**To perform Complete Upgrade, you must log on to the source XI Release 2 CMS as the system administrator. (UMT 20108)**

**Cause**

The user account you have used to log onto the source Central Management Server is not a member of the Administrators group.

**Action**

Log off, and then log on with an Administrator account.

**No source input File Repository Servers are available. Please check your source system, and ensure the FRS servers are running. (UMT 20109)**

**Cause**

No input File Repository Servers (FRS) are available on the source deployment.

**Action**

Start or enable at least one FRS on the source deployment.

**No source output File Repository Servers are available. Please check your source system, and ensure the FRS servers are running. (UMT 20110)**

**Cause**

No input File Repository Servers (FRS) are available on the source deployment.

**Action**

Start or enable at least one FRS on the source deployment.

**No destination input File Repository Servers are available. Please check your destination system, and ensure the FRS servers are running. (UMT 20111)**

**Cause**

No input File Repository Servers (FRS) are available on the destination deployment.

**Action**

Start or enable at least one FRS on the destination deployment.

**No destination output File Repository Servers are available. Please check your destination system, and ensure the FRS servers are running. (UMT 20112)**

**Cause**

No input File Repository Servers (FTS) are available on the destination deployment.

**Action**

Start or enable at least one FRS on the destination deployment.

## **28.7 UMT 20201-20215**

**Invalid upgrade mode detected. Refer to the documentation for a list of acceptable modes. (UMT 20201)**

**Cause**

You have not selected a valid upgrade mode.

**Action**

Select a valid upgrade mode.

**Source system name cannot be empty. (UMT 20202)**

**Cause**

You have not provided a name for the source deployment.

**Action**

Provide a valid name for the source deployment.

**Source system user name cannot be empty. (UMT 20203)**

**Cause**

You have not provided a user name for the source deployment.

**Action**

Provide a valid user name for the source deployment.

**Source system authentication cannot be empty. (UMT 20204)**

**Cause**

You have not specified an authentication method for the source deployment.

**Action**

Provide an authentication method for the source deployment.

**Destination CMS name cannot be empty. (UMT 20205)**

**Cause**

You have not provided a name for the destination deployment.

**Action**

Provide a valid name for the destination deployment.

**Destination user name cannot be empty. (UMT 20206)**

**Cause**

You have not provided a user name for the destination deployment.

**Action**

Provide a valid user name for the destination deployment.

**Destination authentication type cannot be empty. (UMT 20207)**

**Cause**

You have not specified an authentication method for the destination deployment.

**Action**

Provide an authentication method for the destination deployment.

**BIAR file path cannot be empty. (UMT 20208)**

**Cause**

The location or name for the BIAR file are not specified.

**Action**

Provide a valid location and name for the BIAR file.

**Cannot find the directory specified in the BIAR file path. Please verify the path. (UMT 20209)**

**Cause**

A location specified in the BIAR file is missing.

**Action**

Ensure that the specified location is valid.

**The BIAR file path is invalid. Please verify the path. (UMT 20210)**

**Cause**

The location or name of the BIAR file is invalid.

**Action**

Provide a valid location and name for the BIAR file.

**Cannot find the specified BIAR file. Please check the file path. (UMT 20211)**

**Cause**

The specified BIAR file is missing.

**Action**

Provide a valid location and name for the BIAR file.

**Log file path cannot be empty. (UMT 20212)**

**Cause**

A location specified in the log file is missing.

**Action**

Ensure that the specified location is valid.

**The log file path is invalid. Please verify the path. (UMT 20213)**

**Cause**

The location of the log file is invalid.

**Action**

Provide a valid location for the log file.

**The prompt "{0}" is invalid. Please refer to the documentation for a list of acceptable prompts. (UMT 20214)**

**Cause**

You have specified an invalid prompt name.

**Action**

Provide a valid prompt name.

**Cannot find the directory specified in log file path. Please verify the path. (UMT 20215)**

**Cause**

The path specified for saving the log file has a missing folder.

**Action**

Specify a path that contains the correct folder.



## Web Intelligence Error Messages

Web Intelligence error messages include the following ranges and categories:

- Web Intelligence Java interface (WIJ) Error Messages
- Web Intelligence HTML interface (WIH) Error Messages
- Web Intelligence Desktop (WIO) Error Messages
- Web Intelligence Server (WIS) Error Messages
- Web Intelligence Report Engine (RWI) Error Messages

### 29.1 Web Intelligence (WIJ) Error Messages

Web Intelligence Java interface error messages include the following:

Range	Category
WIJ 10000 - WIJ 77778	Web Intelligence Java interface

**You need to use the Formula Editor to create a formula. (Error: WIJ 10000)**

#### **Cause**

You typed a formula into a cell using the Cell Properties panel instead of the Formula Editor.

#### **Action**

Launch the Formula Editor and define the formula in the Formula Definition pane.

You cannot create a variable that has the same name as an existing document object. Give the new variable a different name. (Error: WIJ 10001)

**Cause**

A single document cannot contain multiple objects or variables with the same name.

**Action**

To save a new variable, give the variable a name that is different from the objects and variables already included in the document.

You cannot position this report component in relation to a block, cell, or section that is positioned relative to this report component. Select a different block, cell or section in the dropdown list or unselect the Relative To option. (WIJ 10500)

**Cause**

When you position a report component in relation to another report component that references the selected one, you create a circular attachment.

**Action**

Remove relative positioning, or select a different block, cell, or section for relative positioning.

Web Intelligence requires the Java Runtime Environment (JRE) 1.4.2\_01. The currently installed JRE is {0}. Contact your administrator to upgrade to 1.4.2\_01 or select the [default VM] entry in the [Java Plug-in Control Panel], if you already have the required version installed. (WIJ 11111)

**Cause**

When you use the Java interface, a Java applet is installed on your local PC. The Java Runtime Environment 1.4.2\_01 (or later version) needs to be installed and selected in order for the report panel to function.

**Action**

If Java Runtime Environment 1.4.2\_01 (or later version) is already installed on your PC, then launch the Java Plugin Control panel. To do this:

- Select the Windows menu: **Start > Settings > Control Panel**.
- Double-click Java Plug-in.

- On the **Advanced** tab, select Use Java Plug-in Default, then click Apply.

Or

Contact your administrator, and request help with installing Java Runtime Environment 1.4.2\_01 (or later version).

**An error occurred while the document was being decoded. Try to open the document in the BI Launch Pad, or contact your administrator for further information. ( WIJ 20000)**

**Cause**

Web Intelligence cannot decode and open the document in the Java Report Panel.

**Action**

Open the document in InfoView by clicking the document title where the document is listed on the InfoView Corporate Documents or Personal Documents page.

If this does not work, see your administrator.

**An unexpected problem occurred when during document refresh and open. The data source has been modified or deleted, or a prompt on the document has no value selected. (WIJ 20001)**

**Cause**

The document has the Refresh on open option selected. One or more of the following explanations can account for this error:

- The data source has been modified since the document was created.
- The data source has been deleted since the document was created.
- One or more prompts have no values selected.

**Action**

See your administrator.

**Unexpected error. If you cannot reconnect to the server, close your session and start again. (WIJ 20002)**

**Cause**

The server may be down or your user session may be closed.

**Action**

See your administrator.

**Unable to get the first page of the current report.\nCheck the validity of your report. (ERR WIJ 20003).**

**Cause**

The report cannot be displayed because it contains structural errors.

**Action**

Do one of the following:

- View the report in Structure View and verify the report structure. For example, errors can be caused if report blocks overlap or if the structure of a table contains cells that create an asymmetrical table format. Modify the report structure appropriately.
- Contact your administrator and request them to search for structural anomalies in the report.

**The current query contains unresolvable objects. The query will be updated (WIJ 20004).**

**Cause**

There are objects that cannot be resolved in the query.

**Action**

Check that the related objects have not been deleted from the data source.

**The current request has returned corrupted data. Contact your administrator for further information ( WIJ 20005).**

**Cause**

The returned data is corrupted. This could be due to data source or network issues.

**Action**

Contact your administrator.

Unable to contact the application server. Contact your administrator for further information (WIJ 20010).

**Cause**

The application server could be down, or address different to the one expected.

**Action**

Contact your administrator.

The {0,number} MB report element you want to copy is too large to be exported to an external application.\n\nThe maximum allowed size is {1,number} MB. (Error: WIJ 30004)

**Cause**

The report element you want to copy is too large to be copied.

**Action**

Do not attempt to copy the report element.

Your user profile does not give you access to a document domain to save corporate documents. Save this document as a personal document or contact your administrator (ERR WIJ 40000).

**Cause**

You do not have the rights to save the document to the corporate repository.

**Action**

Save the document as a personal document or ask your administrator for the rights to save the document to the repository.

The query in this document is empty. Check that the Result Objects pane on the query tab includes objects before running the query (ERR WIJ 30000).

**Cause**

The query does not contain any result objects.

**Action**

Edit the query and add result objects..

**At least one query in this document is empty. Check that the Result Objects pane on each query tab includes objects before running the queries (ERR WIJ 30001).**

**Cause**

A query does not contain any result objects.

**Action**

Add the result objects to the empty query.

**Out of memory. Reduce the browser window size or re-launch the report panel. (WIJ 30003).**

**Cause**

Your computer has run out of the memory. This may be because your browser window size is too large.

**Action**

Do one of the following:

- Reduce the size of the browser window.
- Relaunch the Java interface.

**Your user profile does not allow you to save personal or corporate documents. Contact your administrator for further details. (WIJ 40001)**

**Cause**

Your user profile, defined by your administrator, does not allow you to save personal or corporate documents.

**Action**

If you think you need to be allowed to save personal documents and/or corporate documents to InfoView, contact your administrator to request they modify your security profile.

**Your version of Web Intelligence Rich Client is not up-to-date to connect to this system (ERR WIJ 50003). You must upgrade your Web Intelligence Rich Client by clicking [here]({0}).**

**Cause**

Your version of Web Intelligence Rich Client is not recent enough to connect to the repository.

**Action**

Upgrade your version of Web Intelligence Rich Client by following the link.

**The information sent to the server contains invalid character(s). Use the Undo button to cancel the latest changes to the document and then retry. (Error: WIJ 55555)**

**Cause**

There is an error in the XML sent to the server by the application.

**Action**

Use the **Undo** feature to remove the erroneous modification made to the document, and then run the query or refresh the document again.

**The session timed out. The document {document\_name}.wid has been autosaved in the Favorites\~InteractiveAnalysis folder. Click Restore to retrieve it. (WIJ 60001)**

**Cause**

Due to a server timeout, the current document was autosaved in the Favorites\~InteractiveAnalysis folder.

**Action**

Click **Restore** to retrieve the autosaved document.

If you cannot restore the document automatically, retrieve it manually from the folder. The name of the autosaved document is the original document name with an automatically-generated prefix and postfix.

Retrieve the document from the autosave folder as quickly as possible. This folder is not a permanent storage location for autosaved documents.

**The session timed out, but the document could not be autosaved because the following security rights are not assigned (WIJ 60002):  
{list\_of\_rights}**

**Cause**

The document could not be autosaved because you do not have some or all of the following security rights:

- Edit object
- Delete object

- Add object

**Action**

Ask your administrator to assign you the appropriate security rights.

**The document cannot be retrieved due to a server problem (WIJ 77777) .**

**Cause**

The document cannot be retrieved because the server is down.

**Action**

See your administrator.

**The Central Management System is not functioning. Contact your administrator for further information. (WIJ 77779)**

**Cause**

The Central Management System (CMS) is not running.

**Action**

Contact your administrator.

**Your session timed out. Please close the Java interface and log on again. (WIJ 77778)**

**Cause**

You have remained logged in to the BI launch pad without using the Java interface for longer than the maximum time allowed by the system.

**Action**

Log out and then log back into the BI launch pad to continue using the Java interface (you will lose any unsaved modifications you made previous to timeout).

To increase the length of time you are allowed to remain logged in to the BI launch pad ask your administrator to increase your session timeout parameter.

## **29.2 Web Intelligence Desktop (WIO) Error Messages**

Web Intelligence Desktop (Rich Client) error messages include the following:

<b>Range</b>	<b>Category</b>
WIO 00001 - WIS 30284	Web Intelligence Desktop

### Web Intelligence Desktop cannot log in. (WIO 00001)

#### Cause

The browser cache might be full – under certain circumstances this can prevent Web Intelligence Desktop from logging in.

#### Action

Empty the browser cache if it is full. If Web Intelligence Desktop still cannot log in, see your administrator.

### Cannot open the hyperlink (WIO 00002).

#### Cause

- The URL in the hyperlink is incorrectly constructed.
- The hyperlink references a document in a “CMC”. Documents in a “CMC” are not always accessible from Web Intelligence Desktop for two reasons:
  - The hyperlink does not specify the name of the server hosting the document because the **Use complete URL path to build document hyperlink** setting is not selected. Incomplete URLs are invalid when used outside the BI launch pad.
  - The hyperlink builds the complete URL, but the server specified in the URL is not accessible from the computer running Web Intelligence Rich Client.

#### Action

Correct the hyperlink or see your administrator for help.

### There is no more memory available. (WIS 30280) (WIO 30280)

#### Cause

Your system is out of memory.

#### Action

Close open documents to free memory.

**Cannot continue because memory is low. Please close documents to free memory. (WIO 30284)**

**Cause**

Your system memory is low.

**Action**

Close open documents to free memory.

### **29.3 Web Intelligence Server (WIS) Error Messages**

Web Intelligence Server error messages include the following:

<b>Range</b>	<b>Category</b>
WIS 30000 - WIS 40000	Web Intelligence Server

**The query in this document is empty. (WIS 30000)**

**Cause**

No data is defined for this document.

**Action**

Add result objects to the query.

**At least one query in the document is empty. (WIS 30001)**

**Cause**

No data is defined for at least one of the queries in this document.

**Action**

Add result objects to the query.

**Your security profile does not include permission to edit queries.  
(WIS 30251)**

**Cause**

You do not have the right to edit queries.

**Action**

Contact your administrator to request the ability to edit the queries in documents.

**Your security profile does not include permission to edit documents.  
(WIS 30252)**

**Cause**

You do not have the right to edit documents.

**Action**

Contact your administrator and request the ability to edit documents.

**Your security profile does not include permission to refresh documents.  
(WIS 30253)**

**Cause**

You do not have the right to refresh documents.

**Action**

Contact your administrator to request the ability to refresh documents.

**Your security profile does not include permission to refresh lists of  
values. (WIS 30254)**

**Cause**

You do not have permission to refresh lists of values.

**Action**

Contact your administrator to request the ability to refresh lists of values in documents.

**Your security profile does not include permission to use lists of values. (WIS 30255)**

**Cause**

You do not have permission to use lists of values.

**Action**

Contact your administrator to request the ability to use lists of values in documents.

**Your security profile does not include permission to view the script generated by the query. (WIS 30256)**

**Cause**

You do not have the permission to view the script generated by the query.

**Action**

Contact your administrator to request the ability to view the script in queries.

**Your security profile does not include permission to use the formula language. (WIS 30257)**

**Cause**

You do not have permission to use the formula language or create variables.

**Action**

Contact your administrator to request the ability to use the formula language and create variables in documents.

**Your security profile does not include permission to perform drill analysis. (WIS 30258)**

**Cause**

You do not have permission to perform drill analysis.

**Action**

Contact your administrator to request the ability to drill on reports.

**Your security profile does not include permission to extend the scope of analysis. (WIS 30259)**

**Cause**

You attempted to perform a drill operation outside the defined scope of analysis, and you do not have permission to drill outside the scope of analysis.

**Action**

Contact your administrator.

**An internal error occurred while calling the {api\_name} API. (WIS 30270)**

**Cause**

Information about the document or the data source is invalid or not available.

**Action**

Your administrator can trace the problem that caused the error by activating the tracking and verifying the trace associated with the API.

**The document is too large to be processed by the server. (WIS 30271)**

**Cause**

When you view a document in Portable Document Format (PDF) or Microsoft Excel format, the server generates binary based output, which is then interpreted by your web browser. This error occurs if the size of the binary output is greater than the maximum size specified by your administrator for the server.

**Action**

Contact your administrator and ask them to increase the maximum size.

**The document is too large to be processed by the server. (WIS 30272)**

**Cause**

When you view a document in HTML format, the server generates character-based output, which is then interpreted by your web browser. This error occurs if the size of the character output is greater than the maximum size specified by your administrator for the server.

**Action**

Ask your administrator to increase the maximum document size.

### **The query or report could not be generated. (WIS 30351)**

#### **Cause**

It was not possible to complete one or more of the steps required to define a query and generate a report. This is due to one of the following reasons:

- the document was not initialized
- the data source is not valid
- the query was not defined
- the query context was not defined at the universe level
- no values were specified for prompts at the universe level

#### **Action**

Contact your administrator and ask them to check the connection to the data source, and that the universe does not contain unspecified contexts and prompt values.

### **A query with this name already exists. (WIS 30371)**

#### **Cause**

Another query used in this document already has this name.

#### **Action**

Enter a different name for this query.

### **The Web Intelligence server memory is full. Log off and try to connect later. If the problem persists, contact your administrator. (Error: ERR\_WIS\_30280) (WIS 30280)**

#### **Cause**

The server memory is full.

#### **Action**

Try again later. If the problem persists, see your administrator.

**The Web Intelligence server is busy. Save any pending change and try again later. If the problem persists, contact your administrator. (Error: ERR\_WIS\_30284) (WIS 30284)**

**Cause**

The server is busy.

**Action**

Save any changes and try again later. If the problem persists, see your administrator.

**The Web Intelligence server is running out of memory, your document has been closed. If the problem persists, contact your administrator. (Error: ERR\_WIS\_30285) (WIS 30285)**

**Cause**

The server memory is full.

**Action**

Try again later. If the problem persists, see your administrator.

**You cannot edit this document because the query property option "Allow other users to edit the query" was not enabled when the document was created. (WIS 30381)**

**Cause**

The creator of the document did not select the query property option: "Allow other users to edit the query".

**Action**

Do one of the following:

- Ask the document creator to enable the option and re-save the document.
- Save a copy of the document as a personal document and then edit the query in the copy.

**An internal error has been generated by the WIQT. (WIS 30551)**

**Cause**

An unexpected error occurred on the WIQT.

**Action**

Contact your administrator.

**Your WIQT session has reached timeout. Log out and log in again to the BI launch pad. (WIS 30553)**

**Cause**

You have remained logged into the BI launch pad without using Web Intelligence for longer than the maximum time allowed by the system.

**Action**

Log out and then log back into the BI launch pad (you will lose any unsaved modifications you made previous to timeout).

To increase the length of time you are allowed to remain logged in to the BI launch pad, ask your administrator to increase your session timeout parameter.

**No more WIQT servers are available. The maximum number of concurrent users is already logged in. (WIS 30554)**

**Cause**

The maximum number users are already logged in.

**Action**

Try again later, or ask your administrator to increase the maximum number of concurrent users.

**Your security profile does not include permission to save documents as corporate documents or to send documents using the BI launch pad. (WIS 30555)**

**Cause**

Your security profile does not allow you to save documents as personal or corporate documents, or to schedule documents.

**Action**

Contact your administrator to request the ability to do the following:

- Save corporate documents
- Send documents to users in own groups
- Send documents to users in other groups

**A corporate document with this name already exists. Your security profile does not include permission to delete corporate documents created by other users. (WIS 30556)**

**Cause**

Your security profile does not allow you to overwrite existing corporate documents.

**Action**

Contact your administrator to request the ability to delete corporate documents saved by other users.

**There is no document with this name in the repository. Specify a different document name. (WIS 30557)**

**Cause**

There is no document with this name in the repository for one of the following reasons:

- You have typed the document name incorrectly
- The document with this name has been deleted from the repository

**Action**

Check that you have entered the document correctly.

**Note:**

Deleted documents cannot be retrieved.

**Cannot perform the intended action on this document. (WIS 30650)**

**Cause**

The server is unable to complete the current task because of lack of resources or access problems.

**Action**

Do one of the following:

- Close your session, log out of the BI launch pad then log in again.
- Ask your administrator to verify that your security profile allows you access to the corporate repository.

### **The server failed to load the XML document. (WIS 30751)**

#### **Cause**

When you migrate a BusinessObjects document to Web Intelligence 6.x, an XML file is created that can be opened by the Web Intelligence Report Server. (The related module on the Administration Console is called the WIReportServer). In this case an unexpected error occurred on the Web Intelligence Report Server while migrating a document to Web Intelligence 6.x.

#### **Action**

Your administrator can trace the problem that caused this error by activating the tracking and verifying the trace associated with the WIReportServer. Contact your administrator with this information.

### **The XML file for this document cannot be opened. Contact your administrator. (WIS 30752)**

#### **Cause**

When you migrate a Desktop Intelligence document to Web Intelligence 6.x, an XML file is created that can be opened by the server. This error occurs when the XML file cannot be opened by the server, and so migration cannot be completed. There are two common causes:

- The XML is Read Only.
- The file path to the XML file is incorrect.

#### **Action**

Contact your administrator with this information.

### **An error occurred while parsing the XML document. Contact your administrator. (WIS 30753)**

#### **Cause**

When you migrate a Desktop Intelligence document to Web Intelligence 6.x, an XML file is created that can be opened by the server. This error occurs when the XML file contains structural anomalies that the server cannot interpret, and so migration cannot be completed.

#### **Action**

There are two possible actions that an administrator can take to solve this problem:

- Open the XML file with an XML editing tool and verify the structure of the document.
- Activate the tracking and verify the trace associated with the WIReportServer.

**The Web Intelligence 2.x document could not be migrated. (WIS 30761)**

**Cause**

An unexpected error occurred when trying to migrate a Web Intelligence 2.x document to the current document format.

**Action**

An administrator may be able to identify the cause of this error by activating the tracking and verifying the trace associated with the server. Contact your administrator with this information.

**This document cannot be migrated. The query and report of the original Web Intelligence 2.x document are not synchronized. Try to refresh and save the original document; then attempt migration again. (WIS 30762)**

**Cause**

In the original Web Intelligence 2.x document, there is a discrepancy between the objects included in the query and the objects included in the report. This means that the server is unable to interpret the document correctly to migrate it to the current document format.

**Action**

To synchronize the data definition in the query and report of the original Web Intelligence 2.x document:

1. Use Web Intelligence 2.x to open the original document again.
2. Either run the query or refresh the document data.
3. Save the refreshed document.
4. Try to migrate the document again using the Migration Tool.

If you do not have access to Web Intelligence 2.x or the Migration Tool, contact your administrator with this information.

**The Web Intelligence 2.x document could not be migrated, because the WIQT module returned an error. Contact your administrator. (WIS 30763)**

**Cause**

The original Web Intelligence 2.x document could not be migrated to the current document format, due to an error generated by the WIQT process.

**Action**

Your administrator can trace the problem that caused this error by activating the tracking and verifying the trace associated with the WIQT. Contact your administrator with this information.

Your user profile does not provide you with access to a document domain to save corporate documents. Save this document as a personal document or contact your administrator. (WIS 40000)

**Cause**

Your user profile does not include permission to save documents to a corporate document domain in the repository.

**Action**

Do one of the following:

- Save the document as a personal document.
- Contact your administrator and request access to a corporate document domain.

## 29.4 Web Intelligence Desktop HTML Interface (WIH) Error Messages

Web Intelligence Desktop HTML interface error messages include the following:

Range	Category
WIH 00000 - WIH 00020	Web Intelligence Desktop HTML interface

### 29.4.1 The document could not be saved. (WIH 00014)

**Cause**

The document could not be saved to the repository. This error can occur for a number of reasons. For example: you do not have the security rights to the folder where you tried to save the document.

**Action**

See your administrator to determine why you could not save the document.

**The session timed out. The document {document\_name}.wid has been autosaved in the Favorites\~WebIntelligence folder. Click Restore to retrieve it. (WIH 00015)**

**Cause**

Due to a server timeout, the current document was autosaved in the Favorites\~WebIntelligence folder.

**Action**

Click **Restore** to retrieve the autosaved document.

If you cannot restore the document automatically, retrieve it manually from the folder. The name of the autosaved document is the original document name with an automatically-generated prefix and postfix.

Retrieve the document from the autosave folder as quickly as possible. This folder is not a permanent storage location for autosaved documents.

**The session timed out, but the document could not be autosaved because the following security rights are not assigned (WIH 00016):  
{list\_of\_rights}**

**Cause**

The document could not be autosaved because you do not have some or all of the following security rights:

- Edit object
- Delete object
- Add object

**Action**

Ask your administrator to assign you the appropriate security rights.

## **29.5 ReportEngine Web Intelligence (RWI) Error Messages**

ReportEngine Web Intelligence error messages include the following:

Range	Category
RWI 00000 - RWI 00850	ReportEngine Web Intelligence

## 29.5.1 RWI 00000 - RWI 00314

User input is required for the prompt in the query. (RWI 00000)

### Cause

The server requires prompt values in order to fulfill the request.

### Action

Enter values for all mandatory prompts.

User input is required to select an universe context for the query.  
(RWI 00001)

### Cause

The server requires context(s) selection in order to fulfill the request.

### Action

Supply context(s) choice.

The argument cannot be null. (RWI 00010)

### Cause

The specified argument is "null".

### Action

Enter a non-null value for the argument.

Invalid value: {0}. (RWI 00011)

### Cause

The specified argument value is invalid.

**Action**

Enter a valid value for the argument.

**The argument is out of range. (RWI 00012)**

**Cause**

The specified argument value is not within the allowed range.

**Action**

Specify a value within the allowed range.

**Unable to retrieve the requested report part(s). Either the report part references are invalid, or the corresponding data does not exist anymore. (RWI 00013)**

**Cause**

One or more report part references are invalid, or the corresponding data is not available.

**Action**

Ensure that you are using valid report part references. Subsequently, ensure that the requested data is available after refreshing the document's data providers.

**Cannot retrieve more than one report part simultaneously in DHTML output format. (RWI 00014)**

**Cause**

You cannot retrieve more than one report part in DHTML output format simultaneously.

**Action**

Enter a single report part reference.

**Cannot turn off search mode for delegated search. (RWI 00015)**

**Cause**

A list of values defined as "delegated" search cannot have search mode disabled.

**Action**

Before disabling the search mode, check if the list of values is defined as "delegated search".

**One of the supplied OutputCacheEntry instances is invalid or not supported by the Web Intelligence server. (RWI 00016)**

**Cause**

While preloading the server output cache, one or more output formats specified are invalid or unsupported.

**Action**

Ensure that the requested output formats are valid and supported.

**Could not read {0}bytes from the specified stream. (RWI 00017)**

**Cause**

Upon upload of the resource into a document, the supplied data could not be read.

**Action**

Ensure that the specified parameters are correct and consistent.

**The Web Intelligence server returned an invalid XML output. Contact your administrator. (RWI 00200)**

**Cause**

The server returned an invalid or incorrect XML output.

**Action**

Contact your technical support.

**Could not get page number. (RWI 00223)**

**Cause**

The requested page could not be retrieved because of an invalid page number.

**Action**

Ensure that the requested page number is valid.

**Cannot initialize Report Engine server. (RWI 00226)**

**Cause**

Communication with the server could not be established. This may occur when attempting to create or open a document.

**Action**

Ensure that the server is installed correctly. Also, check if the server is started and enabled.

**Your Web Intelligence session is no longer valid because of a timeout. (RWI 00235)**

**Cause**

The server session allocated to a particular document has been closed, either explicitly or because of a timeout.

**Action**

Ensure that the document has not been explicitly closed. Alternatively, increase the *server session timeout* value.

To modify the server session timeout value:

1. Log on to the Business Intelligence platform Central Management Console (CMC).
2. Click on Servers.
3. Expand Server Categories, and click on Web Intelligence.
4. Under Server name, double-click on WebIntelligenceProcessingServer. The Properties window appears.
5. In Properties window, under Web Intelligence Processing Service, enter the value for Idle Connection Timeout.

**The Web Intelligence server cannot be reached. Contact your administrator. (RWI 00236)**

**Cause**

An error occurred while attempting to communicate with the server.

**Action**

Contact the administrator to ensure that the server is enabled and running. Also, check for network problems.

**Cannot write output stream. Contact your administrator. (RWI 00237)**

**Cause**

An I/O error occurred when writing data in response to a view request.

**Action**

Contact the administrator to ensure that the specified destination parameter is valid.

**Connection failed. The server has reached the maximum number of simultaneous connections. (RWI 00239)**

**Cause**

The maximum number of server connections allowed has been reached.

**Action**

Either raise the value of the *maximum connections* server parameter, or add another server instance.

To modify the maximum connections value:

1. Log on to the Business Intelligence platform Central Management Console (CMC).
2. Click on Servers.
3. Expand Server Categories, and click on Web Intelligence.
4. Under Server name, double-click on WebIntelligenceProcessingServer. The Properties window appears.
5. In Properties window, under Web Intelligence Processing Service, enter the value for Maximum Connections.

**Your server version is incompatible with this client version. Contact your administrator. (RWI 00240)**

**Cause**

The server does not support this SDK version.

**Action**

Contact the administrator to ensure that the server version is compatible with the client version.

**Cannot find an XML transformer. (RWI 00301)**

**Cause**

Unable to instantiate the XSLT transformer used for XML to HTML transformation.

**Action**

Try again later.

**Cannot create translet. (RWI 00309)**

**Cause**

Unable to compile the XSLT stylesheet used for XML to HTML transformation.

**Action**

Try again later.

**Cannot get an output file for the document. (RWI 00314)**

**Cause**

While serializing a document state, an error occurred. This might be due to insufficient memory or an I/O error.

**Action**

Ensure that there is sufficient memory available. Also, check for any *webi.properties* customization.

## **29.5.2 RWI 00315 - RWI 00605**

**Cannot retrieve an XML parser ID. (RWI 00316)**

**Cause**

An error occurred during XSLT transformation. This might be because you are requesting output in XML format using a client supplied stylesheet.

**Action**

Ensure that the specified XSLT stylesheet is correct.

**Cannot transform XML to HTML. (RWI 00317)**

**Cause**

During XSLT transformation, an error occurred while requesting output in HTML.

**Action**

Try again later.

**The Java Runtime Environment does not support UTF-8 encoding. (RWI 00321)**

**Cause**

The JRE does not support UTF-8 encoding.

**Action**

Switch to a JRE that supports UTF-8 encoding.

**An error occurred while retrieving the document from the storage token. (RWI 00322)**

**Cause**

An error occurred during document state deserialization. This might be due to insufficient memory or an I/O error.

**Action**

Ensure that there is sufficient memory available. Also check for any *webi.properties* customization.

**Cannot retrieve the document with the passed obsolete token. (RWI 00323)**

**Cause**

An error occurred during document state deserialization. This might be caused by a storage token that identifies a document state, which is no longer available in the storage tokens stack.

**Action**

In the *webi.properties* file, increase the value of *storage tokens stack size*. Also, ensure that the storage token is valid before using it.

**Cannot retrieve the document with the passed malformed token. (RWI 00324)**

**Cause**

An error occurred during document state deserialization. This might be due to an invalid storage token.

**Action**

Specify a valid storage token.

**There are too many operands for the current operator. (RWI 00501)**

**Cause**

For the current operator, the condition or filter has too many operands to be able to add a new one.

**Action**

Remove existing operands before attempting to add a new one.

**There are not enough operands for the current operator. (RWI 00502)**

**Cause**

The condition or filter does not have enough operands with respect to the current operator.

**Action**

Add operand(s) to the condition or filter.

**Prompts are not supported on filters created at the report level. (RWI 00503)**

**Cause**

Report filters do not support prompts. Only query conditions support prompts.

**Action**

Do not use prompts in report filters.

**You cannot modify operators and operands in predefined filters. (RWI 00504)**

**Cause**

While using a pre-defined condition, you cannot specify an operator for a condition or filter.

**Action**

Ensure that the operator in the pre-defined condition does not have any filters or conditions.

**LIKE and NOT\_LIKE operators are allowed only on ObjectType.TEXT objects. (RWI 00506)**

**Cause**

You attempted to use "LIKE" or "NOT\_LIKE" operators for objects that are not of character type.

**Action**

When the object used in a filter is not of *character* type, ensure that you do not use the "LIKE" and "NOT\_LIKE" operators.

**The specified operator cannot be applied to a document filter. (RWI 00507)**

**Cause**

The specified operator cannot be used with report filters. It can be used only with query conditions.

**Action**

Do not use this operator when working with report filters.

**Web Intelligence is unable to attach a LOV (List of Values) to the prompt because the associated source object does not have a LOV. (RWI 00508)**

**Cause**

Cannot use a list of values with the prompt being defined. This is because the object used in this condition does not contain a LOV.

**Action**

Before requesting the prompt to use the list of values, ensure that the object used within the condition has a defined list of values.

**There are incompatible data source objects in the filter condition comparison. (RWI 00509)**

**Cause**

You have attempted to compare two objects of different types within a condition.

**Action**

Use objects of the same type.

**Cannot create a report filter on a formula. (RWI 00511)**

**Cause**

Formulas cannot be used as report filters. Only data providers and variable expressions can be used.

**Action**

Use a data provider or variable expression when defining a report filter.

**A percentage rank cannot have values greater than 100. (RWI 00512)**

**Cause**

When you defined the percentage ranking, you chose a rank size that was greater than 100.

**Action**

Ensure that the rank size is less than 100.

**The expression is not available in the axis. (RWI 00602)**

**Cause**

You have attempted to create a break, calculation, or sort using an expression that is not in the axis.

**Action**

Use an expression that is available in the axis.

**Only measure objects can be included on the y-axis. (RWI 00603)**

**Cause**

You have attempted to add an expression to the axis, where the expression is not of *measure* type.

**Action**

Specify an expression of *measure* type.

**You cannot base a section on a measure. (RWI 00604)**

**Cause**

A section cannot be based on an expression of *measure* type.

**Action**

Do not use an expression of *measure* type as the basis for a section.

**You cannot add more than one expression to a section axis. (RWI 00605)**

**Cause**

A section axis does not support more than one expression.

**Action**

Do not use several expressions in a section axis.

### **29.5.3 RWI 00606 - RWI 00850**

**You cannot include a circular attachment in a document. (RWI 00606)**

**Cause**

You have attempted to define a report attachment that causes a circular attachment.

**Action**

Define a report that does not generate a circular attachment.

**The expression is different from the table cell expression. (RWI 00607)**

**Cause**

You have attempted to create a calculation on a table cell, specifying an expression different from the one contained in the table cell.

**Action**

Create a calculation table with the expression that is already defined in the table cell.

**You cannot copy a ReportElement object to an element in a different ReportElementContainer. (RWI 00608)**

**Cause**

Report attachments can only be defined between report elements belonging to the same container.

**Action**

Ensure that you are creating report attachments between report elements that belong to the same container.

**You cannot create a horizontal attachment on a section. (RWI 00609)**

**Cause**

You have attempted to create a horizontal attachment in a section.

**Action**

Do not create horizontal attachments in a section, as sections cannot exceed the maximum allowed width.

**You cannot remove all rows and columns from the table body. The table must contain at least one row and column. (RWI 00610)**

**Cause**

You have attempted to remove the last row or column in a table body.

**Action**

Ensure that the table contains at least one row and column.

**Dimension and detail objects only are allowed on this axis. (RWI 00611)**

**Cause**

You have attempted to add an expression of incompatible type on an axis where only dimension and detail expression types are allowed.

**Action**

Specify an expression of compatible type.

**Additional objects cannot be added to the block axis based on the block shape. (RWI 00612)**

**Cause**

Cannot add more expressions to the specified block axis.

**Action**

Do not add more expressions.

**This report element cannot have a double side attachment. (RWI 00613)**

**Cause**

A report element cannot be horizontally and vertically attached to two distinct report elements.

**Action**

Ensure that the report element is attached (horizontally and vertically) to the same report element.

**The table cell has been removed from its table. (RWI 00614)**

**Cause**

You have attempted to use a table cell that has been removed from its containing table.

**Action**

You cannot use a table cell after it has been removed from its containing table.

**You cannot run an empty query. (RWI 00701)**

**Cause**

You have attempted to run an empty query.

**Action**

Before running a query, add result objects to it.

**Cannot delete the last data provider. (RWI 00702)**

**Cause**

You have attempted to delete the last data provider in a document.

**Action**

A document must contain at least one data provider.

**A data provider with this name already exists. (RWI 00703)**

**Cause**

You have attempted to give a data provider a name that already exists in the document.

**Action**

Every data provider within a document must have a unique name.

**Combined queries are incompatible with sampling mode activated. (RWI 00706)**

**Cause**

Sampling cannot be used with combined queries.

**Action**

Do not use sampling with combined queries.

**Processing remove data source objects while there are only two data source expressions. (RWI 00800)**

**Cause**

You have attempted to remove an expression from a synchronized dimension that contains only two expressions.

**Action**

Ensure that a synchronized dimension always contains at least two expressions.

**Cannot create a Link with a name that already exists ({0}). (RWI 00801)**

**Cause**

You have attempted to create a synchronized dimension with a name that already exists.

**Action**

Provide a unique name for each synchronized dimension.

**Cannot update CustomSortLov with a new list of values more than the size supported by CustomSortLov. (RWI 00825)**

**Cause**

You have attempted to update the list of values of a custom sort definition with more values than allowed.

**Action**

Ensure that the number of values in the list is within the specified custom sort range.

**Cannot create CustomSortLov while Report Expression's Lov size is greater than the size supported by CustomSortLov . (RWI 00826)**

**Cause**

You have attempted to create the list of values of a custom sort definition with more values than allowed.

**Action**

Ensure that the number of values in the list is within the specified custom sort range.

**{0} feature is not supported. (RWI 00850)**

**Cause**

You have attempted to use a particular feature that is not supported in the current context.

**Action**

Before using this feature, ensure that it is supported.

## **29.6 Custom Data Source (CDS) Framework Error Messages**

Custom Data Source (CDS) Framework error messages include the following categories:

<b>Range</b>	<b>Category</b>
CDS 00001 - CDS 00013	Custom Data Source User Interface Framework error messages
CDS 10100 - CDS 10400	Web Services Custom Data Source Plugin error messages
CDS 15102 - CDS 15122	Custom Data Source Framework error messages

### **29.6.1 Custom Data Source User Interface Framework error messages**

**The selected file extension is not correct. (CDS 00001)**

**Cause**

The extension of the file is not as expected or is different from the previously selected file.

**Action**

Check whether the correct file is selected.

**Cannot access the file. (CDS 00002)**

**Cause**

You have entered an incorrect file path.

**Action**

Check whether the correct path is entered.

**The file does not exist. (CDS 00003)**

**Cause**

The file does not exist at the path specified.

**Action**

Check whether you have specified valid path and filename.

**The selected file is a directory. (CDS 00004)**

**Cause**

The path entered points to a directory instead of a file.

**Action**

Enter the correct filename.

**Error in processing data source - There was an invalid operation for the plug-in. (CDS 00005)**

**Cause**

The plugin is not able to retrieve all the data source parameters.

**Action**

Check the logs and verify that the plug-in code is working properly.

**An error occurred in the user interface of the plug-in. (CDS 00006)**

**Cause**

An error has occurred in the plug-in user interface.

**Action**

Check the logs and verify that the plug-in code is working properly.

**An error occurred while accessing the updated inputs. (CDS 00007)**

**Cause**

An error occurred while accessing the data source parameters retrieved from the plug-in.

**Action**

Check the logs and verify that the plug-in code is working properly.

**An object with this name already exists. (CDS 00008)**

**Cause**

Another object with this name exists.

**Action**

Change the name of the object to a unique value.

**The query with this name already exists. (CDS 00009)**

**Cause**

Another query with this name exists.

**Action**

Change the name of the query to a unique value.

**A problem was detected with the install. Please check and try again. (CDS 00010)**

**Cause**

A problem was detected with the install.

**Action**

Check the installation setup. Refer to the documentation for more details.

**Error in processing data source. (CDS 00011)**

**Cause**

A problem was detected while identifying the data source.

**Action**

Check the logs to get the detailed error message.

**The requested action could not be completed. (CDS 00012)**

**Cause**

An error was detected.

**Action**

Check the logs to get the detailed error message.

**Could not retrieve plug-in display component. (CDS 00013)**

**Cause**

A error occurred while retrieving the plug-in component.

**Action**

Check the logs to get the detailed error message. Verify that the plugin-in code is correct.

## **29.6.2 Web Services Custom Data Source Plugin error messages**

**An error occurred while processing the requested action. (CDS 10100)**

**Cause**

An unexpected error occurred while processing the requested action.

**Action**

Contact your enterprise administrator.

**No selection made in Output Message panel. (CDS 10101)**

**Cause**

User has not selected the field(s) for the query from the Output Message panel.

**Action**

Select the field(s) that need to be displayed in the report from the Output Message panel.

**An error occurred while invoking Web Service. {0} (CDS 10200)**

**Cause**

An error occurred while invoking a web service.

**Action**

Contact your enterprise administrator.

**Error executing web service: "{0}" (CDS 10201)**

**Cause**

The Web Service Endpoint could not be invoked because of incorrect input parameters.

**Action**

Enter the correct values while invoking the Web Service.

**An error occurred while instantiating the Web Service plugin. (CDS 10202)**

**Cause**

The extension descriptor of the web service plug-in did not return the correct dstype.

**Action**

Contact your administrator to fix the problem.

**Parsing Exception: The input WSDL type or structure is not supported. (CDS 10203)**

**Cause**

The structure of the WSDL is not supported by Web Services Custom Data Source plug-in.

**Action**

Refer the documentation for supported WSDLs.

**WSDLs that refer to Microsoft's types namespace are not supported. (CDS 10204)**

**Cause**

WSDLs that refer to <http://microsoft.com/wsdl/types/> namespace are not supported.

**Action**

Modify the WSDL or select the supported WSDL.

**WSDLs that have cyclical references are not supported. (CDS 10205)**

**Cause**

WSDL type definitions contain cyclical references.

**Action**

Modify the WSDL or select the supported WSDL.

**WSDLs that do not have type definitions are not supported. (CDS 10206)**

**Cause**

WSDL does not contain any type definitions in <types> tags.

**Action**

Modify the WSDL or select the supported WSDL.

**Unable to send SOAP request as the target URL is malformed. (CDS 10207)**

**Cause**

The SOAP action target URL mentioned for this service in the WSDL is malformed.

**Action**

Modify the WSDL or select another WSDL that is supported.

**WSDLs that use encoded messages are not supported. (CDS 10208)**

**Cause**

The WSDL has operations that expect encoded messages.

**Action**

Modify the WSDL or select another WSDL that is supported.

**An error was detected while parsing the response. (CDS 10400 )**

**Cause**

An error was detected while parsing the response from server.

**Action**

Check the product logs to get the actual cause of error.

### **29.6.3 Custom Data Source Framework error messages**

**Unable to create or update the Custom Data Provider : unable to retrieve information from the provided source. (CDS 15102)**

**Cause**

An unexpected error occurred while trying to retrieve information from the provided source.

**Action**

Contact your administrator to resolve the error.

**Unable to create or update the Custom Data Provider : unable to retrieve structure information from the provided source. (CDS 15103)**

**Cause**

An unexpected error occurred while trying to retrieve the structure information from the provided source.

**Action**

Contact the plug-in support to verify that the plug-in is working properly. If the error is not resolved contact SAP support to resolve the error.

**Unable to create or update the Custom Data Provider : unable to build the iterator on the data set. (CDS 15104)**

**Cause**

An unexpected error occurred while trying to build the iterator on the dataset.

**Action**

Contact the plug-in support to verify that the plug-in is working properly. If the error is not resolved contact support to resolve the error.

**Unable to create or update the Custom Data Provider : a problem was encountered in Data Source plug-in management and the requested action cannot be completed. (CDS 15106)**

**Cause**

An unexpected error has occurred.

**Action**

Contact support to resolve the error.

**Unable to create or update the query on this file : the file "{filename}" does not exist in the file system. (CDS 15107)**

**Cause**

The file does not exist at the specified location.

**Action**

Check whether the file path specified for source file is correct.

**Unable to create or update the Custom Data Provider : the path is invalid. (CDS 15108)**

**Cause**

The file path mentioned is incorrect.

**Action**

Check that the path specified for the source is correct.

**Unable to create or update the Custom Data Provider : invalid information retrieved while trying to get the structure. (CDS 15109)**

**Cause**

An error occurred while trying to retrieve the structure information from the data provider.

**Action**

Contact the plug-in support to verify that the plug-in is working properly. If the error is not resolved, contact support to resolve the error.

**Unable to create or update the Custom Data Provider : could not find matching Data Source plug-in for this request. (CDS 15110)**

**Cause**

An error occurred while trying to retrieve the plug-in information.

**Action**

Check that plug-in implementation returns required plug-in information correctly. Refer to documentation for information on configuring the plug-in.

**Unable to create or update the Custom Data Provider : could not instantiate matching Data Source plug-in for this request. (CDS 15111)**

**Cause**

An error occurred while trying to instantiate the plug-in.

**Action**

Check that the plug-in details and MODULE-PATH in the plug-in MANIFEST file is correct. Refer to the documentation for information on configuring the plug-in.

**Unable to create or update the Custom Data Provider : could not instantiate Data Source plug-in's Data Provider for this request. (CDS 15112)**

**Cause**

An error occurred while trying to instantiate the Data Provider component of the plug-in extension.

**Action**

Contact the plug-in support to verify if the plug-in is working properly.

**Unable to create or update the Custom Data Provider : an error occurred while retrieving the data sampling. (CDS 15113)**

**Cause**

An error occurred in the plug-in while trying to retrieve sample data from the data provider.

**Action**

Contact the plug-in support to verify if the plug-in is working properly.

**Unable to retrieve data from the Custom Data Provider : an error occurred while creating the data iterator. (CDS 15114)**

**Cause**

An error occurred in the plug-in while trying to retrieve the data iterator.

**Action**

Contact the plug-in support to verify if the plug-in is working properly.

**Unable to retrieve data from the Custom Data Provider : an error occurred while fetching data through the iterator. (CDS 15115)**

**Cause**

An error occurred in the plug-in while trying to fetch the data through the iterator.

**Action**

Contact the plug-in support to verify if the plug-in is working properly.

**Unable to create or update the Custom Data Provider : unsupported object type was provided by the Data Source plug-in while trying to get the structure. (CDS 15116)**

**Cause**

The plug-in has data types that are not supported.

**Action**

Refer to the documentation for the list of supported data types.

**Unable to create or update the Custom Data Provider : an internal error occurred while trying to open the session. (CDS 15117)**

**Cause**

An error occurred in the plug-in while trying to open a session.

**Action**

Contact the plug-in support to verify if the plug-in is working properly.

**Unable to create or update the Custom Data Provider : the source in the provided path is protected. (CDS 15118)**

**Cause**

The plug-in could not proceed as the source file provided is a password-protected file.

**Action**

Refer to the plug-in documentation.

**Unable to create or update the Custom Data Provider : the provided URL is invalid. (CDS 15119)**

**Cause**

The plug-in could not proceed as the URL is invalid.

**Action**

Refer to the plug-in documentation.

**Unable to create or update the Custom Data Provider : the provided URL cannot be found. (CDS 15120)**

**Cause**

The plug-in could not proceed as the provided URL could not be found.

**Action**

Refer to the plug-in documentation.

**Unable to interact with the Custom Data Provider on the provided source. (CDS 15121)**

**Cause**

An unexpected error has occurred.

**Action**

Contact support to resolve the error.

**A problem was encountered. The requested action cannot be completed. (CDS 15122)**

**Cause**

An unexpected error has occurred.

**Action**

Contact support to resolve the error.



# HTTP errors

## 30.1 Troubleshooting HTTP 404 errors

You can receive the HTTP 404 error for one of the following reasons:

- The requested page was deleted in error. Check the deployment folder of the web application to make sure that the requested page exists.
- The web application is not properly configured. Try to access other pages in this web application. If there are other pages in this web application that are not accessible, then there is a problem with the web application configuration. Consult the web application deployment instructions to check that the configuration files are valid, or redeploy the web application.
- A system setting is incorrect. For example, the memory limit was reached or an ODBC DSN was not correctly configured. As a result, an exception was thrown and the expected page was not generated. Check the web server log or the web application log for error or exception records.
- An environment variable is not properly set. This environment variable can be a system variable, or a variable defined in the web application server. As a result, a required library or class cannot be found. Check the web server log or the web application log for error or exception records. Consult the web application deployment instructions to make sure that all of the required steps were done.
- The web application is corrupted. Restart the web server. If the problem still persists, re-deploy the web application.
- If the requested resource is a dynamically-generated web page with a special extension name (for example, .cwr), the web server may not handle the request because the corresponding application mapping is not configured properly. Check the web server configuration.
- A related web application may not be deployed or properly configured. Consult the web application deployment instructions to verify the configuration of the web application.
- If the page worked previously, but then stopped working, a recent change on the web server side may have negatively impacted this page or its parent web application. For example, when an add-on web application is applied on top of the existing web application, the original configuration may be corrupted. Check for recent changes to the web server.

## 30.2 Resolving HTTP 500 errors

You can receive the HTTP 500 error for one of the following reasons:

- A prerequisite component is not installed or properly configured. As a result, an exception is thrown on the web server side. Check the web server log or the web application log for error or exception records. Check the web application deployment instructions to make sure that all required components were installed.
- An environment variable was not properly configured. This environment variable can be a system variable, or a variable defined in the web application server. As a result, a required library or class can not be found. Check the web server log or the web application log for error or exception records. Check the web application deployment instructions to make sure that all required steps were done.
- A security setting was not properly set. For example, a required system user account was not set. Check the web server log or the web application log for error or exception records. Check the web application deployment instructions to make sure that all of the required security settings are valid.
- The web application may not be properly configured or it may be corrupted. Restart the web server. If the problem persists, redeploy the web application.
- If the page worked previously, but then stopped working, a recent change on the web server side may have negatively impacted this page or its parent web application. For example, when an add-on web application is applied on top of the existing web application, the original configuration may be corrupted. Check for recent changes to the web server.
- If the requested resource is a dynamically-generated web page with a special extension name (for example, .cwr), the web server may not handle the request because the corresponding application mapping is not configured properly. Check the web server configuration.
- If the web server is Microsoft IIS, refer to the following article in the Microsoft Knowledge base:  
<http://support.microsoft.com/kb/311766>

## Dashboards error messages

**DSL initialization failed. (XLS 000001)**

**Cause**

DSL Initialization failed.

**Action**

Check the DSL Universe for integrity.

**Could not find DSL services; Check your SAP BusinessObjects installation. (XLS 000002)**

**Cause**

Could not find the DSL services.

**Action**

Check the SAP BusinessObjects Business Intelligence platform installation.

**Could not connect to SAP BusinessObjects server; Check your network connection. (XLS 000003)**

**Cause**

Could not connect to SAP BusinessObjects Business Intelligence platform.

**Action**

Check your network connection.

**Failed to (de-)serialize data. (XLS 000004)**

**Cause**

Failed to (de-)serialize data.

**Action**

Check data.

**Failed to serialize exception: {0}. (XLS 000005)**

**Cause**

Failed to serialize exception.

**Action**

Try again.

**Datasource ({0} - {1}) not found. (XLS 000006)**

**Cause**

Universe not found.

**Action**

Check CUID.

**Could not load Dashboards DSL library. (XLS 000007)**

**Cause**

Could not load Dashboards DSL library.

**Action**

Check Dashboards Server installation.

**Could not load session. (XLS 000008)**

**Cause**

Could not load session.

**Action**

Check the SAP BusinessObjects Business Intelligence platform login.

**Request processing failed. (XLS 000009)**

**Cause**

Request processing error.

**Action**

Try again.

**Cannot find {0} infoobject: {1}. Please verify that it exists and that you have rights on it. (XLS 000010)**

**Cause**

Could not find infoobject.

**Action**

Verify that the infoobject exists and you have access rights.

**Cannot find data connection information for universe: {0} (XLS 000011)**

**Cause**

Could not find data connection for universe.

**Action**

Verify that the correct connection to the universe exists.

**Unknown server error. Please try again later. (XLS 000012)**

**Cause**

Unknown server error.

**Action**

Attempt to access the server again.

**Invalid Dashboards Server configuration property: {0}. (XLS 000013)**

**Cause**

Invalid Dashboards server configuration property.

**Action**

Check that the server configuration properties are correctly defined with no typographical errors.

**Cannot find or load Dashboards Server configuration file. (XLS 000014)**

**Cause**

Missing Dashboards server configuration file.

**Action**

Check that the server configuration file exists.

**Your query generated multiple SQL statements, which is not supported. Please modify your query. (XLS 000015)**

**Cause**

Multiple SQL statements are not supported.

**Action**

Ensure that the query generates a single SQL statement.

**Combined Query is not supported. (XLS 000016)**

**Cause**

Combined queries are not supported.

**Action**

Check that your query is not a combined query.

**The cache file path is invalid. (XLS 000017)**

**Cause**

Invalid cache file path.

**Action**

Verify that the cache file path exists and is correct.

**Failed to initialize Dashboards Processing Server. (XLS 000018)**

**Cause**

Failed to initialize Dashboards Processing Server.

**Action**

Verify that the Dashboards Processing Server is up and running without errors.

**Current user does not have right: {0} on object: {1} (XLS 000019)**

**Cause**

Invalid user rights on object.

**Action**

Verify that the current user has correct permissions on the infoobject.

**Could not connect to the server. Log on and try again. (XLW 000001)**

**Cause**

Authentication failed.

**Action**

Check login credentials.

**Could not communicate with the server. Try again. If the problem persists, contact your system administrator or technical support. (XLW 000002)**

**Cause**

Cannot get XcelsiusService from session.

**Action**

Try re-login.



## Platform Search Error Messages

Platform Search error messages include the following:

Range	Category
PSS 0001 - PSS 07002	Platform Search errors

**New document extraction version has not been implemented. Contact your system administrator. (PSS 00002)**

**Cause**

Different version binaries are present in the build which does not match the internal class definitions and their implementations. This error may have occurred because binaries does not match the configuration parameters, or else the configuration parameters may have changed in the back end.

**Action**

Contact the administrator.

**Extraction failed due to unknown reasons for {0}. Contact your system administrator. (PSS 00003)**

**Cause**

The document is not supported by third party libraries or the extraction due to an uncaught exception.

**Action**

Contact the administrator with the stack trace and log files.

**While extracting the object with SI\_ID {0}, an Out of Memory Error occurred. Please check the document size. (PSS 00004)**

**Cause**

The size of the agnostic document uploaded to the repository is greater than the limit defined as LARGE\_OBJECT\_SIZE\_CUTOFF for the Platform Search configurations.

**Action**

Reduce the size of the document or split it into parts and then upload it again. Otherwise, contact the administrator to change the configuration parameters.

**Indexing failed because more than one index engine has been enabled (PSS 01001).**

**Cause**

More than one search engine is enabled in the CMC Application under the Platform Search application.

**Action**

Enable only one search engine in the CMC Application under the Platform Search application.

**Indexing failed. All index engines may be disabled (PSS 01002).**

**Cause**

None of the search engines is enabled in the CMC application under Platform Search.

**Action**

Enable at least one search engine in the CMC Application under the Platform Search application.

**Index is not ready. Please try again later (PSS 01004).**

**Cause**

The index is not generated.

**Action**

You need to wait until the index is generated. You can also refer to the Platform Search application properties page in CMC to find the number of indexed documents.

**The string is too generic. Provide a more specific string. (PSS 02001)**

**Cause**

This error may have occurred due to the use of generic strings such as "a", "this", "in", stop words or single letters as the only search keywords.

**Action**

Replace the generic string with more specific and complete search keywords such as "sales".

**Note:**

The usage of these generic strings in a phrased search does not result in this error message.

**Search string is empty. Enter a valid search string (PSS 02003).**

**Cause**

The search string is either empty or blank.

**Action**

Enter a valid search string.

**Search string is invalid. Please refer to the documentation for information about supported search syntax (PSS 02004).**

**Cause**

The search string syntax is invalid.

**Action**

Enter a valid search string. To know more about the valid search syntax, refer to the *Platform Search Techniques* topic in *BI Launch Pad User's Guide*.

**Server is busy. Please try again later (PSS 02005).**

**Cause**

The server does not have sufficient system resources to process the search request.

**Action**

Search again later.

### **Summary extraction failed for {0}. (PSS 03002)**

#### **Cause**

The property values in the document summary are not extractable.

#### **Action**

Check if the summary information contains extractable content.

### **Content extraction failed for {0}. (PSS 03004)**

#### **Cause**

This error may have occurred due to the following issues:

- If some of the components such as the header, footer, or cells in the structured agnostic documents contain unextractable text or objects.
- If the RTF and TXT documents contains unstructured text.

#### **Action**

Check if all the components in the document contain extractable text or object.

### **Unable to extract the object with SI\_ID {0} because the document may be a PPT with empty comments, password protected, or may have content that is not extractable. (PSS 03007)**

#### **Cause**

Platform Search failed to extract the object with SI\_ID< ID>, as the document may have one of the following problems:

- It may be a PPT with empty comments
- It may be password protected
- It may have some text or objects inserted which could not be extracted
- The third party library is unable to access the document

#### **Action**

Ensure that the document does not have any of the above- mentioned issues. If you encounter such an issue, remove those components and upload the document again.

**Unable to extract the object with SI\_ID {0} because the PDF may have content that is not extractable. (PSS 03008)**

**Cause**

The PDF document contains text or objects which cannot be extracted.

**Action**

Ensure that the document does not contain text or objects which cannot be extracted.

**Unable to extract the object with SI\_ID {0} because the document may have content that is not extractable, or may be too large. (PSS 03009)**

**Cause**

This error may have occurred because the document with SI\_ID< ID> may contain text or objects that could not be extracted, or the size of the document is large.

**Action**

Ensure that the document does not contain any text or object which cannot be extracted, and that the document size is not very large.

**RASFactory service failed to return. (PSS 04001)**

**Cause**

Report Application Server (RAS) is down or the Crystal Report Server service is not available for SAP BusinessObjects Business Intelligence platform to process the Crystal Reports.

**Action**

Ensure that the Report Application Service (RAS) is running, is properly configured and that the Crystal Report- specific services are functioning properly. Try to open the Crystal Report in *BI Launch Pad* to ensure RAS is available.

**Unsupported InfoObject {0} has been passed on to Crystal Reports extraction. (PSS 04003)**

**Cause**

The InfoObject is identified as a non-Crystal Report containing the InfoObjects properties kind as a report.

**Action**

Open the document in Crystal Report Designer and save it again.

### **Failed to close Crystal report {0}. (PSS 04005)**

#### **Cause**

Report Application Server (RAS) is down or the InfoObjects used in the report are corrupt.

#### **Action**

Ensure that RAS is running continuously. If the error persists, re-submit the report for extraction or contact your system administrator.

### **RAS has failed to open the document {0}. (PSS 04006)**

#### **Cause**

The InfoObject is not identified as a Crystal Report object.

#### **Action**

Upload proper Crystal Report objects to the repository which can be opened and viewed in Crystal Report Designer and BI launch pad.

### **Failed to create context for universe with an exception: {0}. (PSS 05001)**

#### **Cause**

Web Intelligence processing server is down.

#### **Action**

Ensure Web Intelligence processing server is running.

### **Failed to retrieve DataSourceElement value. Ensure DataSourceName is created and the connection is available. (PSS 05002)**

#### **Cause**

Database connection failure after establishing a successful connection at the beginning.

#### **Action**

Ensure there are no problems with the database connection. Check whether the DataSourceName (DSN) that was created for this data source has established a successful connection.

**Unable to create Business Layer for universe {0}. This may be due to context failure or unavailable core services. (PSS 05003)**

**Cause**

This error may have occurred due to one of the following issues:

- DataSource details are not received from the Web Intelligence processing server
- DataSourceName (DSN) has an incorrect or invalid database connection
- Web Intelligence processing server is down

**Action**

Ensure that the Web Intelligence Processing Server is running and that the DSN connection is functioning properly.

**Interactive analysis processing server may be down. Unable to create document instance. (PSS 06002)**

**Cause**

The Web Intelligence processing server or service is down.

**Action**

Check if the Web Intelligence processing server is running, and you have the rights to create an Interactive Analysis document. Try to open this document in BI Launch Pad.

**The new document extraction version is not implemented. Contact your system administrator. (PSS 06004)**

**Cause**

Platform Search does not support the document with content used from an unsupported version of the Interactive Analysis document.

**Action**

Remove the content from the unsupported version of the Interactive Analysis document.

**Failed to close interactive analysis document {0}. (PSS 06005)**

**Cause**

This server may have occurred because Web Intelligence processing server is down.

**Action**

Check if the Web Intelligence processing server is running. Try to open this document in BI Launch Pad.

**Interactive analysis processing server has failed to open the document {0}. (PSS 06006)**

**Cause**

Web Intelligence processing server is down.

**Action**

Check if the Web Intelligence processing server is running, and you have the rights to view an Interactive Analysis document. Try to open this document in BI launch pad.

**Interactive analysis document contains incorrect universe connection information. (PSS 06007)**

**Cause**

Incorrect or no universe or database connection information is available.

**Action**

Ensure that the universe or database connection information is available.

**Explorer Search Server may be down. Unable to compile results. (PSS 07001)**

**Cause**

Explorer search server is either down or disabled.

**Action**

Restart the Explorer search server and ensure it is running.

**Internal error occurred while retrieving Information Spaces. (PSS 07002)**

**Cause**

This error may have occurred due to an internal error.

**Action**

Search again later.

## Monitoring Error Messages

Monitoring error messages include the following:

Range	Category
MON00001- MON00057	Monitoring errors

### An error occurred while running the probe (MON00001)

#### Cause

The Probe Scheduling service may not be running, or there may be an exception causing an internal error.

#### Action

Check the Schedule Status link on the probe's history page or the log file for more details.

### An error occurred while listing the probes (MON00002)

#### Cause

This error may have occurred due to failure of a query that retrieves the list of probes.

#### Action

For more details refer to web server logs.

### An error occurred while reading the probe result from file with id: {0} (MON00003)

#### Cause

The probe run result report could not be fetched as the Input File Repository Server may not be running.

#### Action

Check if the File Repository Server is running and if the run instance has been deleted from the history page.

**An error occurred while retrieving the URLs for Properties/Schedule/History Action (MON00004)**

**Cause**

This error may have occurred due to the failure of a query which is used to retrieve the URL.

**Action**

Check the Web server log for more details.

**An error occurred while paginating the probes list (MON00006)**

**Cause**

This error may have occurred due to the failure of a query, which is used to retrieve a set of probes in a page.

**Action**

Check the web server log for more details.

**{0} is not a valid {1} value (MON00007)**

**Cause**

The value entered as the input parameter is not of the expected type. For example, String or Boolean.

**Action**

Enter a value of the expected type as the input parameter.

**An exception occurred while executing the request (MON00008)**

**Cause**

This error may have occurred due to an internal problem.

**Action**

Check the Web server log for more details.

**An error occurred while retrieving the trend data from the database (MON00009)**

**Cause**

The monitoring service may not be running, or there may be an error while retrieving trend data from the trending database.

**Action**

Ensure that the monitoring service is running. Check the log for more details.

**An error occurred while listing the watches (MON00010)**

**Cause**

This error may be due to the failure of a query, which is used to retrieve the list of watches.

**Action**

Check the Web server log for more details.

**An error occurred while retrieving the details for the watch {0} (MON00011)**

**Cause**

The error may be due to the failure of a query, which is used to retrieve the details of the watch.

**Action**

Check the Web server log for more details.

**An error occurred while retrieving the status of the watch {0}. (MON00012)**

**Cause**

The error may be due to the failure of a query, which is used to retrieve the status of the watch.

**Action**

Check the Web server log for more details.

**An error occurred while creating the watch {0} (MON00013)**

**Cause**

The monitoring service may not be running or there may be a query failure while committing the watch to the database.

**Action**

Start the monitoring service. If the service is already running, check the Web server logs for more details.

**An error occurred while deleting the watch {0} (MON00014)**

**Cause**

The monitoring service may not be running, or there may be a query failure while deleting the watch from the database.

**Action**

Start the monitoring service. If the service is already running, check the Web server logs for more details.

**An error occurred while making a copy of the watch {0} (MON00015)**

**Cause**

The monitoring service may not be running, or there may be a query failure while committing the copied watch to the database.

**Action**

Start the monitoring service. If the service is already running, check the Web server logs for more details.

**An error occurred while editing the watch {0} (MON00016)**

**Cause**

The monitoring service may not be running, or there may be a query failure while committing the modified watch to the database.

**Action**

Start the monitoring service. If the service is already running, check the Web server logs for more details.

**An error occurred while paginating the watches list (MON00017)**

**Cause**

The error may be due to the failure of a query, which is used to retrieve a set of watches in a page.

**Action**

Check the Web server log for more details.

**An error occurred while marking the watch {0} as Favorite (MON00018)**

**Cause**

This error may be due to the failure of a query, which is used to mark a watch as favorite.

**Action**

Check the Web server log for more details.

**An error occurred while retrieving recent alerts (MON00019)**

**Cause**

The monitoring service may not be running, or it may be running with errors.

**Action**

Ensure that the monitoring service is running. Check the log for more details.

**An error occurred while retrieving alerts for the watch {0} (MON00020)**

**Cause**

The monitoring service may not be running, or it may be running with errors. The user may not have permission to view the alerts.

**Action**

Ensure that the monitoring service is running and the user has appropriate permissions. Check the logs for more details.

**An error occurred while deleting an alert (MON00021)**

**Cause**

The user might not have permission to delete the alert, or the monitoring service may not be running or running with errors.

**Action**

Ensure that the monitoring service is running and that the user has appropriate permissions. Check the logs for more details.

**An error occurred while retrieving the total number of alert pages (MON00022)**

**Cause**

The monitoring service may not be running or it may be running with errors.

**Action**

Ensure that the monitoring service is running. Check the logs for more details.

**An error occurred while retrieving watches with alerts count (MON00023)**

**Cause**

The monitoring service may not be running or it may be running with errors.

**Action**

Ensure that the monitoring service is running. Check the logs for more details.

**An error occurred while setting alert confirmed property (MON00024)**

**Cause**

The user may not have permission to mark the alert as confirmed or the monitoring service may not be running or the monitoring service may be running with errors.

**Action**

Ensure that the monitoring service is running and the user has appropriate permissions. Check the logs for more details.

### **An error occurred while setting alert marked as read (MON00025)**

#### **Cause**

The user may not have permission to mark the alert as read or the monitoring service may not be running or running with errors.

#### **Action**

Ensure that the monitoring service is running and the user has appropriate permissions. Check the logs for more details.

### **Server not running (MON00026)**

#### **Cause**

AdaptiveProcessingServer (or the server hosting the monitoring service) is not running.

#### **Action**

Restart the server.

### **Unknown Error (MON00027)**

#### **Cause**

Unknown error.

#### **Action**

Ensure that the monitoring service is running. Check the log file for more details.

### **An error occurred while retrieving the KPIs (MON00028)**

#### **Cause**

This error may have occurred due to a query failure while retrieving the values from the repository.

#### **Action**

Check the Web server logs for more details.

### **An error occurred while refreshing the managed entities (MON00029)**

#### **Cause**

An error occurred while refreshing the managed entities.

**Action**

Restart the Central Management Server (CMS).

**An error occurred while enabling watch (MON00030)**

**Cause**

The monitoring service may not be running or it may be running with errors.

**Action**

Ensure that the monitoring service is running. Check the log file for more details.

**Timeout value cannot be zero or negative (MON00031)**

**Cause**

The probe is not executed since the timeout value entered is zero or negative.

**Action**

Enter a valid timeout value.

**Incorrect timeout value (MON00032)**

**Cause**

The probe is not executed due to incorrect timeout value.

**Action**

Enter a valid timeout value.

**Input Parameter Type "{0}" not recognized (MON00033)**

**Cause**

Input parameter type is not valid.

**Action**

Specify a valid input parameter. A valid input type is String, Boolean, and so on.

**Incorrect input parameter : {0} (MON00034)**

**Cause**

Incorrect input parameter.

**Action**

Specify a valid input parameter.

**Error in getting the Probe InfoObject (MON00035)**

**Cause**

Error in getting the probe info object. The probe object may have been deleted or the incorrect probe ID is passed.

**Action**

Ensure that you have provided the appropriate probe details.

**Probe InfoObject was not found (MON00036)**

**Cause**

Probe InfoObject not found. The probe object may have been deleted or the incorrect probe ID is passed.

**Action**

Ensure that the probe is available and you have the appropriate permissions.

**The following argument(s) are missing {0} (MON00037)**

**Cause**

Mandatory arguments are missing.

**Action**

Specify the mandatory arguments.

**An error occurred while disabling or enabling the watch {0} (MON00039)**

**Cause**

The monitoring service may not be running or there may be a query failure causing an internal error.

**Action**

Check the Web server log for more details.

**Monitoring service may not have started yet or might have failed to start. Check the service status (MON00041).**

**Cause**

The monitoring server or the service may not be running.

**Action**

Ensure that the monitoring server and service are running.

**An exception has occurred while executing the probe (MON00042).**

**Cause**

An error has occurred while executing the probe. This may be due to wrong configuration of input parameter.

**Action**

Check if the probe parameters are appropriately configured.

**An exception occurred while formatting the response (MON00044).**

**Cause**

The HTTP request returned a response that was not well formatted to be displayed as a response. This may be due to an exception while constructing the response to the request.

**Action**

Check the Web server log for more details.

**An error occurred while listing the Users (MON00045).**

**Cause**

The error may be due to the failure of a query, which is used to retrieve the list of administrators and monitoring users.

**Action**

Check the Web server log for more details.

**An error occurred while retrieving the KPI details. (MON00046)**

**Cause**

This error may have occurred due to a query failure while retrieving the values from the repository.

**Action**

Check the Web server logs for more details.

**An error occurred while retrieving synchronized live data (MON00047).**

**Cause**

This error may have occurred due to an internal problem.

**Action**

Restart the server hosting the monitoring service.

**An error occurred while retrieving the watch state (MON00048).**

**Cause**

The error may be due to the failure of a query which is used to retrieve the status of the watch.

**Action**

Check the Web server log for more details.

**An error occurred while retrieving the probe run result report (MON00049)**

**Cause**

The File Repository Server may not be running or the run result (instance) may be deleted.

**Action**

Check if the File Repository Server is running or refresh the history page to see if the run result was deleted.

**An error occurred while saving the probe (MON00050)**

**Cause**

This error may be due to a query failure while saving the probe or the probe may have been deleted.

**Action**

Ensure that the probe has not been deleted. Check Web server log for more details.

**An error occurred while displaying the properties of the Probe (MON00051)**

**Cause**

This error may be due to a query failure while retrieving the probe properties.

**Action**

Ensure that the probe has not been deleted and the Web server is running. Check the Web server log for more details.

**An error occurred while saving the application properties (MON00052).**

**Cause**

This error message may have occurred due to an internal problem.

**Action**

Ensure that the values entered are appropriate. If the error continues to persist, check the Web server log.

**An error occurred while displaying the properties of the application (MON00053) .**

**Cause**

This error may have occurred due to an internal problem.

**Action**

Check the Web server log for more details.

**An error occurred while running the database backup task (MON00054)**

**Cause**

The monitoring service may not be running, or there may be an internal error.

**Action**

Ensure that the monitoring service is running. Check the log for more details.

**An error occurred while retrieving the details of the Derived metric (MON00055)**

**Cause**

The monitoring service may not be running or the derived metric equation may not be valid or there may be an internal error.

**Action**

Ensure that the monitoring service is running. Check the log file for more details.

**An error occurred while editing the Derived metric (MON00056)**

**Cause**

The monitoring service may not be running or there may be an internal error.

**Action**

Ensure that the monitoring service is running. Check logs for more details.

**An error occurred while disabling watch (MON00057)**

**Cause**

This error may have occurred due to an internal problem.

**Action**

Refresh the watch list to check if the watch is already disabled. Check if the monitoring service is running. You can also restart the server hosting the Monitoring service.



## More Information

Information Resource	Location
SAP product information	<a href="http://www.sap.com">http://www.sap.com</a>
SAP Help Portal	<p><a href="http://help.sap.com/businessobjects">http://help.sap.com/businessobjects</a></p> <p>Access the most up-to-date English documentation covering all SAP BusinessObjects products at the SAP Help Portal:</p> <ul style="list-style-type: none"> <li>• <a href="http://help.sap.com/bobi">http://help.sap.com/bobi</a> (Business Intelligence)</li> <li>• <a href="http://help.sap.com/boepm">http://help.sap.com/boepm</a> (Enterprise Performance Management)</li> <li>• <a href="http://help.sap.com/boeim">http://help.sap.com/boeim</a> (Enterprise Information Management)</li> </ul> <p>Certain guides linked to from the SAP Help Portal are stored on the SAP Service Marketplace. Customers with a maintenance agreement have an authorized user ID to access this site. To obtain an ID, contact your customer support representative.</p> <p>To find a comprehensive list of product documentation in all supported languages, visit: <a href="http://help.sap.com/boall">http://help.sap.com/boall</a>.</p>
SAP Support Portal	<p><a href="http://service.sap.com/bosap-support">http://service.sap.com/bosap-support</a></p> <p>The SAP Support Portal contains information about Customer Support programs and services. It also has links to a wide range of technical information and downloads. Customers with a maintenance agreement have an authorized user ID to access this site. To obtain an ID, contact your customer support representative.</p>
Developer resources	<p><a href="http://www.sdn.sap.com/irj/sdn/bi-sdk-dev">http://www.sdn.sap.com/irj/sdn/bi-sdk-dev</a></p> <p><a href="https://www.sdn.sap.com/irj/sdn/businessobjects-sdklibrary">https://www.sdn.sap.com/irj/sdn/businessobjects-sdklibrary</a></p>
SAP BusinessObjects articles on the SAP Community Network	<p><a href="http://www.sdn.sap.com/irj/boc/articles">http://www.sdn.sap.com/irj/boc/articles</a></p> <p>These articles were formerly known as technical papers.</p>

Information Resource	Location
Notes	<a href="https://service.sap.com/notes">https://service.sap.com/notes</a> These notes were formerly known as Knowledge Base articles.
Forums on the SAP Community Network	<a href="https://www.sdn.sap.com/irj/scn/forums">https://www.sdn.sap.com/irj/scn/forums</a>
Training	<a href="http://www.sap.com/services/education">http://www.sap.com/services/education</a> From traditional classroom learning to targeted e-learning seminars, we can offer a training package to suit your learning needs and preferred learning style.
Consulting	<a href="http://www.sap.com/services/bysubject/businessobjectsconsulting">http://www.sap.com/services/bysubject/businessobjectsconsulting</a> Consultants can accompany you from the initial analysis stage to the delivery of your deployment project. Expertise is available in topics such as relational and multidimensional databases, connectivity, database design tools, and customized embedding technology.

# Index

## A

AOC00001 103  
AOC00002 103  
AOC00003 104  
AOC00005 104  
AOC00006 104  
AOC00007 104  
AOC00008 105  
AOC00009 105  
AOC00011 105  
AOC00012 105  
AOC00013 106  
AOC00020 106  
AOC00021 107  
AOC00022 107  
AOC00023 107  
AOC00040 107  
AOC00041 108  
AOC00044 108  
AOC00045 108  
AOC00046 108  
AOC00047 109

## C

CAT0001 177  
CDS 00001 477  
CDS 00002 477  
CDS 00003 477  
CDS 00004 477  
CDS 00005 477  
CDS 00006 478  
CDS 00007 478  
CDS 00008 478  
CDS 00009 478  
CDS 00010 479  
CDS 00011 479  
CDS 00012 479  
CDS 00013 479  
CDS 10100 480  
CDS 10101 480  
CDS 10200 480  
CDS 10201 480  
CDS 10202 480  
CDS 10203 481  
CDS 10204 481  
CDS 10205 481  
CDS 10206 481  
CDS 10207 482  
CDS 10208 482

CDS 10400 482  
CDS 15102 482  
CDS 15103 483  
CDS 15104 483  
CDS 15106 483  
CDS 15107 483  
CDS 15108 484  
CDS 15109 484  
CDS 15110 484  
CDS 15111 484  
CDS 15112 485  
CDS 15113 485  
CDS 15114 485  
CDS 15115 485  
CDS 15116 486  
CDS 15117 486  
CDS 15118 486  
CDS 15119 486  
CDS 15120 487  
CDS 15121 487  
CDS 15122 487  
CIM 01100 115  
CIM 01101 115  
CIM 01102 116  
CIM 01103 116  
CIM 01104 116  
CIM 01105 116  
CIM 01106 117  
CIM 01107 117  
CIM 01108 117  
CIM 01109 117  
CIM 01110 118  
CIM 01111 118  
CIM 01112 118  
CIM 01113 118  
CIM 01114 119  
CIM 01115 119  
CIM 01116 119  
CIM 01117 119  
CIM 01200 120  
CIM 01300 120  
CIM 01301 120  
CIM 01302 120  
CIM 01303 121  
CIM 01304 121  
CIM 01305 121  
CIM 01306 121  
CIM 01307 122  
CIM 01400 122  
CIM 01401 122  
CIM 01403 122

CIM 01405 122  
CIM 01406 123  
CIM 01407 123  
CIM 01409 123  
CIM 01410 123  
CIM 01411 124  
CIM 01412 124  
CIM 01413 124  
CIM 01414 124  
CIM 01415 125  
CIM 01416 125  
CIM 01417 125  
CIM 01418 125  
CIM 01419 126  
CIM 01420 126  
CIM 01421 126  
CIM 01501 126  
CIM 01502 127  
CIM 01601 127  
CIM 01602 127  
CIM 01603 127  
CIM 01604 128  
CIM 01605 128  
CIM 01606 128  
CIM 01607 128  
CIM 01608 129  
CIM 01609 129  
CIM 01610 129  
CIM 01611 129  
CIM 01612 130  
CIM 01613 130  
CIM 01614 130  
CIM 01615 130  
CIM 01616 131  
CIM 01700 131  
CIM 01701 131  
CIM 01702 131  
CIM 01703 131  
CIM 01704 132  
CIM 01705 132  
CIM 01800 132  
CIM 01801 132  
CIM 02000 133  
CRS 200001 135  
CRS 200002 135  
CRS 200003 136  
CRS 200004 136  
CRS 200005 136  
CRS 300001 136  
CRS 300002 137  
CRS 300003 137

CRS 300004 137  
CRS 300005 137  
CRS 300006 137  
CRS 300007 138  
CRS 300008 138  
CRS 300009 138  
CRS 300010 138  
CRS 300011 139  
CRS 300012 139  
CRS 300013 139  
CRS 300014 139  
CRS 300015 139  
CRS 300016 140  
CRS 300017 140  
CRS 300018 140  
CRS 300019 140  
CRS 300020 141  
CRS 300021 141  
CRS 300022 141  
CRS 300023 141  
CRS 300024 142  
CSM 00001 143  
CSM 00002 143  
CSM 00003 144  
CSM 00004 144  
CSM 00005 144  
CSM 00006 144  
CSM 00007 145  
CSM 00008 145  
CSM 00009 145  
CSM 00010 146  
CSM 00011 146  
CSM 00012 146  
CSM 00101 146  
CSM 00102 147  
CSM 00103 147  
CSM 00104 147  
CSM 00105 147  
CSM 00106 148  
CSM 00107 148  
CSM 00108 148  
CSM 00109 149  
CSM 00110 149  
CSM 00111 149  
CSM 00112 149

## D

DA0005 151  
DA0009 152  
DA0010 152  
DFA 00010 169  
DFA 0003 169  
DFA 0030 169  
DFA 20001 170  
DFA 30001 170

DFA 40001 170  
DFA 40002 170  
DFA 40003 171  
DFA 40004 171  
DFA 50001 171  
DFA 50002 171  
DFA 50003 172  
DFA 50004 172  
DFA 50005 172  
DFA 50006 172  
DFA 50007 173  
DFA 50008 173  
DFA 60001 173  
DFA 60002 173  
DFA 60003 173  
DFA 60004 174  
DFA 60005 174  
DFA 60006 174  
DFA 70001 174  
DFA 70002 175  
DFA 80002 175  
DFA 80003 175  
DFA 80004 175  
DFA 80005 175  
DFA 80006 176  
DFA 80007 176  
DMA0002 153  
DMA0005 153  
DMA0006 154  
DMA0007 155  
DMA0008 155  
DPP0001 156  
DPP0002 156  
DPQ0001 157  
DPQ0003 157  
DPQ0005 157  
DPQ0006 158  
DPS0001 158  
DPS0002 159  
DX 00050 187  
DX0001 178  
DX0002 178  
DX0003 178  
DX0004 179  
DX0005 179  
DX0007 179  
DX0009 180  
DX0010 180  
DX0011 181  
DX0012 181  
DX0014 182  
DX0017 182  
DX0018 182  
DX0022 183  
DX0024 183  
DX0025 183

DX0026 184  
DX0027 184  
DX0037 184  
DX0040 185  
DX0041 185  
DX0044 185  
DX0045 186  
DX0046 186  
DX0047 186

## E

EAS 10001 205  
EAS 10002 206  
EAS 10003 206  
EAS 10004 206  
EAS 10005 206  
EAS 10006 207  
EAS 10007 207  
EAS 10008 207  
EAS 10009 207  
EAS 10010 208  
EAS 30001 208

## F

FBE 60002 217  
FBE 60003 218  
FBE 60004 218  
FBE 60013 218  
FBE 60016 218  
FBE 60019 219  
FBE 60022 219  
FBE 60025 219  
FBE 60026 219  
FBE 60027 220  
FBE 60029 220  
FBE 60033 220  
FBE 60034 220  
FBE 60036 221  
FBE 60037 221  
FBE 60038 221  
FBE 60039 222  
FBE 60040 222  
FBE 60041 222  
FBE 60100 222  
FBE 60101 223  
FBE 60105 223  
FBE 60106 223  
FBE 60107 223  
FBE 60208 224  
FBE 60211 224  
FBE 60212 224  
FBE 60213 224  
FBE 60216 225  
FBE 60217 225

FBE 60218 225  
 FBE 60219 225  
 FBE 60220 226  
 FBE 60224 226  
 FBE 60225 226  
 FBE 60226 226  
 FBE 60227 227  
 FBE 60228 227  
 FBE 60314 227  
 FBE 60315 227  
 FBE 60317 228  
 FBE 60318 228  
 FBE 60319 228  
 FBE 60320 228  
 FBE 60321 229  
 FBE 60322 229  
 FBE 60323 229  
 FBE 60400 230  
 FBE 60401 230  
 FBE 60402 230  
 FBE 60404 230  
 FBE 60405 231  
 FBE 60406 231  
 FBE 60408 231  
 FBE 60409 232  
 FBE 60410 232  
 FBE 60411 232  
 FBE 60412 232  
 FBE 60413 233  
 FBE 60414 233  
 FBE 60415 233  
 FBE 60502 233  
 FBE 60503 234  
 FBE 60504 234  
 FBE 60505 234  
 FBE 60506 234  
 FBE 60507 235  
 FBE 60509 235  
 FBE 60510 235  
 FBE 60512 235  
 FBE 60513 236  
 FBE 60600 236  
 FBE 60601 236  
 FBE 60602 236  
 FBE42001 209  
 FBE42003 209  
 FBE42008 210  
 FBE42009 210  
 FBE42014 210  
 FBE42016 210  
 FBE42017 211  
 FBE42018 211  
 FBE42033 211  
 FBE42034 211  
 FBE42042 212  
 FBE42044 212  
 FBE42045 212  
 FBE42046 213  
 FBE42048 213  
 FBE42049 213  
 FBE42050 213  
 FBE42051 214  
 FBE42052 214  
 FBE42055 214  
 FBE42056 214  
 FBE42057 215  
 FBE42058 215  
 FBE42059 215  
 FBE42060 215  
 FBE42061 216  
 FBE42062 216  
 FBE42063 216  
 FBE42064 216  
 FBE42066 217  
 FBE42067 217  
  
**G**  
 GUI0003 237  
 GUI0005 238  
 GUI0006 238  
  
**I**  
 IDT 00420 239  
 IDT 00425 240  
 IDT 00630 240  
 IDT 00631 240  
 IDT 02300 241  
 IDT 02311 241  
 IDT 06103 242  
 IDT 06120 242  
 IDT 06130 242  
 IDT 06150 243  
 IDT 06200 243  
 IDT 06201 243  
 IDT 06202 244  
 IDT 06203 244  
 IDT 06204 245  
 IDT 06205 245  
 IDT 06210 245  
 IDT 09501 246  
 IDT 095010 248  
 IDT 095011 248  
 IDT 09502 246  
 IDT 09503 246  
 IDT 09504 247  
 IDT 09505 247  
 IDT 09506 247  
 IDT 09507 247  
 IDT 09508 248  
 IDT 09509 248  
 IDT 15025 249  
 IES 00001 251  
 IES 00002 251  
 IES 00003 252  
 IES 00004 252  
 IES 00005 252  
 IES 00006 252  
 IES 00007 253  
 IES 00008 253  
 IES 00009 253  
 IES 00010 253  
 IES 00011 254  
 IES 00012 254  
 IES 00013 255  
 IES 00014 255  
 IES 00015 255  
 IES 00016 255  
 IES 00017 256  
 IES 00018 256  
 IES 00019 256  
 IES 00020 256  
 IES 00021 257  
 IES 00022 257  
 IES 00023 257  
 IES 00024 257  
 IES 00025 257  
 IES 00026 258  
 IES 00027 258  
 IES 00028 258  
 IES 00029 258  
 IES 10001 259  
 IES 10002 259  
 IES 10005 259  
 IES 10006 259  
 IES 10013 259  
 IES 10014 260  
 IES 10016 260  
 IES 10032 260  
 IES 10033 260  
 IES 10034 261  
 IES 10035 261  
 IES 10036 261  
 IES 10037 261  
 IES 10038 262  
 IES 10040 262  
 IES 10041 262  
 IES 10042 262  
 IES 10061 263  
 IES 10064 263  
 IES 10069 263  
 IES 10072 263  
 IES 10077 263  
 IES 10082 264  
 IES 10083 264  
 IES 10086 264  
 IES 10100 264



LO 26612 326  
 LO 26613 327  
 LO 26614 327  
 LO 26615 327  
 LO 26616 327  
 LO 26617 328  
 LO 26619 328  
 LO 26620 328  
 LO 26621 328  
 LO 26626 329  
 LO 26627 329  
 LO 26630 329  
 LO 26631 329  
 LOV0001 303  
 LOV0002 303

## M

MDB 00001 331  
 MOB 00001 333  
 MOB 00002 334  
 MOB 00005 334  
 MOB 00006 334  
 MOB 00009 334  
 MOB 00010 335  
 MOB 00011 335  
 MOB 00012 335  
 MOB 00014 335  
 MOB 00015 336  
 MOB 00018 336  
 MOB 00019 336  
 MOB 00020 336  
 MOB 00021 337  
 MOB 00022 337  
 MOB 00023 337  
 MOB 00024 337  
 MOB 00026 338  
 MOB 00027 338  
 MOB 00028 338  
 MOB 00029 338  
 MOB 00030 339  
 MOB 00031 339  
 MOB 00050 339  
 MOB 00051 339  
 MOB 00060 339  
 MOB 00061 339  
 MOB 00080 340  
 MOB 00081 340  
 MOB 00082 340  
 MOB 00083 340  
 MOB 00110 340  
 MOB 00111 340  
 MOB 00130 340  
 MOB 00131 340  
 MOB 00132 340  
 MOB 00300 340  
 MOB 00301 340  
 MOB 00302 340  
 MOB 00303 340  
 MOB 00304 340  
 MOB 00305 340  
 MOB 02003 341  
 MOB 02017 341  
 MOB 02090 341  
 MOB 02091 341  
 MOB 02100 341  
 MOB 02101 341  
 MOB 02102 341  
 MOB 02120 342  
 MOB 02121 342  
 MOB 10004 342  
 MOB 10005 342  
 MOB 10006 342  
 MOB 10007 343  
 MOB 10008 343  
 MOB 10009 343  
 MOB 10010 343  
 MOB 10011 343  
 MOB 10012 344  
 MOB 10013 344  
 MOB 10030 344  
 MOB 10031 344  
 MOB 10032 345  
 MOB 10033 345  
 MOB 10034 345  
 MOB 10035 345  
 MOB 10037 345  
 MOB 10039 346  
 MOB 10040 346  
 MOB 10042 346  
 MOB 10043 346  
 MOB 10044 347  
 MOB 10045 347  
 MOB 10046 347  
 MOB 10047 347  
 MOB 10048 347  
 MOB 10049 347  
 MOB 10050 348  
 MOB 10051 348  
 MOB 10071 348  
 MOB 10072 348  
 MOB 10073 348  
 MOB 10081 348  
 MOB 10082 348  
 MOB 10083 348  
 MOB 10090 348  
 MOB 10091 348  
 MOB 10100 349  
 MOB 10101 349  
 MOB 10102 349  
 MOB 10110 349  
 MOB 10111 349  
 MOB 10120 349  
 MOB 10121 349  
 MOB 10122 349  
 MOB 10130 349  
 MOB 10131 349  
 MOB 10132 349  
 MOB 10133 349  
 MOB 10140 349  
 MOB 10141 349  
 MOB 10142 349  
 MOB 10143 349  
 MOB 10150 350  
 MOB 10151 350  
 MOB 10160 350  
 MOB 10161 350  
 MOB 10162 350  
 MOB 10170 350  
 MOB 10171 350  
 MOB 10180 350  
 MOB 10181 350  
 MOB 10190 351  
 MOB 10191 351  
 MOB 10192 351  
 MOB 10193 351  
 MOB 10200 351  
 MOB 10201 351  
 MOB 10210 351  
 MOB 10211 351  
 MOB 10220 351  
 MOB 10221 351  
 MOB 10230 351  
 MOB 10231 351  
 MOB 10300 352  
 MOB 10301 352  
 MOB 10302 352  
 MOB 10303 352  
 MOB 10304 352  
 MOB 10305 352  
 MOB 10306 352  
 MOB 10307 352  
 MOB 10308 352  
 MOB 10309 352  
 MOB 10310 352  
 MOB 10311 352  
 MOB 10312 352  
 MOB 10400 352  
 MOB 10401 352  
 MOB 10402 352  
 MOB 10403 352  
 MOB 10404 352  
 MOB 10405 352  
 MOB 10406 352  
 MOB 10407 352  
 MOB 10408 352  
 MOB 10409 352  
 MOB 10410 352

MOB 10411 352  
MOB 10412 352  
MOB 10413 352  
MOB 10414 352  
MOB 10415 352  
MOB 10416 352  
MOB 10417 352  
MOB 10418 352  
MOB 10419 352  
MOB 10420 352  
MOB 10500 352  
MOB 10501 352  
MOB 10502 352  
MOB 10503 352  
MOB 10504 352  
MOB 10505 352  
MOB 10600 352  
MOB 10601 352  
MOB 10602 352  
MOB 10603 352  
MOB 10604 352  
MOB 10700 353  
MOB 10701 353  
MOB 10702 353  
MOB 10703 353  
MOB 10704 353  
MOB 10705 353  
MOB 10706 353  
MOB 10707 353  
MOB 10708 353  
MOB 10709 353  
MOB 10710 353  
MOB 10711 353  
MOB 10712 353  
MOB 10713 353  
MOB 10714 353  
MOB 10715 353  
MOB 10716 353  
MOB 10800 353  
MOB 10801 353  
MOB 10802 353  
MOB 10803 353  
MOB 10804 353  
MOB 10805 353  
MOB 10806 353  
MOB 10807 353  
MOB 10808 353  
MOB 10809 353  
MOB 10810 353  
MOB 10811 353  
MOB 10812 353  
MOB 10813 353  
MOB 10900 353  
MOB 10901 353  
MOB 10902 353  
MOB 10903 353  
MOB 10904 353  
MOB 10905 353  
MOB 10906 353  
MOB 10907 353  
MOB 10908 353  
MOB 10909 353  
MON00001 505  
MON00002 505  
MON00003 505  
MON00004 506  
MON00006 506  
MON00007 506  
MON00008 506  
MON00009 507  
MON00010 507  
MON00011 507  
MON00012 507  
MON00013 508  
MON00014 508  
MON00015 508  
MON00016 508  
MON00017 509  
MON00018 509  
MON00019 509  
MON00020 509  
MON00021 510  
MON00022 510  
MON00023 510  
MON00024 510  
MON00025 511  
MON00026 511  
MON00027 511  
MON00028 511  
MON00029 511  
MON00030 512  
MON00031 512  
MON00032 512  
MON00033 512  
MON00034 513  
MON00035 513  
MON00036 513  
MON00037 513  
MON00039 513  
MON00041 514  
MON00042 514  
MON00044 514  
MON00045 514  
MON00046 515  
MON00047 515  
MON00048 515  
MON00049 515  
MON00050 515  
MON00051 516  
MON00052 516  
MON00053 516  
MON00054 516  
MON00055 517  
MON00056 517  
MON00057 517

**P**

PS 10001 361  
PS 10002 361  
PS 10003 362  
PS 10004 362  
PS 10005 362  
PS 10006 362  
PS 10007 363  
PS 10008 363  
PS 15002 363  
PS 15003 363  
PS 15004 363  
PS 15005 364  
PS 15006 364  
PS 20001 364  
PS 20002 364  
PS 20003 365  
PS 20004 365  
PS 20005 365  
PS 20006 365  
PS 20007 366  
PS 20008 366  
PS 20009 366  
PS 20010 366  
PS 20011 367  
PS 20012 367  
PS 20013 367  
PS 30001 367  
PS 30002 368  
PS 30003 368  
PS 30004 368  
PS 30005 368  
PS 30006 369  
PS 30007 369  
PS 30008 369  
PS 30009 369  
PS 30010 370  
PS 30011 370  
PS 30012 370  
PS 30013 370  
PS 30015 371  
PS 30016 371  
PS 30017 371  
PS 30019 371  
PS 40001 372  
PS 40002 372  
PS 40003 372  
PS 50001 373  
PS 50002 373  
PS 50003 373  
PS 50004 373

PS 50005 373  
 PS 50006 374  
 PS 50007 374  
 PS 50008 374  
 PS 50009 374  
 PS 50010 375  
 PS 50011 375  
 PS 50100 375  
 PS 50101 375  
 PS 50102 376  
 PS 50103 376  
 PS 50104 376  
 PS 50105 376  
 PS 50106 377  
 PS 50107 377  
 PS 50108 377  
 PS 50109 377  
 PS 50200 378  
 PS 50201 378  
 PS 50202 378  
 PS 50203 378  
 PS 50204 378  
 PS 50205 379  
 PS 50206 379  
 PS 50300 379  
 PS 50301 379  
 PS 50302 380  
 PS 50303 380  
 PS 50304 380  
 PS 50305 380  
 PS 50306 381  
 PS 50307 381  
 PS 50308 381  
 PS 60001 381  
 PS 60002 382  
 PS 60003 382  
 PS 60004 382  
 PS 60101 382  
 PS 60102 383  
 PS 60103 383  
 PS 60201 383  
 PS 60301 383  
 PSS 00002 497  
 PSS 00003 497  
 PSS 00004 498  
 PSS 01001 498  
 PSS 01002 498  
 PSS 01004 498  
 PSS 02001 499  
 PSS 02003 499  
 PSS 02004 499  
 PSS 02005 499  
 PSS 03002 500  
 PSS 03004 500  
 PSS 03007 500  
 PSS 03008 501

PSS 03009 501  
 PSS 04001 501  
 PSS 04003 501  
 PSS 04005 502  
 PSS 04006 502  
 PSS 05001 502  
 PSS 05002 502  
 PSS 05003 503  
 PSS 06002 503  
 PSS 06004 503  
 PSS 06005 503  
 PSS 06006 504  
 PSS 06007 504  
 PSS 07001 504  
 PSS 07002 504

## Q

QP0001 160  
 QP0002 160  
 QP0003 160  
 QP0004 160  
 QP0005 161  
 QP0006 161  
 QP0007 161  
 QP0008 162  
 QP0009 162  
 QP0010 162  
 QP0011 162  
 QP0013 163  
 QP0014 163  
 QP0015 163  
 QP0016 164  
 QP0017 164  
 QP0018 164  
 QP0019 165  
 QP0020 166  
 QP0021 166  
 QP0022 167  
 QP0023 167  
 QP0025 167  
 QP0027 167  
 QPF0001 159  
 QTJ 00501 355  
 QTJ 00510 355  
 QTJ 00511 355  
 QTJ 00512 356  
 QTJ 00513 356  
 QTJ 00514 356  
 QTJ 00515 356  
 QWS 00001 357  
 QWS 00002 357  
 QWS 00003 357  
 QWS 00004 358  
 QWS 00005 358  
 QWS 00006 358

QWS 00007 358  
 QWS 00008 359  
 QWS 00009 359  
 QWS 00010 359  
 QWS 00011 359  
 QWS 02718 360

## R

RCT 00001 385  
 RCT 00011 385  
 RCT 00013 385  
 RCT 00014 386  
 RCT 00016 386  
 RCT 00017 386  
 RCT 00018 386  
 RCT 00019 387  
 RCT 00020 387  
 RCT 00021 387  
 RCT 00022 387  
 RCT 00023 387  
 RCT 00024 388  
 RCT 00025 388  
 RCT 00026 388  
 RCT 00027 388  
 RCT 00028 389  
 RCT 00029 389  
 RCT 00030 389  
 RCT 00031 389  
 RCT 00032 390  
 RWI 00000 462  
 RWI 00001 462  
 RWI 00010 462  
 RWI 00011 462  
 RWI 00012 463  
 RWI 00013 463  
 RWI 00014 463  
 RWI 00015 463  
 RWI 00016 464  
 RWI 00017 464  
 RWI 00200 464  
 RWI 00223 464  
 RWI 00226 465  
 RWI 00235 465  
 RWI 00236 465  
 RWI 00237 466  
 RWI 00239 466  
 RWI 00240 466  
 RWI 00301 466  
 RWI 00309 467  
 RWI 00314 467  
 RWI 00316 467  
 RWI 00317 467  
 RWI 00321 468  
 RWI 00322 468  
 RWI 00323 468

RWI 00324 468  
RWI 00501 469  
RWI 00502 469  
RWI 00503 469  
RWI 00504 469  
RWI 00506 470  
RWI 00507 470  
RWI 00508 470  
RWI 00509 470  
RWI 00511 471  
RWI 00512 471  
RWI 00602 471  
RWI 00603 471  
RWI 00604 471  
RWI 00605 472  
RWI 00606 472  
RWI 00607 472  
RWI 00608 472  
RWI 00609 473  
RWI 00610 473  
RWI 00611 473  
RWI 00612 473  
RWI 00613 474  
RWI 00614 474  
RWI 00701 474  
RWI 00702 474  
RWI 00703 474  
RWI 00706 475  
RWI 00800 475  
RWI 00801 475  
RWI 00825 475  
RWI 00826 476  
RWI 00850 476  
RWS 000011 393  
RWS 000012 394  
RWS 000013 394  
RWS 000015 394  
RWS 000016 394  
RWS 000017 395  
RWS 000018 395  
RWS 000019 395  
RWS 00002 391  
RWS 000020 395  
RWS 000021 396  
RWS 000022 396  
RWS 000023 396  
RWS 000024 396  
RWS 000025 397  
RWS 000026 397  
RWS 00003 391  
RWS 000031 397  
RWS 000032 398  
RWS 000033 398  
RWS 000034 398  
RWS 000035 398  
RWS 000036 399

RWS 000037 399  
RWS 000038 399  
RWS 000039 399  
RWS 00004 392  
RWS 000040 400  
RWS 000041 400  
RWS 000042 400  
RWS 000043 400  
RWS 000044 401  
RWS 000045 401  
RWS 000046 401  
RWS 000047 401  
RWS 000048 402  
RWS 000049 402  
RWS 00005 392  
RWS 000050 402  
RWS 000051 403  
RWS 00006 392  
RWS 00007 392  
RWS 000076 409  
RWS 000077 410  
RWS 000078 410  
RWS 000079 410  
RWS 00008 393  
RWS 00009 393  
RWS 00010 393  
RWS 00052 403  
RWS 00053 403  
RWS 00054 403  
RWS 00055 404  
RWS 00056 404  
RWS 00057 404  
RWS 00058 404  
RWS 00059 405  
RWS 00060 405  
RWS 00061 405  
RWS 00062 405  
RWS 00063 406  
RWS 00064 406  
RWS 00065 406  
RWS 00066 407  
RWS 00067 407  
RWS 00068 407  
RWS 00069 407  
RWS 00070 408  
RWS 00071 408  
RWS 00072 408  
RWS 00073 408  
RWS 00074 409  
RWS 00075 409

## T

TMT 20050 412  
TMT 20070 413  
TMT10000 411

TMT10010 411  
TMT10020 412  
TMT10030 412  
TMT10040 412  
TMT10050 412

## U

UNM0001 417  
UNM0002 418  
UNM0003 418  
UNM0004 418  
UNM0005 418  
UNM0006 418  
UNM0007 419  
UNM0008 419  
UNM0009 419  
UNM0010 419  
UNM0011 420  
UNM0012 420  
UNM0013 420  
UNM0014 420  
UNM0015 421  
UNM0016 421  
UNV0017 421  
UNV0035 422  
UNV0049 423  
USR0006 101  
UTM 20001 413  
UTM 20010 413  
UTM 20020 414  
UTM 20030 414  
UTM 20040 414  
UTM 20050 414  
UTM 20060 415  
UTM 20070 415  
UX0001 187  
UX0010 188  
UX0011 188  
UX0012 188  
UX0013 189  
UX0015 189  
UX0016 189  
UX0023 190  
UX0028 190  
UX0029 190  
UX0032 191  
UX0033 191  
UX0034 191  
UX0036 191  
UX0037 192  
UX0038 192  
UX0039 192  
UX0040 193  
UX0041 194  
UX0042 194

UX0043 194  
 UX0044 195  
 UX0045 195  
 UX0046 195  
 UX0047 196  
 UX0048 196  
 UX0049 197  
 UX0050 197  
 UX0051 197  
 UX0052 198  
 UX0053 198  
 UX0054 198  
 UX0055 199  
 UX0057 199  
 UX0058 200  
 UX0059 200  
 UX0060 200  
 UX0061 201  
 UX0062 201  
 UX0063 201  
 UX0064 202  
 UX0065 202  
 UX0066 202  
 UX0067 203  
 UX0068 203  
 UX0069 203  
 UX0071 204

## V

VAR0001 304  
 VDC 00001 300  
 VDC 00002 300  
 VDC 00003 300  
 VDC 00004 301  
 VDC 00005 301  
 VDC 00007 301  
 VDC 00008 301  
 VDC 00009 302  
 VDC 00010 302  
 VDS 00001 294  
 VDS 00002 294  
 VDS 00003 294  
 VDS 00004 294  
 VDS 00005 294  
 VDS 00006 295  
 VDS 00007 295  
 VDS 00008 295  
 VDS 00009 295  
 VDS 00010 296  
 VDS 00012 296  
 VDS 00013 296  
 VDS 00014 296  
 VDS 00015 296

VDS 00016 297  
 VDS 00017 297  
 VDS 00018 297  
 VDS 00019 297  
 VDS 00020 298  
 VDS 00021 298  
 VDS 00022 298  
 VDS 00023 298  
 VDS 00024 299  
 VDS 00025 299  
 VDS 00026 299  
 VDS 00027 299  
 VDS 00028 300  
 VDS 00029 300  
 VYC00018 106

## W

WIH 00015 461  
 WIH 00016 461  
 WIJ 10000 441  
 WIJ 10001 442  
 WIJ 10500 442  
 WIJ 11111 442  
 WIJ 20000 443  
 WIJ 20001 443  
 WIJ 20002 443  
 WIJ 20003 444  
 WIJ 20004 444  
 WIJ 20005 444  
 WIJ 20010 445  
 WIJ 30000 445  
 WIJ 30001 446  
 WIJ 30003 446  
 WIJ 30004 445  
 WIJ 40000 445  
 WIJ 40001 446  
 WIJ 50003 446  
 WIJ 55555 447  
 WIJ 60001 447  
 WIJ 60002 447  
 WIJ 77777 448  
 WIJ 77778 448  
 WIJ 77779 448  
 WIO 00002 449  
 WIO 0001 449  
 WIO 30280 449  
 WIO 30284 450  
 WIS 30000 450  
 WIS 30001 450  
 WIS 30251 451  
 WIS 30252 451  
 WIS 30253 451  
 WIS 30254 451

WIS 30255 452  
 WIS 30256 452  
 WIS 30257 452  
 WIS 30258 452  
 WIS 30259 453  
 WIS 30270 453  
 WIS 30271 453  
 WIS 30272 453  
 WIS 30280 454  
 WIS 30284 455  
 WIS 30285 455  
 WIS 30351 454  
 WIS 30371 454  
 WIS 30381 455  
 WIS 30551 455  
 WIS 30553 456  
 WIS 30554 456  
 WIS 30555 456  
 WIS 30556 457  
 WIS 30557 457  
 WIS 30650 457  
 WIS 30751 458  
 WIS 30752 458  
 WIS 30753 458  
 WIS 30761 459  
 WIS 30762 459  
 WIS 30763 459  
 WIS 40000 460

## X

XLS 000001 491  
 XLS 000002 491  
 XLS 000003 491  
 XLS 000004 491  
 XLS 000005 492  
 XLS 000006 492  
 XLS 000007 492  
 XLS 000008 492  
 XLS 000009 493  
 XLS 000010 493  
 XLS 000011 493  
 XLS 000012 493  
 XLS 000013 493  
 XLS 000014 494  
 XLS 000015 494  
 XLS 000016 494  
 XLS 000017 494  
 XLS 000018 495  
 XLS 000019 495  
 XLW 000001 495  
 XLW 000002 495

