

Getting SAP Solution Manager Ready for Focused Build
Focused Build for SAP Solution Manager
Document Version: 1.1 – 2021-08-05

PUBLIC

Focused Build for SAP Solution Manager 7.2

ST-OST 200 SPS 8



Typographic Conventions

Type Style	Description
<code>Example</code>	Words or characters quoted from the screen. These include field names, screen titles, pushbuttons labels, menu names, menu paths, and menu options. Textual cross-references to other documents.
Example	Emphasized words or expressions.
<code>EXAMPLE</code>	Technical names of system objects. These include report names, program names, transaction codes, table names, and key concepts of a programming language when they are surrounded by body text, for example, SELECT and INCLUDE.
<code>Example</code>	Output on the screen. This includes file and directory names and their paths, messages, names of variables and parameters, source text, and names of installation, upgrade and database tools.
<code>Example</code>	Exact user entry. These are words or characters that you enter in the system exactly as they appear in the documentation.
<code><Example></code>	Variable user entry. Angle brackets indicate that you replace these words and characters with appropriate entries to make entries in the system.
<code>EXAMPLE</code>	Keys on the keyboard, for example, <code>F2</code> or <code>ENTER</code> .

Document History

Version	Date	Change
1.1	2021-07-12	Chapter 3.10.1.1 and 3.10.1.2 corrected
1.00	2021-06-14	Initial Version

Contents

Typographic Conventions	2
Document History	3
1 Introduction	6
1.1 Target Group	6
1.2 Overview of Focused Build for SAP Solution Manager	6
1.3 General	6
1.4 Usage Rights	6
2 Central Note for Focused Build 2.0	8
2.1 Pre-Installation	8
3 Preparation before ST-OST 200 SP08 Installation and Focused Build Configuration	9
3.1 Mandatory Configuration	9
3.1.1 System Preparation	9
3.1.2 Infrastructure Preparation	9
3.1.3 Basic Configuration	10
3.2 Managed System Configuration	10
3.3 Embedded Search	11
3.4 Project Management	12
3.5 Process Management	12
3.5.1 Perform Basic Setup	12
3.5.2 Generate Library	13
3.5.3 Configure Digital Signature	13
3.5.4 Customize Document Handling	13
3.5.5 Configure Solution Documentation	14
3.5.6 Configure Embedded Search	14
3.5.7 Configure SAP Best Practices Connection	14
3.5.8 Define Authorization Concept	15
3.5.9 Scheduling Content Checks	15
3.6 Test Suite	16
3.6.1 Test Suite Preparation - Standard Configuration	16
3.6.2 Special Configuration	18
3.7 Requirement Management	20
3.7.1 Perform Basic Setup	20
3.7.2 Define Requirement Process	21
3.7.3 Configur User Interfaces	21
3.7.4 Set Up My Business Requirements	21
3.7.5 Create Template Users	21
3.7.6 Configure Search Infrastructure	22
3.7.7 Integrate Additional Functions	22
3.7.8 Employ Additional Use Cases	22
3.8 Change Request Management	23

3.8.1	Prepare System.....	23
3.8.2	Perform Basic Setup.....	24
3.8.3	Set Up Downgrade Protection and Retrofit	24
3.8.4	Define Change Process.....	26
3.8.5	Configure User Interface	26
3.8.6	Define Settings for Template Users.....	26
3.8.7	Define Reporting.....	26
3.8.8	Configure Search Infrastructure.....	26
3.8.9	Integrate Additional Functions	27
3.8.10	Employ Additional Use Cases.....	27
3.9	Managed System Setup in Terms of Change Request Management.....	27
3.9.1	Configure LMDB.....	27
3.9.2	Select System.....	27
3.9.3	Check the Software Prerequisites	28
3.9.4	Configure Change and Transport System	28
3.9.5	Check System Prerequisites.....	29
3.9.6	Create User Master Data.....	29
3.9.7	Configure Extended Function	29
3.9.8	Create Landscape and Change Cycle	29
3.10	IT Service aManagement.....	30
3.10.1	Prepare System.....	30
3.10.2	Perform Prerequisites	30
3.10.3	Configure Transaction Types	33
3.10.4	Configure Search Infrastructure.....	33
3.10.5	Configure BW Reporting.....	34
3.10.6	Configure Service Catalog and Request.....	34
3.10.7	Configure Landscape.....	34
3.10.8	Set Up Users and Partners.....	34
3.10.9	Configure User Interface	34
3.10.10	Maintain SAP Partner	35
3.10.11	Integrate External Service Desk	35
4	Creating a Demo Landscape in SAP Solution Manager.....	36
4.1.1	Configuring Transport Management System (TMS)	37
5	Appendix.....	42
5.1	Useful SAP Notes.....	42

1 Introduction

This document will help you to check if you have met all the requirements for implementing Focused Build SP08 with SAP Solution Manager 7.2. SPS 13. You don't have to work through the guide from A to Z if you are familiar with SAP Solution Manager. Simply check the chapter with the respective application for which you need additional information.

To configure Focused Build on your SAP Solution Manager, please read the Focused Build Configuration Guide after you have checked the prerequisites for the implementation.

The recommended managed system landscape for the usage of Focused Build is a 4-system landscape.

1.1 Target Group

This document targets technical consultants, application consultants, and support consultants who plan to perform the configuration of the component `ST-OST 200` (Focused Build).

1.2 Overview of Focused Build for SAP Solution Manager

Focused Build for SAP Solution Manager is a turnkey solution that starts with the creation of requirements in Process Management (Solution documentation). For these requirements, you create work packages, which are then broken down to work items, which are subsequently implemented. The go-live process can involve individual changes, groups of changes, or planned releases that are in line with a release plan and controlled by release phases.

1.3 General

You can download the configuration guide for Focused Build from the SAP Software Download Center at <https://help.sap.com/viewer/p/FBUILD>.

For more information about Focused Build Solutions, refer to the SAP Support Portal at <https://support.sap.com/en/solution-manager/focused-solutions.html>

1.4 Usage Rights

As of 2020, the usage rights of SAP Solution Manager include SAP Focused Build and Insights – at no additional costs

Further information is provided at https://support.sap.com/content/dam/support/en_us/library/ssp/alm/sap-solution-manager/usage-rights/Focused-License-Update.pdf or Usage Rights (sap.com)

2 Central Note for Focused Build 2.0

Before you start with the Focused Build implementation, please read the Central Correction Note carefully.

- For Focused Build 2.0 SP08 the [Central Correction Note 3034070](#) is required. This SAP Note is shipped for Focused Build 2.0 SP08 as part of the Focused Solutions for SAP Solution Manager 7.2 SP13.

2.1 Pre-Installation

Prior to installing ST-OST 200 SP08 and Focused Build, make sure that:

- You have carefully read and considered the SAP Release Planning note: SAP Note [2541761](#)
- Your SAP Solution Manager 7.2 is on SP13
- You have checked the browser pre-requisites: SAP Note [1716423](#)
- **IMPORTANT:** The SAP component CTS plug-in must be installed with the latest support package, see SAP Note [1665940](#)
- Your SAP Solution Manager system runs on at least two system landscapes: Development and productive. For more information, see SAP Note [952859](#)

3 Preparation before ST-OST 200 SP08 Installation and Focused Build Configuration

3.1 Mandatory Configuration

Please start with the configuration scenarios of the mandatory configuration because these settings are a prerequisite for the other configuration scenarios in the navigation tree. To do this, please open the transaction [SOLMAN_SETUP](#).

Configure the following:

- System Preparation: Configure prerequisites for performing SAP Solution Manager configuration scenarios.
- Infrastructure Preparation: Configure the SAP Solution Manager landscape and landscape components.
- Basic Configuration: Configure the most important functions, jobs, and users for [Root Cause Analysis](#) and [Service Delivery](#).


After having finished the mandatory configuration, proceed with the following configuration settings:

- [Managed Systems Configuration](#)
- [Embedded Search](#)

You can then make the settings for scenarios such as [Requirements Management](#), [Process Management](#), [Change Control Management](#) or [IT Service Management](#).

3.1.1 System Preparation

In the system preparation scenario, you define the system role, check the prerequisites, set up the connection to SAP, apply essential corrections, and maintain the technical users.



Please define all steps so that all lights show green.

3.1.2 Infrastructure Preparation

In this scenario, you configure the infrastructure to run SAP Solution Manager. Complete the following steps:

- Set Up Landscape Management
- Set Up Connectivity


- Set Up SAP BW
- Define CA Introscope (This is not mandatory for Focused Build)
- Set Up E-Mail Communication
- Configure CRM Basics
- Enable Gateway Services



3.1.3 Basic Configuration


In this scenario, you configure the most important functions, jobs, and basic users:

- Configure Basic Functions
- Schedule Jobs
- Configure Manually
- Create Basic Dialog Users



3.2 Managed System Configuration

In this step, you configure technical systems, standalone databases, standalone hosts, and cloud services. To manage the systems in SAP Solution Manager, you must complete the system information. Please configure all managed systems which you will manage with the Focused Build scenario.



Important are the RFC connections and RFC users to each system and each client that is to be handled with Focused Build in the future:

SM_<logical system>_READ, User: SM_<SID>
 SM_<logical system>_TMW, User: SMTM<SID>
 SM_<logical system>_TRUSTED

Additionally, the back RFC to the SAP Solution is important for each system: SM_<logical system>_BACK, User: SMB_<SID>

Finally, check the plug-In status for ST-PI and ST-A/PI and check if the CTS_Plugin is distributed to the systems.

For more information about the managed system setup for Focused Build, please have a look to the managed system setup in terms of Change Request Management in Chapter 3.9.

3.3 Embedded Search


In this step, you configure the settings for the usage of [Embedded Search](#) in SAP Solution Manager.

You establish the connection between the embedded search and TREX or SAP HANA, and you carry out additional related activities.

If you do not configure the embedded search, you will not be able to find, for example, documents or test cases. That would mean that you cannot use some scenarios. For this reason, it is necessary to set up the embedded search correctly.

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
●		Activating UI Services	Mandatory		Activating UI Services	Performed	Display
●		Check HANA or TREX Installation	Mandatory		SAP Support Knowledge Base Search	Performed	Display
●		Connect TREX to Solution Manager System	Mandatory		Configuring the RFC Connection in the TREX Admin Tool	Performed	Display
●		Check HTTP Proxy Settings	Mandatory		Transaction SM59	Performed	Display
●		Set HANA or TREX Destination	Mandatory		Set the RFC Destination of TREX or DB Connection to SAP HANA	Performed	Display
◇		Use IP Address for Communication With TREX	Optional		TREX Administration Tool	Not Performed	Display
●		Configure Extraction User for Indexing	Mandatory		Set User for Enterprise Search Data Extraction	Performed	Display
●		Assign Real-Time Indexing Authorization	Mandatory		Transaction PFCG	Performed	Display
◇		Adjust Search Timeout	Optional		Change View "Search Configuration"	Not Performed	Display

On step 2 of the guided procedure, you have the possibility to check for which scenario you have activated the embedded search infrastructure.



The embedded search must be configured for the Requirements Management, Process Management, Change Request Management and IT Service Management scenario.

3.4 Project Management

For Focused Build, no further action is necessary.

3.5 Process Management

Please check that you have performed the mandatory steps of the following activities.


3.5.1 Perform Basic Setup

In this step, lay the groundwork for further configurations that you can define in the subsequent steps. Performing the basic setup enables you to execute a dry run and test all basic standard functions of Process Management.

3.5.1.1 Check Prerequisites

In this scenario, configure the solution documentation in SAP Solution Manager.

In this step, check if the prerequisites are met before you start the configuration of solution documentation.



The screenshot shows the SAP Solution Manager configuration progress bar and the Automatic Activities table. The progress bar indicates the following steps: 1. Perform Basic Setup (1.1 Check Prerequisites, 1.2 Enable Gateway Serv...), 2. Generate Library, 3. Configure Digital Signature, 4. Customize Document Handling, 5. Configure Solution Documentation..., 6. Configure Embedded Search, and 7. Configure SAP Best Practices Connection. The Automatic Activities table lists the following activities:

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
■		Check Service Activation	Mandatory		Mandatory Configuration - Basic Configuration - Step "Configure Basic Functions"	Execute	Display
◇		Check Content Activation Status	Mandatory		Goto Scenario Content Activation	Execute	Display
■		Check Solution Manager Central Correction Note	Mandatory		Mandatory Configuration - System Preparation - Step "Apply Essential Corrections - ABAP Corrections"	Execute	Display
■		Check LMDB Configuration	Mandatory		Mandatory Configuration - Infrastructure Preparation - Step "Set Up Landscape Management - LMDB Synchronization"	Execute	Display

If you have upgraded your SAP Solution Manager from 7.1, the **Content Activation Status** should also be green if you have used the solution documentation in SAP Solution Manager 7.1.

3.5.1.2 Enable Gateway Services

In this step, activate SAP gateway services (OData services) for Process Management. You need these to enable the SAP Solution Manager Fiori Launchpad, the SAP Fiori apps and mobile applications for Process Management.

Help Text

NOTE: If you are using remote SAP Gateway services, you must activate them manually in the corresponding IMG activity. For more information, see the help text. Once you have activated the services, select this checkbox:
 I confirm that activation was performed on remote SAP Gateway

Gateway Services for A4H

List of Gateway Services

Activate	Deactivate	Scenario / To be activated or deactivated	Manda...	Status	Applications	Description of the Service Group	External Service Name
▼ Process Management							
<input type="checkbox"/>	<input type="checkbox"/>		X	●	Diagram Entities Maintenance	GBC GOM Gateway Service	AGS_GBC_ODATA_GOM_SRV
<input type="checkbox"/>	<input type="checkbox"/>		X	●	Graphical Browser	GBC GBM Gateway Service	AGS_GBC_ODATA_GBM_SRV
<input type="checkbox"/>	<input type="checkbox"/>		X	●	Graphical Component BPMN	Graphical Component BPMN Gateway Service	AGS_GBC_ODATA_BPMN_SRV
<input type="checkbox"/>	<input type="checkbox"/>			●	SAP Power Designer	SAP Solution Manager APIs for third party tool integration	PROCESSMANAGEMENT

3.5.2 Generate Library

In this step, generate the library.

You can save transactions, programs, and other entities in the library of a solution. The "Generation Cockpit Library" option, which you start for a selected solution in [Solution Administration](#) (transaction SOLADM), enables you to schedule jobs that identify the entities in managed systems that can be executed, and to store these entities in the library for this solution.

Help Text

Automatic Activities

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
●		Check Status of Scenario "Basic Configuration"	Mandatory		Goto Scenario Basic Configuration	Execute	Display

Manual Activities

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
●		Check Managed Systems	Mandatory		Goto Scenario Managed Systems Configuration	Performed	Display
◇		Execute Scenario „Custom Code Management“	Optional		Goto Scenario Custom Code Management	Not Performed	Display

3.5.3 Configure Digital Signature

If you need to use the digital signature add-on in Focused Build, then it is necessary to execute the mandatory step [Define User Setting](#). If you do not want to use this function in Focused Build, then there are no steps to perform under this point.

3.5.4 Customize Document Handling

In this step, customize document storage and access, document attributes and behavior when you create, save and delete documents. In this step, you only need to perform the activities "Activate HTTP Access for Repositories" and "Configure Solution Manager Document Display v. URL" for the Activate Services step.

3.5.5 Configure Solution Documentation

In solution documentation, you can extend the application by additional customer attributes, if unable to use the existing functionality to store the information you need. These attributes can be created in this optional step. You also can configure which related document types are visible in the attribute pane. If you have an upgraded SAP Solution Manager, please check if you have executed the mandatory actions: Migrate existing views to unified scopes and Migrate existing Views for Test Suite. For all other steps, being prerequisites for the Focused Build implementation, no further action is necessary.

3.5.6 Configure Embedded Search

In this step, configure the embedded search for solution documentation. This includes the generation of the search models for the embedded search, the creation of the search connectors and the scheduling of the indexing process. Please execute all mandatory steps, otherwise it is not possible to find some documents in the solution documentation environment.

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
○	■	Check Status General Configuration Embedded Search	Optional		Scenario Embed...	Postponed	Display

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
○	■	Create Search Models	Mandatory		Create Models for Embedded Search	Performed	Display
○	■	Create Search Connectors	Mandatory		Connector Administration Cockpit	Performed	Display
○	◆	Enable ESH Index Preload	Optional		ESH Index Preload	Not Performed	Display
○	■	Adjust Exceptional Package Size	Mandatory		Set Exceptional Indexing Package size for Initial/Delta Indexing	Performed	Display
○	◆	Estimate index size for Initial Indexing	Optional		Estimate index size for Initial Indexing	Not Performed	Display
○	■	Schedule Initial Indexing	Mandatory		Connector Administration Cockpit	Performed	Display
○	◆	Define Real Time Indexing	Optional		Connector Administration Cockpit	Performed	Display
○	◆	Check Status of Search Infrastructure	Optional		Search Infrastructure Check	Performed	Display

3.5.7 Configure SAP Best Practices Connection

In this step, configure HTTP connections to external server to import SAP Best Practices into solutions. Please check SAP Note [2194123](#) for more information. After you have created the RFC connections, please set the activities to **Performed**.

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
■		Create RFC connections	Optional		URL to start transaction SM59	Performed	Display
■		Create Content Store Connection	Optional		URL to start transaction SM59	Performed	Display

RFC connection:

The screenshot shows the 'RFC Destination OCDAPIS' configuration window. At the top, there is a menu bar with 'Menu', 'Back', 'Exit', 'Cancel', 'System', 'Connection Test', and 'Display <-> Change'. Below this, the 'RFC Destination' is set to 'OCDAPIS'. The 'Connection Type' is 'G' (HTTP Connection to External Serv). The 'Description' section has three text boxes: 'Description 1' contains 'OCDAPIS', 'Description 2' is empty, and 'Description 3' is empty. Below the description is a tabbed interface with 'Administration', 'Technical Settings' (selected), 'Logon & Security', and 'Special Options'. The 'Target System Settings' section includes 'Target Host' set to 'rapid.sap.com', 'Service No.' set to '443', and 'Path Prefix' set to '/ocd/api/'.

Content store connection:

The screenshot shows the 'RFC Destination OCDSTORE' configuration window. At the top, there is a menu bar with 'Menu', 'Back', 'Exit', 'Cancel', 'System', 'Connection Test', and 'Display <-> Change'. Below this, the 'RFC Destination' is set to 'OCDSTORE'. The 'Connection Type' is 'G' (HTTP Connection to External Serv). The 'Description' section has three text boxes: 'Description 1' contains 'OCDSTORE BP', 'Description 2' is empty, and 'Description 3' is empty. Below the description is a tabbed interface with 'Administration', 'Technical Settings' (selected), 'Logon & Security', and 'Special Options'. The 'Target System Settings' section includes 'Target Host' set to 'support.sap.com', 'Service No.' set to '443', and 'Path Prefix' is empty.

3.5.8 Define Authorization Concept

As Focused Build delivers separate composite roles no further action is necessary.

3.5.9 Scheduling Content Checks


For Focused Build, no further action is necessary. You can still schedule jobs here, however, that execute multiple content consistency checks on your Solution documentation to assure its quality and consistency. This is recommended, as otherwise the consistency cannot be ensured 100%.

3.6 Test Suite

The test organization in SAP Solution Manager allows you to test across several systems.


3.6.1 Test Suite Preparation - Standard Configuration

After you have implemented the central correction note [3006519](#) for Test Suite SP013, open transaction `Solman_Setup` and execute the standard configuration steps for Test Management.




3.6.1.1 Activate Test Suite Services

In edit mode, you can automatically complete the two activities:





For Activate Services do the following things:

1. Select the activity to be automatically executed by positioning the cursor on the row of the activity. Make sure that the status of this activity is set to **Execute**.
2. Choose **Execute Selected**. Or execute the activity via the option **Execute Selected**.



OR:





This results in a list with all activated services (SM_IMPLEMENTATION and SM_IMPLEMENTATION_2).

For transaction SOLMAN_SETUP, please set this step to [Manually Performed](#) if you have executed this step manually.

Now execute the second automatic Activity "Migrate Test Status Comment and Miscellaneous". This step is necessary to copy some data to two new tables and delete the existing STRING tables. If you need more information about this, please have a look in the documentation link for this activity.

Please also execute the manual activity "Archive Infostructure". The corresponding archiving infostructures should be activated manually. This should be done, even if you do not plan to archive your data. For transaction SOLMAN_SETUP, please set this step to [Manually Performed](#) if you have executed this step manually.

3.6.1.2 Implement Collective Note


Before you start with the Test Management configuration, please implement the collective note for Test Suite. On ST720 SP 013, implement SAP Note [3006519](#). For all other SAP Solution Manager releases, please check the SAP Support Portal.

3.6.1.3 Create Template User

This step is not available to execute. Focused Build has its own test users with the necessary authorization roles.

3.6.1.4 Test Classification

Define the test categories, such as single functional test, generic functional test, functional integration test, acceptance test, or regression test. Please check that the test classifications are available on your system.



<input type="button" value="Create"/> <input type="button" value="Delete"/> <input type="button" value="Transport"/>		
	Test Classification	Description
<input checked="" type="radio"/>	AT	Acceptance Test
<input type="radio"/>	FIT	Functional Integration Test
<input type="radio"/>	GFT	Generic Functional Test
<input type="radio"/>	RT	Regression Test
<input type="radio"/>	SFT	Single Functional Test

To assign the right test classification for Focused Build, please review the Focused Build configuration guide.

3.6.2 Special Configuration

All activities in this step are optional for one of the following reasons:

- SAP delivers predefined customizing (such as for release schema, workflow, and email notifications). The activity is then only relevant if you want to define your own settings.
- Configuration is needed only if you want to use the activity for items like Business Warehouse (BW) analytics.

Please check the following chapters of this guide to find out which steps must be executed as prerequisite for the Focused Build setup.

3.6.2.1 Release Status Schema

For Focused Build, no further action is necessary.

3.6.2.2 Defects

For Focused Build, no further action is necessary.

3.6.2.3 Workflow and E-Mail Notification

For a simple Focused Build PoC, no further action is necessary.

3.6.2.4 Central Settings

For Focused Build, no further action is necessary.

3.6.2.5 Analytics

For a simple Focused Build PoC, no further action is necessary. However, if you want to use the standard TM Analytics, you must activate BW.

3.7 Requirement Management

Requirements Management enables you to handle change processes for software innovations used throughout your business, including SAP and non-SAP products. After identifying the need for a new function or feature, a business process expert describes the business requirement in detail and submits it to the business manager for validation. If the business manager approves the business requirement, it is handed over to the IT department via an IT requirement. In the IT department, a solution architect assesses whether the requirement can be implemented in terms of technical feasibility, capacity planning, and cost. After the IT manager has given approval, the requirement is committed by the IT department. The business department subsequently reviews the requirement and agrees to it with a final commitment.

Since we deliver a ready-made process with Focused Build, only the mandatory steps need to be performed in this setup steps. Individual customizing is not performed.

3.7.1 Perform Basic Setup

In this step, you lay the groundwork for further configuration done in the subsequent steps. Performing the basic setup enables you to execute a dry run and test all basic standard functions of Requirements Management.

3.7.1.1 Check Prerequisites

This step automatically checks your installation before you continue to configure Requirements Management.


Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
○	■	Check SAP Solution Manager Collective Note	Mandatory	☰	Scenario "Syste...	Execute	Display
○	■	Check Piece List Activation	Mandatory	☰	Mandatory Confi...	Execute	Display
○	■	Check Service Activation	Mandatory	☰	Mandatory Confi...	Execute	Display
○	■	Set Client Change Request and Requirements Mgmt.	Mandatory	☰	Report /TMWFL...	Execute	Display
○	■	Check SAP Connect Configuration	Mandatory	☰	Mandatory Confi...	Execute	Display
○	■	Check and Set Up Number Ranges	Mandatory	☰	Transaction SNUM	Execute	Display
○	◆	Check Activity "Clear Caches for Launchpad"	Optional	☰	Mandatory Confi...	Postponed	Display

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
○	◆	Enable Business Functions for Requirements Mgmt.	Mandatory	☰	Transaction SFWS	Not Performed	Display

The manual activities in this step do not need to be performed for the subsequent use of Focused Build. This is an optional step in the Initial Configuration for Requirement Management.

3.7.1.2 Enable Gateway Services

In this step, activate SAP gateway services (OData services) for Requirement Management. You need these to enable the SAP Solution Manager Fiori Launchpad, the SAP Fiori apps and mobile applications for Requirement Management.



The screenshot shows the 'Enable Gateway Services' step in the SAP Solution Manager configuration wizard. The progress bar at the top indicates the current step is 2.2, with previous steps (1, 2.1) completed and subsequent steps (2.3, 3, 4, 5, 6) pending. Below the progress bar, there is a 'Help Text' section with a note: 'NOTE: If you are using remote SAP Gateway services, you must activate them manually in the corresponding IMG activity. For more information, see the help text. Once you have activated the services, select this checkbox: I confirm that activation was performed on remote SAP Gateway'. Below this is a table titled 'List of Gateway Services'.

Activation Needed	Scenario / To be activated or deactivated	Manda...	Status	Applications	Description of the Service Group	External Service Name
<input type="checkbox"/>	Requirements Management		●	My Business Requirements	My Business Requirements	AL_CRM_GW_MYBUSI_REQUIRE_SRV

Note: The scenario configuration user cannot activate SAP Gateway services. You need administration authorization to activate SAP Gateway services.

3.7.1.3 Implement Collective Note

In this step, you download and implement the master SAP Note for Change Request Management. See also Chapter 3.8.2.

3.7.2 Define Requirement Process

For Focused Build, no further action is necessary.

3.7.3 Configur User Interfaces

For Focused Build, no further action is necessary.

3.7.4 Set Up My Business Requirements

For Focused Build, no further action is necessary.

3.7.5 Create Template Users

This step is not available to execute. Focused Build has its own test users with the necessary authorization roles.

3.7.6 Configure Search Infrastructure

In this manual activity, you create search connectors for data extraction. Activate the connectors for the model:

- AI_REQ_MAN_BUS2116


Create Search Object Connector

Select a Software Component

* Software Component:

Connector Models

Select connector models for which you want to create connectors. This function is intended for creating new connectors only. Therefore, models for which connectors have already been created cannot be processed here.

<input type="button" value="Create Connector"/>	<input type="text"/>	<input type="button" value="Find"/>
 Model	Description	
<input type="checkbox"/>	AI_REQ_MAN_BUS2116	Requirements Management: Transactions

3.7.7 Integrate Additional Functions

For Focused Build, no further action is necessary.

3.7.8 Employ Additional Use Cases

For Focused Build, no further action is necessary.

3.8 Change Request Management

Before you can start with the Focused Build configuration, it is necessary that you have set up some steps for the Change Request management scenario.

- ▼ Change Control Management
 - Quality Gate Management
 - Change Request Management**
 - Managed System Setup

3.8.1 Prepare System

In this step, you prepare the SAP Solution Manager system for the configuration of change control functions. You create the technical user that you will need in the next steps and schedule the specific background jobs relevant for Change Request Management.

3.8.1.1 Create Technical User


Create a technical User (**SM_CHM**) to run jobs for Change Request Management:

The screenshot shows the 'SM_CHM Technical User (in SAP Solution Manager System)' configuration screen. At the top, a progress bar indicates the current step is '1.1 Create Technical User' within the '1 Prepare System' phase. Below the progress bar, there are navigation buttons: 'Read-Only', '< Previous', 'Next >', 'Save', and 'Reset'. The main content area shows a green status indicator and the text 'User SM_CHM exists with the recommended roles'. There is a checkbox for 'Accept Manually Created User Without Checking Role Assignments' which is currently unchecked. Below this, there is a dropdown menu for 'Action' and input fields for 'User' (containing 'SM_CHM'), 'Password', and 'Repeat Password'. A 'Display User' button is located to the right of the 'User' field. At the bottom, there is a 'Required Roles' table with a 'Refresh' button and a 'Manual Role Adjustment' link.

Action	U...	SAP Role	Copy of SAP Role	Role Scope	Type	Start Transaction...	Role Description
Do nothing		SAP_SM_CHM	ZSAP_SM_CHM	ABAP	Mandatory	Display	Display

3.8.1.2 Schedule Background Jobs

Schedule the background jobs needed for Change Request Management. You need a technical user to schedule jobs for background processing. We recommend that you use technical user `SM_CHM` (for Change Request Management Jobs) to do this.



The screenshot shows the 'Jobs Schedules' table in SAP Solution Manager. The table has columns for Job Name, Report Name, Current State, Planned State, Frequency, and Documentation. Three jobs are listed, all with a 'Scheduled' current state.

Job Name	Report Name	Current State	Planned State	Frequency	Documentation
SM.AI_CRM_CM_COM_WLO_CRO_MAIL_NO	AI_CRM_CM_COM_WLO_REQ_NOTIFY	Scheduled	Scheduled	Periodic event	Display
SM.AI_CRM_CM_COM_IMPORT_FEEDBACK	AI_CRM_CM_COM_IMPORT_FEEDBACK	Scheduled	Scheduled	Periodic event	Display
SM.TMWFLOW_CMSSYSOL	/TMWFLOW/CMSSYSOL2	Scheduled	Scheduled	Every day	Display

3.8.2 Perform Basic Setup

In this step, check the prerequisites for the Change Request Management setup, enable Gateway Services for Change Request Management, and implement the Collective Note for this scenario.



For SAP Solution Manager 7.2 SP013 the SAP Note [3030788](#) is the central correction note for Change Request Management.

3.8.3 Set Up Downgrade Protection and Retrofit

It is necessary to activate Cross System Object Lock (CSOL) and Downgrade Protection (DGP) for Focused Build. Retrofit configuration is not required for Focused Build.



CSOL ensures that when an object is changed in a managed system, it is locked in the central SAP Solution Manager system. It prevents version conflicts at an early stage. When the cross-system object lock is active, the system can detect conflicts between objects in different transport requests that are part of the same production logical system (system and client) as their transport target, depending on the type of object that was changed.

You can activate or deactivate the cross-system object lock in the Administration Cockpit.

When the cross-system object lock is active, you can activate downgrade protection. Downgrade protection cannot be activated if the cross-system object lock is inactive

You can activate it in the Administration Cockpit on the [Cross-System Object Lock and Downgrade Protection](#) tab.




The downgrade protection function tracks objects in transport requests, and reports conflicts in five scenarios when an object that is saved in two or more transport requests is released, reassigned, or imported.

If you use these functions on a regular basis and with a big amount of data, consider using the housekeeping report as described in SAP Note [2444942](#) - "Unified DGP Housekeeping Report for ST 7.2".

Cross-System Object Lock Configuration:

- If you want to get notified about the cross-system object lock conflicts, you can select a Warning Only option. Only a warning message is displayed for all conflicts. You can still save your data. Be aware that when choosing this option, you might run the risk of possible software downgrades when older transport requests overwrite more recent transports containing the same objects.
- If you are using the Stop at Error check mode for the CSOL check, you cannot save your data if a conflict is detected.



In addition you have further track specific or scenario specific setting options.

3.8.4 Define Change Process

For Focused Build, no further action is necessary.

3.8.5 Configure User Interface

For Focused Build, no further action is necessary.

3.8.6 Define Settings for Template Users

For Focused Build, no further action is necessary.

3.8.7 Define Reporting

For Focused Build, no further action is necessary.

3.8.8 Configure Search Infrastructure

Activate the connectors for the model:

- AI_CM_BUS2000116
- AI_CM_TRANSPORT_OBJ
- AI_CM_TRANSPORT_REQ

Create Search Object Connector

Select a Software Component

* Software Component:

Connector Models

Select connector models for which you want to create connectors. This function is intended for creating new connectors only. Therefore, models for which connectors have already been created cannot be processed here.

<input type="checkbox"/>	Model	Description
<input type="checkbox"/>	AI_CM_BUS2000116	Change Request Management: Transaction
<input type="checkbox"/>	AI_CM_TRANSPORT_OBJ	Change Request Management: Transport Object
<input type="checkbox"/>	AI_CM_TRANSPORT_REQ	Change Request Management: Transport Request

3.8.9 Integrate Additional Functions

For Focused Build, no further action is necessary.

3.8.10 Employ Additional Use Cases


For Focused Build, no further action is necessary.

3.9 Managed System Setup in Terms of Change Request Management

It is necessary to check and execute the relevant steps in [Managed System Setup](#) for Change Request Management.

3.9.1 Configure LMDB

Check that all systems which will be used for Focused Build are available in the LMDB:



Additionally, check the LMDB to see if the Transport Domain for these systems are available.

SAP Note	Description	SAP Solution Manager	Managed System
1977240	Extension of the AS ABAP SLD Data Supplier (RZ70)		X
2148577	RZ70 always sets communication client to 000 for non-ABAP system		X

3.9.2 Select System

Select the system for which you want to create the transport routes. Add the system to the worklist and select the right client to go on to the next step in the guided procedure.

3.9.3 Check the Software Prerequisites

In this step, check the software prerequisites for the selected managed system:

- You have installed the latest SAP Solution Tools Plug-in (ST-PI) onto the managed systems. ST-PI is a plug-in in the managed system providing a major application programming interface (API) for interacting with SAP Solution Manager.
To see the status log messages for the selected managed system, select mandatory activity [Implement ST-PI](#).
To return to the status log messages for this step, select [Show All Logs](#).
- To enable the full functionality of cross-system object lock checks, downgrade protection, allowlist object checks, critical object checks, and custom checks, you have installed SAP Note [2402504](#) - ChaRM: Back RFC Check Support.
- SAP Note [1703391](#) - General note for managed systems in Change Management - provides information about recommended SAP Notes on the managed system side.

3.9.4 Configure Change and Transport System

Configure Transport Management

In this step, configure the Change and Transport System (CTS) of managed systems. The CTS is a tool that helps you to organize development projects in ABAP Workbench and customizing, and then transport the changes between the SAP systems in your system landscape. Along with ABAP objects, you can also transport non-ABAP objects and non-SAP applications in your system landscape.

If your transport environment has not yet been configured, you must perform the following steps:

- Define Transport Domain Controller
- Activate Extended Transport control
- Define Transport Routes
- Create RFC Destination to Domain Controller
- Configure Transport Strategy
- Set Project Assignment of Requests as Mandatory

Your managed systems must fulfill some requirements in order to be managed by Change Request Management. For more information, see SAP Note [1703391](#) - General Note for Managed Systems in Change Management.

If the transport environment is configured on your system, please check to see if all necessary settings are available.

Related SAP Notes:

SAP Note [1384598](#) - Harmonizing RFC communication infrastructure in ChaRM/QGM.

SAP Note [1801805](#) - Introduction of new destinations and patches in TMS_UPDATE_PWD_OF_TMSADM.

SAP Note [2116545](#) - central CTS: Recommended versions of transport tools.

Configure Enhanced CTS

In this step, make the required settings for the CTS for non-ABAP systems.

Configure central CTS

Central CTS enhances the existing CTS. Usage of central CTS is not intended for Focused Build.

Implement Business Add-Ins

For Focused Build, no further action is necessary.

3.9.5 Check System Prerequisites

In this step, you check whether the SAP Solution Manager system meets the prerequisites for the selected managed system or client.

- READ, TMW, and TRUSTED RFC are used to configure and employ Change Request Management.
- The configuration item is the master data for representing the managed system in SAP Solution Manager used in LMDB (Landscape Management Data Base) and all change processes.



3.9.6 Create User Master Data

For Focused Build, no further action is necessary.

3.9.7 Configure Extended Function

For Focused Build, no further action is necessary.

3.9.8 Create Landscape and Change Cycle

Please refer to [Focused Build Configuration Guide](#).

3.10 IT Service Management

3.10.1 Prepare System

In this step, you prepare the SAP Solution Manager system for the configuration of IT Service Management functions. You create the technical user that you will need in the next steps and schedule the specific background jobs relevant for IT Service Management.

3.10.1.1 Create Technical User

For Focused Build, no further action is necessary.

3.10.1.2 Schedule Background Jobs

For Focused Build, no further action is necessary.

3.10.2 Perform Prerequisites

This step allows for further configurations that you can define in the subsequent steps.

- In the [Perform Prerequisites](#) step, you can check whether the prerequisites are met before you start configuring IT Service Management.
- In the [Enable Gateway Services](#) step, you can activate SAP Gateway Services for IT Service Management. These are needed to enable the SAP Solution Manager Fiori Launchpad, SAP Fiori apps and mobile applications for IT Service Management.
- In the [Configure Automatic Prerequisites](#) step, business functions for IT Service Management are enabled through automatic activities.

3.10.2.1 Perform Prerequisites

In this step, you check whether the prerequisites are met before you start configuring IT Service Management.

1 Prepare System								2 Perform Prerequisites								2.1 Perform Prerequisites								2.2 Enable Gateway Serv...								2.3 Configure Automatic Pre...								3 Configure Transaction Types								4 Configure Search Infrastructure								5 Configure BW Reporting								6 Configure Inbox							
Edit								< Previous								Next >								Save								Reset																																							
Help Text																																																																							
Automatic Activities																																																																							
Show All Logs								Execute All								Execute Selected								Refresh																																															
Status	Updates Need...	Activity	Type	Comment	Navigation	Execution Status	Documentation																																																																
<input type="radio"/>	■	Check SAP Solution Manager Collective Note	Mandatory		Scenario "Syste...	Execute	Display																																																																
<input type="radio"/>	■	Check Piece List Activation	Mandatory		Mandatory Confi...	Execute	Display																																																																
<input type="radio"/>	■	Check Connection to SAP's Support Backbone	Mandatory		Mandatory Confi...	Execute	Display																																																																
<input type="radio"/>	■	Check LMDB Configuration	Mandatory		Mandatory Confi...	Execute	Display																																																																
<input type="radio"/>	■	Check Backgrounds Jobs	Mandatory		Mandatory Confi...	Execute	Display																																																																
<input type="radio"/>	■	Check Service Activation	Mandatory		Mandatory Confi...	Execute	Display																																																																
<input type="radio"/>	■	Check and Set Up Number Ranges	Mandatory		Transaction SNUM	Execute	Display																																																																
<input type="radio"/>	■	Check IBase Component and IObject Creation	Mandatory		Mandatory Confi...	Execute	Display																																																																
<input type="radio"/>	■	Check SAP Connect Configuration	Mandatory		Mandatory Confi...	Execute	Display																																																																
<input type="radio"/>	◆	Check Activity "Clear Caches for Launchpad"	Optional		Mandatory Confi...	Postponed	Display																																																																
Manual Activities																																																																							
Show All Logs																																																																							
Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation																																																																
<input type="radio"/>	◆	Enable Business Functions for ITSM	Mandatory		Transaction SFW5	Not Performed	Display																																																																

Manual Activities:

In this step you enable the needed Business Functions. For Focused Build, no further action is necessary.

Business Function and Business Function Name:

- BC_SRV_STW_03: Enable social media ABAP integration 3
- CRM_ES_BY_ATTACHMENT: Search in business object attachments. Attachments search their contents in Embedded/Enterprise Search
- CRM_IC_CEBP: IC and communication-enabled business processes, for example for checklists
- CRM_IC_INBOX: IC inbox extensions (reversible)
- CRM_IC_INBOX_2: IC inbox extensions 2 (reversible)
- CRM_INF_1: Infrastructure (used for embedded / enterprise search)
- CRM_ITSM: Service request enhancements, for example, to search for transactions "With my involvement", displaying a pushbutton that indicates attachments, ranking calculation, and decision-based checklists
- CRM_ITSM_ALERTS: Notification framework and e-mail (reversible)
- CRM_ITSM_BULLETINS: Bulletin board
- CRM_ITSM_COM: Content and text management
- CRM_ITSM_PROCESS_TIMES_MGMT: Management of processing times (reversible)
- CRM_KA_CI_2: Knowledge article content preview (see SAP Note 1619457, at <https://launchpad.support.sap.com/#/notes/1619457>)
- CRM_RMD: Rule modeler usability
- CRM_SH SVC: Multifunctional shared service integration center, for example for checklists
- CRM_SWI_1: Integration of SAP Jam with SAP CRM
- CRM_TM_1: Enlarged text area and filters in text log
- UI_FRW_1: UI framework
- UI_FRW_1_DOCU: UI framework documentation

3.10.2.2 Enable Gateway Services

In this step, you activate SAP Gateway services (OData services) for IT Service Management. You need these to enable the SAP Solution Manager Fiori Launchpad, the SAP Fiori apps and mobile applications for IT Service Management.

Help Text

NOTE: If you are using remote SAP Gateway services, you must activate them manually in the corresponding IMG activity. For more information, see the help text. Once you have activated the services, select this checkbox:

I confirm that activation was performed on remote SAP Gateway

Gateway Services for A4H

List of Gateway Services

Activation Needed	Scenario / To be activated or deactivated	Mandat...	Status	Applications	Description of the Service Group	External Service Name
IT Service Management						
<input type="checkbox"/>		X	■	Create Incident	Gateway for IT Service Management - Crea...	AI_CRM_GW_CREATE_INCIDENT_SRV
<input type="checkbox"/>		X	■	My Incidents	Gateway for IT Service Management - My...	AI_CRM_GW_MYMESSAGE_SRV
<input type="checkbox"/>		X	■	Resolve and Dispatch Incidents	IT Service Management - Resolve and Disp...	AI_CRM_GW_RES_DISP_INCIDENTS_SRV

3.10.2.3 Configure Automatic Prerequisites

Perform standard configuration steps automatically, for e.g.: Hierarchy for SAP Products.

1 Prepare System 2 Perform Prerequisites 2.1 Perform Prerequisites 2.2 Enable Gateway Serv... 2.3 Configure Automatic Pre... 3 Configure Transaction Types 4 Configure Search Infrastructure 5 Configure BW Reporting

Edit < Previous Next > Save Reset

Help Text

Automatic Activities

Show All Logs Execute All Execute Selected Refresh

Status	Updates Nee...	Activity	Type	Comment	Navigation	Execution Status	Documentation
<input type="radio"/>	<input checked="" type="checkbox"/>	Create Hierarchy for Service Products	Mandatory		Transaction AI...	Manually Performed	Display
<input type="radio"/>	<input checked="" type="checkbox"/>	Create Messages Customizing (BCOS_CUST)	Mandatory		View BCOS_C...	Execute	Display
<input type="radio"/>	<input checked="" type="checkbox"/>	Configure SAP Fiori Launchpad	Mandatory		Table /UI2/EM...	Execute	Display

3.10.3 Configure Transaction Types

For Focused Build, no further action is necessary.

3.10.4 Configure Search Infrastructure

Activate the connector for the model AI_IM_INC.

Create Search Object Connector

Select a Software Component

* Software Component: SAP Solution Manager ITSM

Connector Models

Select connector models for which you want to create connectors. This function is intended for creating new connectors only. Therefore, models for which connectors have already been created cannot be processed here.

Create Connector [input] Find

Model	Description
AGS_SOLMAN_STP	
AI_IM_INC	IT Service Management: Incidents
AI_IM_PRO	IT Service Management: Problems
AI_IM_SRO	IT Service Management: Service Orders
AI_IM_SRQ	IT Service Management: Service Requests

As it is a prerequisite for Focused Build, no further action is necessary.

3.10.5 Configure BW Reporting

In this step, you configure BW reporting for IT Service Management. You do not need this Reporting for Focused Build but if you like to use the SAP Standard Reporting for ITSM than it is necessary to activate.

3.10.5.1 Configure Inbox

For Focused Build, no further action is necessary.

3.10.6 Configure Service Catalog and Request

For Focused Build, no further action is necessary.

3.10.7 Configure Landscape

For Focused Build, no further action is necessary.

3.10.8 Set Up Users and Partners

For Focused Build, no further action is necessary.

3.10.9 Configure User Interface

Here you can configure the display of the WebClient UI and Fiori Launchpad. Activate the mandatory steps for the Fiori Apps.

The screenshot shows the SAP Fiori Launchpad configuration interface. At the top, a progress bar indicates the status of various configuration steps from 7 to 13. Step 10.1, 'Configure WebClient UI', is currently active and highlighted in blue. Below the progress bar, there are navigation buttons: 'Edit', '< Previous', 'Next >', 'Save', and 'Reset'. The main content area is divided into 'Automatic Activities' and 'Manual Activities'. Each activity is listed in a table with columns for Status, Updates Needed, Activity, Type, Comment, Navigation, Execution Status, and Documentation.

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
<input type="radio"/>	■	Configure SAP Fiori Launchpad	Mandatory		Table /UI2/EMB...	Execute	Display
<input type="radio"/>	◆	Check Activity "Clear Caches for Launchpad"	Optional		Mandatory Confi...	Postponed	Display

Status	Updates Needed	Activity	Type	Comment	Navigation	Execution Status	Documentation
<input type="radio"/>	◆	BAdI: MyIncidents App for Message Result List	Optional		BAdI AI_CRM_GW_MYMSG_QUERY_BADI	Not Performed	Display
<input type="radio"/>	◆	Define Priority Colors for SAP Fiori Apps	Optional		View AIV_MAP_PRIORITY	Not Performed	Display
<input type="radio"/>	◆	Customize the Resolve and Dispatch Incidents App	Optional		View AIC_V_KEY_ACTION	Not Performed	Display

3.10.10 Maintain SAP Partner


For Focused Build, no further action is necessary.

3.10.11 Integrate External Service Desk

For Focused Build, no further action is necessary.

4 Creating a Demo Landscape in SAP Solution Manager

Create clients, for example, 801 (development system), 802 (quality assurance system), 803 (regression testing), and 804 (productive system), in your SAP Solution Manager development system to simulate a transport landscape (DEV-QAS-REG-PRD).



Recommendation

It is recommended to have different system roles for different systems, e.g. the development system in the development branch gets the system role C-Development System and the other development system in the maintenance branch 2-Maintenance Development System.

The following sections describe how you can generate a new client or copy an existing client.

Generating Clients

1. Call transaction `SCC4` and create a new client.
2. Log off from the system.
3. Log on to the new client with user `SAP*` and password `PASS`.

Copying Clients

1. Call transaction `SCCL`.
2. Use the following parameters:
 - Profile: `SAP_ALL` (if disk capacity is an issue, you can choose `SAP_CUSTALL` instead)
 - Source Client: `001`

If required, you can copy existing users from the working client with profile `SAP_USER`.

Note

Creating transport routes and RFC destinations is described in section [Configuring Transport Management System \(TMS\)](#).

4.1.1 Configuring Transport Management System (TMS)

The following sections describe how you configure the Transport Management System (TMS).


Note

Make sure that your transport domain has been configured correctly. For more information, call transaction `STMS` and choose [Help](#) → [Application Help](#) → [Transport Management System](#).

Existing settings should already have been configured for the working client in SAP Solution Manager. Do not change these settings. Create additional entries only for simulation clients.

Activating Extended Transport Control

1. Call transaction `STMS`.
2. Choose [Overview](#) → [Systems](#).
3. Double-select the row containing your system.
The [Change TMS Configuration: System <system ID>](#) screen appears.
4. Choose the [Transport Tool](#) tab page.
5. If it is not already there, add a row for the CTC parameter: In the [Parameters](#) column, enter `CTC`.
6. In the [Value](#) column, enter `1` for the CTC parameter.
7. Save your entries.



Configuring the Transport Strategy

The QA approval procedure is not compatible with the approval procedure used in Change Request Management. In the Transport Management System, you therefore must deactivate the QA approval procedure in transport tracks in which the software distribution is controlled by Change Request Management.


You also activate the single transport strategy because this prevents you from accidentally executing [Import All](#). All transports within the system landscape of Change Request Management must be processed by project imports.

Proceed as follows:

1. Call transaction `STMS`.
2. Choose [Overview](#) → [Transport Routes](#).
3. Double-select your system.

You see the [Display System Attributes](#) dialog box.

- In the **Transport strategy** group box, select **Single transports** (because only **Import Single** and **Import Project All** are used).
- In the **Quality assurance** group box, deselect **Delivery after confirmation**.
- Choose **Continue**.



Checking TMS Parameters


- Call transaction **STMS**.
- Choose **Overview** and then **Systems**.
- Double-select your system.
You see the [Display TMS Configuration: System <system ID>](#) screen.
- Check that the parameters are set as follows:

Parameter	Value
CTC	1
IMPORT_SINGLE_ONLY	1
IMPORT_SINGLE_STRATEGY	1
NO_IMPORT_ALL	1
WORKFLOW_STRATEGY	0

Activating TMS Trusted Services for All Transport Domains Involved

TMS Trusted Services are used by Change Request Management to trigger transports in managed systems remotely. You must activate this service in all domain controller systems that may be involved in Change Request Management processes.

- Log on to the domain controller system in client 000.
- Call transaction **STMS** and choose **System Overview**.
- Choose **Goto** and then **Transport Domain**.
- On the **Management** tab page in the **Security Options** group box, set the trusted services to **Active**.
- Save and distribute this configuration.



Creating a Transport Layer

1. Call transaction `STMS` and choose [Transport Routes](#).
2. Switch to change mode and choose [Edit](#).
3. Choose [Transport Layer](#) and then [Create](#).
4. Create transport layers **ZPRJ** (for project) and **ZMAN** (for maintenance).






Creating a Transport Route


1. Call transaction `STMS` and choose [Transport Routes](#).
2. Switch to change mode and choose [Edit](#). Choose [Transport Route](#) and then [Create](#).
3. Create a consolidation.
4. Place the cursor on the [Transport Routes](#) entry and choose [Create](#).
5. Activate the extended transport control (press `F6`).
6. Create a delivery.

Note

The following screenshots are examples only.




7. Adopt the existing transport routes.



Assigning a Transport Layer to a Client

In your simulation landscape, assign the transport layer that you have created earlier to the development system client (801).

1. Call transaction `STMS`.
2. Choose [Overview](#) and then [Transport Routes](#).
3. Double-select your system.
You see the [Display System Attributes](#) dialog box.
4. Choose the [Standard Transport Layer](#) tab page.
5. Create an entry at the client level for the development system client (801) and the transport layer.
6. Save and distribute.




Setting the Mandatory Project Assignment

1. Call transaction `SE03`.
2. Under [Administration](#), double-select [Display/Change Request Attributes](#).
3. Double-select the attribute `SAP_CTS_PROJECT`.
4. Make sure that the client-specific settings contain an entry for the development system client (801) and that the [Required](#) checkbox is selected.



Caution

Do not activate this parameter system-wide! Only activate it for the development system client.



5 Appendix

5.1 Useful SAP Notes

SAP Note No.	Description
1384598	Information about the new remote infrastructure
1384598	Harmonizing RFC communication infrastructure in ChaRM/QGM
1483276	Use of Customizing Parameters in DNO_CUST04, AGS_WORK_CUSTOM and ICT_CUSTOM
1604651	Bad Performance when loading runtime repositories
1703391	General note for managed systems in Change Management
1977240	Extension of the AS ABAP SLD Data Supplier (RZ70)
2148577	RZ70 always sets communication client to 000 for non-ABAP system
2257213	Information about authorizations for SAP Solution Manager RFC users
2402504	ChaRM: Back RFC Check Support
2456627	Document Type Administration Dump Object Types with Namespace

www.sap.com/contactsap

© 2021 SAP SE or an SAP affiliate company. All rights reserved.
No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. Please see <http://www.sap.com/corporate-en/legal/copyright/index.epx#trademark> for additional trademark information and notices.

