Installation Guide CUSTOMER

Document Version: 2.1.0 – 2017-03-27

# **SAP Tax Declaration Framework for Brazil - Installation Guide**



# Content

T	Document History	3
2	Getting Started	5
<b>-</b> 2.1	About This Guide	
2.2	Related Information	6
3	SAP ERP Installation	7
3.1	Important SAP Notes	7
3.2	Installing SAP ERP	7
3.3	Installing SAP Landscape Transformation	. 10
4	SAP TDF Add-on Installation from SP00 on	15
5	SAP TDF Add-on Upgrade of Support Packages for an Existing Installation	19

# **1** Document History

The following table provides an overview of the most important document changes.

Table 1:

Version	Date	Description	
1.0	2015-07-29	First Version.	
1.1	2015-08-24	Information about SP04 installation added to the SAP TDF Add-on Installation section.	
1.2	2015-10-14	Information about new report for TDF installation health check added to the SAP TDF Add-on Installation section.	
1.3	2015-12-11	Information about support packages installation for SAP TDF running on the same database as S/4HANA was added to each support package subsection under the SAP TDF Add-on Installation section.	
		Information about the installation of SP05 was added under the SAP TDF Add-on Installation section.	
1.4	2016-03-01	Information about the installation of the SAP TDF standalone version was added to the SAP ERP Installation section.	
1.5	2016-04-04	Information about the Release Information Notes of the SAP TDF referred to SP01, SP02, SP03 and SP04 were added under the SAP TDF Add-on Installation section.	
		Information about the installation of SP06 was added under the SAP TDF Add-on Installation section.	
1.6	2016-08-08	Information about the TDF Deployment Options was added to the <i>About This Guide</i> section.	

Version	Date	Description	
		Information about the installation of SP07 was added under the SAP TDF Add-on Installation section.	
1.7	2016-08-29	The SAP TDF Add-on Installation with S/4HANA section was created.	
		Information about the TDF ERP Business Functions and Switches was added under the <i>Installing SAP ERP</i> section.	
1.8	2016-10-07	The SAP TDF Add-on Installation with Two Different Databases was created.	
2.0	2016-12-12	A new version of the SAP TDF Add-on Installation section was added.	
		The SAP TDF Add-on Installation with S/4HANA and The SAP TDF Add-on Installation with Two Different Databases sections were removed and the information was consolidated in the SAP TDF Add-on Installation Upgrades section.	
2.1	2017-03-27	The S/4 HANA Compatibility subsection was added to the SAP TDF Add-on Installation from SP00 on section.	
		Information about the installation of SP09 was added under the SAP TDF Add-on Upgrade of Support Packages for an Existing Installation section.	

# 2 Getting Started

# 2.1 About This Guide

This guide is the central source of installation information for *SAP Tax Declaration Framework for Brazil 1.0*. It describes all objects that are included in the product and all related installation steps.

SAP Landscape Transformation (SLT) Replication Server is a replication technology that provides data from ABAP and non-ABAP systems to an SAP HANA environment.

# **TDF Deployment Options**

Before the installation, you must consider the following information:

#### TDF solution installed with integration to SAP ERP system

- TDF with ECC: The data is replicated from SAP ERP to TDF via System Landscape Transformation (SLT). For more information, see SAP ERP Installation [page 7].
- TDF with S4/HANA: TDF and S4/HANA share the same database. For this reason, no replication is required. For more information, see SAP TDF Add-on Installation [page 15].

### TDF solution installed without integration to SAP ERP system

• TDF Standalone: The data is loaded within shadow and staging tables. There is no SLT configuration needed. Instead, some tables must be created according to a SAP note. For more information, see SAP TDF Add-on Installation [page 15].

Note that all the TDF Deployment Options must be installed in a different NetWeaver than SAP ERP system.

# 2.2 Related Information

# **Related Guides**

You can find more information about the relevant applications in the following documents:

#### Table 2:

Title	Location on SAP Service Marketplace
SAP Tax Declaration Framework for Brazil 1.0 – Administrator's Guide	http://service.sap.com/instguides SAP Business Suite  Applications SAP Tax Declaration Framework for Brazil
SAP Tax Declaration Framework for Brazil 1.0 – Configuration Guide	http://service.sap.com/instguides SAP Business Suite Applications SAP Tax Declaration Framework for Brazil

# **Further Useful Links**

The following table lists further useful links on SAP Service Marketplace:

Table 3:

Content	Location on SAP Service Marketplace
Information about creating error messages	http://service.sap.com/incident/
SAP Notes search	http://service.sap.com/notes
SAP Software Distribution Center (software download and ordering of software)	http://service.sap.com/swdc
SAP Online Knowledge Products (OKPs) – role-specific learning maps	http://service.sap.com/rkt

# 3 SAP ERP Installation

# 3.1 Important SAP Notes

Table 4:

SAP Note	Description	Comments
1661202	Support for multiple applications on SAP HANA	
1923804	Release Information Note: SAP Tax Declaration Framework for Brazil 1.0	
1861609	TMFLOCBR 100: Release strategy	Describes the minimal requirements and technical steps for the installation of software component TMFLOCBR of SAP Tax Management Framework for Brazil

# 3.2 Installing SAP ERP

SAP Tax Declaration Framework for Brazil provides new features, enhancements and integration with SAP ERP, in addition to the TMFLOCBR add-on.

To determine the support package (SP) level of SAP\_APPL 605, 606 and 607 for which these developments are available, consult the list of features provided in SAP Note 1923804 Release Information Note: SAP Tax Declaration Framework for Brazil 1.0.

#### i Note

SAP Note 1923804/2 is updated regularly. Make sure that you use the latest version of this SAP Note.

### **SAP Note Implementation**

The following table lists the SAP Notes required for the installation of SAP TDF:

#### i Note

If you are installing SAP TDF in the same data base that you have S4/HANA installed, you skip the implementation of the notes below and you implement only SAP note 2183661.

### Table 5:

SAP Note	Description
1844619	NF-e: Storing Additional Data - BAdl, derived fields, texts
1844621	NF-e: Storing Additional Data - Obj.Services & NF Writer
1856625	Master Data - Screen
1856635	Tax Determination - Code
1857633	TDF: Release of first objects
1859126	NF-e: Storing Additional Data - Enhancement of NF Writer
1860360🎤	NF-e: Storing Additional Data - application generated NFs
1860362	NF-e: Storing Additional Data - outbound NF-e & Reports
1860433 🏕	NF-e: Storing Additional Data for DANFE & Reporting
1864230	TDF: automatic tax code det. MM - Implementation Objects
1865657	NF-e: Update MM/FI with NF-e number - Credit Memos
1869063	NF-e: send obsCont, obsFisco, procRef to GRC
1869452	Tax Determination - BADI Creation
1869554	Tax Determination - DDic creation
1869555	Tax Determination - DDic creation
1869559	Master Data - Screen
1870122	TDF: automatic tax code det. SD - implementation objects
1871231	TDF: BAPI auto. tax code det. MM - implementation objects
1873294	Master Data - DDics
1873302	Master Data - DDics
1877404	NF-e: Enhancements NF Writer screen controls
1878417	TDF: Online Validation of Tax Data
1882947	NF-e: Storing Additional Data - Corrections for NF Writer
1892841	Master Data - DDics - Advanced delivery files

SAP Note	Description	
1893503	TDF: Nota fiscal writer with accounting	
1894089	Pre-Implementation Objects II	
1894759	TDF: auto. tax code det. MM - Manual tax code reason and CFOP category enhancements	
1900965	Pre-Implementation Objects	
1903125	Pre-Implementation Objects I	
1904040	TDF: auto. IVA det. MM - Corrections for Purchasing and Scheduling Agreement processes	
1907146	Pre-Implementation Objects	
1913442	TDF: Non Nota fiscal writer with accounting cancellation	
1916946	New enhancements for Brazil Localization	
1917575	TDF: IM - Physical inventory adjustments with nota fiscal	
1923768	TDF: Simulation window does not close	
1930508/2	TDF: SAP Tax Declaration Framework Services	
2205507/	TDF: CIAP - Data Dictionary for TDF solution	
2183661	TDF: New fields for TDF SPED Contribuições in tables <code>j_1BNFDOC</code> and <code>j_1BNFLIN</code>	

# **Activating TDF ERP Business Function**

To start using TDF ERP tax processing option, you must activate the  ${\tt LOG\_TMF\_INT\_1}$  business function, through the SFW5 transaction.

This business function activates the following switches:

#### Table 6:

Switch	Description	
ITMF_SFW_INV_ADJ	Inventory Adjustment	
ITMF_SFW_NF_ACCT	Accounting of NF Writer	
ITMF_SFW_REP	Switch for TDF Reports	

ITMF_SFW_SD_TC	SD Tax Code Aut. Det.
ITMF_SFW_TDS	Switch for Tax Declaration Services
ITMF_SFW_MM_TC	MM Tax Code Aut. det.
ITMF_SFW_ONLINE_VALIDATION	Online validation

If you don't use the TDF ERP features above, you must activate the  ${\tt LOG\_TMF\_INT\_1\_1}$  business function, through the SFW5 transaction, to integrate the features with TDF solution. This business function activates the following switches:

#### Table 7:

Switch	Description
ITMF_SFW_REP	Switch for TDF Reports
ITMF_SFW_TDS	Switch for Tax Declaration Services

#### i Note

Once you activate a business function, new fields and functionalities are activated. Make sure you have performed the required customizing.

# **Loading BRF+ Applications**

Read SAP Note 1878417 (TDF: Online Validation of Tax Data) and load the BRFplus applications.

To load BRFplus applications, proceed as follows:

- 1. Execute the BRF+ transaction.
- 2. Click Settings.
- 3. Change *User Mode* to *Expert*.
- 4. On the General tab page, make sure that Show XML Import Type selection in XML Import Tool is selected.
- 5. Create a Customizing request using transaction SE09.
- 6. In the Tool menu, choose XML Import and select an XML file.
- 7. Select the Customizing request that you created in step 5.
- 8. Choose *Upload XML File*. Repeat this step for all BRFplus templates.

# 3.3 Installing SAP Landscape Transformation

In order to load and replicate data to SAP TDF on HANA, you must install and configure SAP Landscape Transformation (SLT) 2.0.

#### i Note

If you are installing SAP TDF in the same data base that you have S4/HANA installed, skip the steps related to the SLT.

# **Installing SLT**

Install SAP SLT 2.0 according to the installation and configuration documentation available at http://help.sap.com/saplt20//

# **Importing Support Packages and Relevant Notes**

In order to ensure the best performance during data load, implement the latest support package and correction notes.

After installing the latest support package, consult the relevant SAP Note to obtain the updated list of correction notes. SAP Note 2016511 (Installation/Upgrade SLT - DMIS 2011 SP7) contains the relevant correction notes for SP7.

Table 8:

SAP Note	Source System	Replication Server	Description
2016512	Yes	Yes	SLT (2011 SP07) - Correction 01
2041240	No	Yes	SLT (2011 SP07) - Correction 02
2057779%	No	Yes	SLT (2011 SP07) - Correction 03
2063692	Yes	Yes	SLT (2011 SP07) - Correction 04
2067439	No	Yes	SLT (2011 SP07) - Correction 05
2072445	Yes	Yes	SLT (2011 SP07) - Correction 06
2085216/2	Yes	Yes	SLT (2011 SP07) - Correction 07
2105350%	Yes	Yes	SLT (2011 SP07) - Correction 08

SAP Note	Source System	Replication Server	Description
2111616	No	Yes	SLT (2011 SP07) - Correction 09
2116707	No	Yes	SLT (2011 SP07) - Correction 10
2118125	No	Yes	SLT (2011 SP07) - Correction 11
2119784	No	Yes	SLT (2011 SP07) - Correction 12
2119784	No	Yes	SLT (2011 SP07) - Correction 13
2123494	No	Yes	SLT - recreate logging tables

### **Activating Web Dynpro and Relevant Services**

After the installation of the SAP Landscape Transformation Replication Server (SLT), all required Web Dynpro SLT services are initially disabled. You must enable these services in order to run the SLT user interface.

To activate the SLT services, proceed as follows:

- 1. Execute the Define Services (SICF) transaction.
- 2. In the *Hierarchy Type* field, enter SERVICE, and choose *Run*.
- 3. Expand the node default\_host.
- 4. Activate the following services:

```
sap/bc/webdynpro/iuuc_replication_config
sap/bc/webdynpro/iuuc repl mon powl
sap/bc/webdynpro/iuuc helpcenter
sap/bc/webdynpro/iuuc helpcenter document
sap/bc/webdynpro/iuuc repl wdc config gaf
sap/bc/webdynpro/iuuc_repl_mon_schema_oif
/sap/public/myssocntl
/sap/public/bc/icons
/sap/public/bc/icons rtl
/sap/public/bc/ur
/sap/public/bc/webicons
/sap/public/bc/pictograms
/sap/public/bc/webdynpro/adobeChallenge
/sap/public/bc/webdynpro/mimes
/sap/public/bc/webdynpro/ssr
/sap/public/bc/webdynpro/ViewDesigner
```

### **Configuring the SLT Source Environment**

#### **Generating Roles**

In order to replicate data using the SAP LT Replication Server, you must create an RFC connection to the source system. A user is required in the SAP HANA In-Memory Database so that replication data can be stored.

The SAP IUUC REPL REMOTE role is required.

To generate the SAP IUUC REPL REMOTE role, proceed as follows:

- 1. Execute the Role Maintenance (PFCG) transaction.
- 2. In the Role field, enter the role SAP IUUC REPL REMOTE.
- 3. Choose Change Role.
- 4. On the Authorizations tab page, choose Change Authorization Data. The system displays the Change Role: Authorizations screen.
- 5. Choose Generate.
- 6. Return to the Authorizations tab page; this tab page should now have a green light.
- 7. In the *User* tab page, choose *User Comparison*. The system displays the *Compare Role User Master Record* screen.
- 8. Choose Complete Comparison. The User tab page should now also have a green light.

#### Creating a User

A user is required in the SAP HANA In-Memory Database so that replication data can be stored. Create a user for the RFC connection from SLT to source system.

To create a user, proceed as follows:

- 1. Execute the *User Maintenance* (SU01) transaction.
- 2. In the *User* field, enter **SLTREMOTE**.
- 3. Choose Create.
- 4. On the Address tab page, enter the required information.
- 5. On the Logon Data tab page, enter a password and set the user type as Service.
- 6. On the Roles tab page, insert the SAP IUUC REPL REMOTE role.
- 7. Save the user.

In the SLT system, create an RFC connection to the SAP ERP source system using the user created in the last procedure, using the following steps:

- 1. Execute the Configuration of RFC Connections (SM59) transaction.
- 2. Choose Create.
- 3. In the RFC Destination field, enter RFC name **SLT\_ERP**, and set the Connection Type field to 3 ABAP Connection.
- 4. In the Description 1 field, enter RFC for SLT Extraction.
- 5. On the Technical Settings tab page, in the Target Host field, enter the source system host name.
- 6. On the Logon & Security tab page, enter the user information.
- 7. Save the RFC details.

# **Creating an SLT Connection**

To create an SLT connection, proceed as follows:

- 1. Execute the LTR transaction.
- 2. Choose New.
- 3. In the Configuration Name field, enter the name of the SLT configuration name.
- 4. Choose Next.
- 5. Choose RFC Connection and enter the RFC name you created in the section above.
- 6. Choose Next.
- 7. Select DB Connection.
- 8. In the Database field, enter HANA.
- 9. In the Admin User Name field, enter the HANA administrator's user name.
- 10. Enter your password.
- 11. Enter data for database host name, instance and port.
- 12. Choose Next.
- 13. Choose Resource Optimized.
- 14. Define the number of jobs for data transfer.
- 15. Choose Next.
- 16. Choose Create Configuration.

### **Replication Settings**

Certain SAP ERP tables are required on HANA in order to activate the CTR content. For details of the tables required, see SAP Note 2190963.

For advanced replication settings including table filtering, see SAP Library for SAP Landscape Transformation on SAP Help Portal at http://help.sap.com/saplt20/2.

# 4 SAP TDF Add-on Installation from SP00 on

#### i Note

If you are installing SAP TDF Add-on in a new system, follow the steps below. If you are upgrading SAP TDF Add-on installation, see SAP TDF Add-on Upgrade of Support Packages for an Existing Installation [page 19].

# **Release Strategy**

The following table lists the SAP Notes that describe restrictions and other details for the installation of the TMFLOCBR software components:

#### Table 9:

SAP Note	Title	Description
1861609	TMFLOCBR 100: Release strategy	Describes the minimal requirements and technical steps for the installation of software component TMFLOCBR of SAP Tax Management Framework for Brazil

#### Installing AS ABAP for SAP TDF 1.0

The prerequisites for installing the SAP TDF Add-on are as follows:

- SAP HANA
- SAP NetWeaver 7.4 on SAP HANA
- SAP HANA Studio

The required version of SAP HANA is specified in the release notes for each support package.

For more information about SAP HANA and SAP NetWeaver 7.4, see the documentation available at:

- SAP HANA http://help.sap.com/hana
- SAP NetWeaver 7.4 http://help.sap.com/nw74/

### i Note

The TMFLOCBR 100 component is now supported on SAP Netweaver 7.5. To install SAP TDF Add-on on SAP NetWeaver 7.5 system, download the TMFLOCBR==100 ACP with the *I720020751259 0106708.PAT* PAT file from the Service Market Place and extract it into the EPS/in of the system. Then, continue in the SAINT transaction.

### **Preconfiguration Steps for Installation of the SAP TDF Add-on**

#### i Note

If you have the standalone version of SAP TDF, skip the steps below and see SAP Note2258590/2.

Before installing the SAP TDF Add-on, perform the following steps:

- 1. Apply the SAP Notes specified in SAP Note 1923804.
- 2. Configure selective SLT (only relevant data for reporting/analytics) from EhP5 or later, then replicate to all used instances (for example, *DEV*, *Quality*, and *Productive*).
- 3. Complete the SLT initial load for the tables listed in SAP Note 2190963.

#### Creating an schema on HANA for SAP TDF Installation

To create an schema on HANA, proceed as follows:

- Create an schema named as SAP\_TMP.
   If you are using TDF as a Standalone solution, you can create a Schema with a different name than described above. To do so, adapt the DDLs of the SAP Note 2258590 to create the tables in the schema that you have entered. Then, make sure to use your schema\_Name instead of SAP\_TMP when mapping schemas on HANA
- 2. Apply SAP Note 2258590 ...

#### Mapping Schemas on HANA

To map schemas, proceed as follows:

- 1. Execute HANA Studio.
- 2. Select the *Modeler* perspective.
- 3. Choose Quick Launch.
- 4. Choose Schema Mapping.
- 5. Select the physical schema to configure.
- 6. Create two schema mappings as follows:

#### Table 10:

Authoring Schema	Physical Schema
SAP_ECC	<sap_tmp></sap_tmp>
SAP_ABAP	<schema_created_for_tdf></schema_created_for_tdf>

### Creating the Flag in the SNHI\_DUP\_PREWORK Table

Create the PREWORK flag:

- 1. Execute transaction SM30.
- 2. Maintain the SNHI DUP PREWORK view.
- 3. Create a new entry.
- 4. Enter TMFLOCBR in the Software Component field.
- 5. Mark the Prework flag.
- 6. Choose Save.

### Installing TMFLOCBR100 and its Support Packages on SAP Netweaver

You use transaction SAINT to install additional technical usages (ABAP only).

Make sure you import the newest SPAM/SAINT update before using transaction SAINT to install additional technical usages, and note that you also need to use *SAP Solution Manager Maintenance Optimizer* to generate a stack configuration file.

Install all the TDF Support Packages in the same transport queue by importing all released support packages alongside TMFLOCBR100.

Detailed information about the SAP Add-On Installation Tool is available here: http://help.sap.com/spmanager

Execute transaction SAINT on client 000.

#### i Note

TDF only transports the content of the customizing tables for client 000.

#### Schema Mapping

#### i Note

If you are using TDF as a Standalone Solution, skip the step below and go to the Activate TDF Services section.

1. Change your schema back for the one that contains your ERP tables.

#### Table 11:

Authoring Schema	Physical Schema
SAP_ECC	<schema_containing_erp_tables></schema_containing_erp_tables>

- 2. Redeploy all HANA Views from package sap.go.tmflocbr.
- 3. If you are using two HANA databases (one HANA database for TDF and another HANA database for S/4HANA or SFIN), go to the *Create GLTO and FAGLFLEXT Views Manually* section of this document before continuing.
- 4. Delete the SAP TMP schema.

#### i Note

Make sure you are deleting the right schema (SAP TMP) to complete the TDF with S/4HANA installation.

#### S/4 HANA Compatibility

Before proceeding with TDF Add-on installation, you must check the S/4 HANA compatibility by applying SAP Note2421880.

#### Creating GL10 and FLAGLFLEXT Views Manually

If you are using S/4HANA or SFIN, after changing the schema mapping above, you must create the GLTO and the FAGLFLEXT views manually on your TDF HANA database. You must create them under the replicated SAP\_ECC schema and replicate all the necessary tables to provide data for these views.

After that, you must activate manually the following views:

- sap.glo.tmflocbr.ctr::PRV\_SALDO\_CONTABIL\_GLT0
- sap.glo.tmflocbr.ctr::PRV\_SALDO\_CONTABIL\_FAGLFLEXT

### **Activate TDF Services**

- 1. Execute the *Maintain Service* (SICF) transaction.
- 2. In the *Hierarchy Type* field, choose *SERVICE* and then choose *Run*.
- 3. Expand the node default\_host.
- 4. Activate the following services:
  - o sap/public/bc/icf/logoff
  - o sap/bc/bsp/tmf
  - o sap/bc/ui5\_ui5/tmf
  - o sap/opu/odata/tmf

To activate each of these services, right-click the tmf node and select the Yes button with the tree icon. This activates the selected service node including all the subservices maintained for it.

#### i Note

Make sure that the subservices of the services above are activated.

# 5 SAP TDF Add-on Upgrade of Support Packages for an Existing Installation

#### i Note

If you have installed TDF Add-on previously and now you want to upgrade it, check the Support Package that you are currently working on and follow the steps as of that Support Package. If you are installing SAP TDF Add-on in a new system, from SP00 on, see SAP TDF Add-on Installation from SP00 on [page 15].

### **Installation of Support Packages**

Install all support packages individually; do not create an installation queue with more than one support package.

#### Install SP01

- 1. Check the installation prerequisites in the Release Information Note 2019829.
- 2. Deselect the PREWORK flag:
  - 1. Execute transaction SM30.
  - 2. Maintain the SNHI DUP PREWORK view.
  - 3. Select software component TMFLOCBR and deselect the *PREWORK* checkbox.
  - 4. Choose Save.
- 3. Import the SP01 file using transaction SAINT.
- 4. Install the support package using transaction SPAM on client 000.

#### i Note

During the Support Package installation, you might get an error that prevents you from continuing the installation. To solve the error, implement SAP Note 2218792.

- 5. If you are installing SAP TDF in the same data base that you have S4/HANA installed, you must change and manually activate the following views:
  - o sap.glo.tmflocbr.ctr::PRV\_SALDO\_CONTABIL\_GLT0
  - o sap.glo.tmflocbr.ctr::PRV SALDO CONTABIL FAGLFLEXT
- 6. In HANA Studio, manually activate the following views (activate each one individually and in this order):
  - O PRV NF CODIGO OBSERVACAO
  - O PRV NF CODIGO OBSERVACAO SCRIPT
  - O PRV NF INF COMPLEMENTAR
  - O PRV NF INF COMPLEMENTAR SCRIPT
  - O NF CODIGO OBSERVACAO
  - O NF INF COMPLEMENTAR
- 7. In HANA Studio, activate all HANA views on the queue of the NetWeaver user, as follows:

19

- 1. Right-click on package sap.glo.tmflocbr.
- 2. Activate all inactive views.

#### Install SP02

- 1. Check the installation prerequisites in the Release Information Note 2058478.
- 2. Apply SAP Note 2190874 ...
- 3. Deselect the PREWORK flag:
  - 1. Execute transaction SM30.
  - 2. Maintain the SNHI DUP PREWORK view.
  - 3. Select software component TMFLOCBR and deselect the PREWORK checkbox.
  - 4. Choose Save.
- 4. Import the SP02 file using transaction SAINT.
- 5. Install the support package using transaction SPAM on client 000.

#### i Note

During the Support Package installation, you might get an error that prevents you from continuing the installation. To solve the error, implement SAP Note 2218794.

- 6. In HANA Studio, manually activate the following views (activate each one individually and in this order):
  - o sap.glo.tmflocbr.ctr::PRV\_SALDO\_CONTABIL\_GLT0
  - o sap.glo.tmflocbr.ctr::PRV\_SALDO\_CONTABIL\_FAGLFLEXT
- 7. Activate all HANA views in the queue of the NetWeaver user, as follows:
- 1. Right-click on package sap.glo.tmflocbr.
- 2. Activate all inactive views.

#### Install SP03

#### i Note

If you are installing SAP TDF in the same data base that you have S4/HANA installed, skip step number two.

- 1. Check the installation prerequisites in the Release Information Note 2104907.
- 2. Set the PREWORK flag:
  - 1. Execute transaction SM30.
  - 2. Maintain the SNHI DUP PREWORK view.
  - 3. Select software component TMFLOCBR and select the PREWORK checkbox.
  - 4. Choose Save.
- 3. Import the SP03 file using transaction SAINT.
- 4. Install the support package using transaction SPAM on client 000.

#### i Note

During the Support Package installation, you might get an error that prevents you from continuing the installation. To solve the error, implement SAP Note 2218796.

- 5. If you are installing SAP TDF in the same data base that you have S4/HANA installed, you must manually activate the following views:
  - o sap.glo.tmflocbr.ctr::PRV SALDO CONTABIL GLT0
  - o sap.glo.tmflocbr.ctr::PRV SALDO CONTABIL FAGLFLEXT
- 6. Activate all HANA views in the queue of the NetWeaver user, as follows:
- 1. Right-click on package sap.glo.tmflocbr.
- 2. Activate all inactive views.

#### Install SP04

- 1. Check the installation prerequisites in the Release Information Note 2148331.
- 2. Set the PREWORK flag:
  - 1. Execute transaction SM30.
  - 2. Maintain the SNHI DUP PREWORK view.
  - 3. Select software component TMFLOCBR and select the PREWORK checkbox.
  - 4. Choose Save.
- 3. Import the SP04 file using transaction SAINT.
- 4. Install the support package using transaction SPAM on client 000.

#### i Note

During the Support Package installation, you might get an error that prevents you from continuing the installation. To solve the error, implement SAP Note 2208135.

- 5. If you are installing SAP TDF in the same data base that you have S4/HANA installed, you must manually activate the following views:
  - o sap.glo.tmflocbr.ctr::PRV\_SALDO\_CONTABIL\_GLT0
  - o sap.glo.tmflocbr.ctr::PRV SALDO CONTABIL FAGLFLEXT
- 6. Activate all HANA views in the queue of the NetWeaver user, as follows:
- 1. Right-click on package sap.glo.tmflocbr.
- 2. Activate all inactive views.

#### Install SP05

- 1. Check the installation prerequisites in the Release Information Note 2215394 ...
- 2. Import the SP05 file using transaction SAINT.
- 3. Install the support package using transaction SPAM on client 000.

#### Install SP06

- 1. Check the installation prerequisites in the Release Information Note 2267307.
- 2. Import the SP06 file using transaction SAINT.
- 3. Install the support package using transaction SPAM on client 000.

#### Install SP07

- 1. Check the installation prerequisites in the Release Information Note 2300579 ...
- 2. Import the SP07 file using transaction SAINT.
- 3. Install the support package using transaction SPAM on client 000.

#### Install SP08

#### i Note

If you are using TDF with ECC and SLT or with S/4HANA, apply SAP Note 2400274 .

- 1. Check the installation prerequisites in the Release Information Note 2343556.
- 2. Import the SP08 file using transaction SAINT.
- 3. Install the support package using transaction SPAM on client 000.
- 4. Apply SAP Note 2395948.

#### Install SP09

- 1. Check the installation prerequisites in the Release Information Note 2425721 -
- 2. Apply SAP Note 2421880.
- 3. Import the SP09 file using transaction SAINT.
- 4. Install the support package using transaction SPAM on client 000.
- 5. Execute the following Migration Reports using transaction SE38:
  - /TMF/MAT CONFI MIGRATION: For more information, see SAP Note 2424888 €.
  - /TMF/MIGRATION\_COD\_OBS\_COD\_INF: For more information, see SAP Note 2426940 €.
  - /TMF/MIGRATION\_NUM\_DOC: For more information, see SAP Note 2428603₺.

#### i Note

If you have already applied the SAP Notes above, skip the step 5.

# **Important Disclaimers and Legal Information**

# **Coding Samples**

Any software coding and/or code lines / strings ("Code") included in this documentation are only examples and are not intended to be used in a productive system environment. The Code is only intended to better explain and visualize the syntax and phrasing rules of certain coding. SAP does not warrant the correctness and completeness of the Code given herein, and SAP shall not be liable for errors or damages caused by the usage of the Code, unless damages were caused by SAP intentionally or by SAP's gross negligence.

# Accessibility

The information contained in the SAP documentation represents SAP's current view of accessibility criteria as of the date of publication; it is in no way intended to be a binding guideline on how to ensure accessibility of software products. SAP in particular disclaims any liability in relation to this document. This disclaimer, however, does not apply in cases of willful misconduct or gross negligence of SAP. Furthermore, this document does not result in any direct or indirect contractual obligations of SAP.

### **Gender-Neutral Language**

As far as possible, SAP documentation is gender neutral. Depending on the context, the reader is addressed directly with "you", or a gender-neutral noun (such as "sales person" or "working days") is used. If when referring to members of both sexes, however, the third-person singular cannot be avoided or a gender-neutral noun does not exist, SAP reserves the right to use the masculine form of the noun and pronoun. This is to ensure that the documentation remains comprehensible.

# **Internet Hyperlinks**

The SAP documentation may contain hyperlinks to the Internet. These hyperlinks are intended to serve as a hint about where to find related information. SAP does not warrant the availability and correctness of this related information or the ability of this information to serve a particular purpose. SAP shall not be liable for any damages caused by the use of related information unless damages have been caused by SAP's gross negligence or willful misconduct. All links are categorized for transparency (see: http://help.sap.com/disclaimer).

